

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/BOM,v  
working file: atlas/BOM  
head: 7.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 7.0  
keyword substitution: kv  
total revisions: 1799; selected revisions: 12  
description:

-----  
revision 2.77  
date: 1995/02/24 01:52:08; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

-----  
revision 2.76  
date: 1995/02/24 01:23:25; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

-----  
revision 2.75  
date: 1995/02/24 00:14:48; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

-----  
revision 2.74  
date: 1995/02/23 20:48:27; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template

-----  
revision 2.73  
date: 1995/02/23 07:43:23; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts

releasing after conversion from microns to DBUS

-----  
revision 2.72  
date: 1995/02/23 06:52:12; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts

releasing before conversion from microns to DBUS

-----  
revision 2.71  
date: 1995/02/22 22:51:12; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards

Initial release of atlas/gards Makefiles & basegen stuff.

-----  
revision 2.70  
date: 1995/02/22 22:44:05; author: wampler; state: Exp; lines: +5 -1  
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.

-----  
revision 2.69  
date: 1995/02/22 01:55:23; author: ong; state: Exp; lines: +2 -2

bz Feb 21-27 1995.log

Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.68

date: 1995/02/22 00:38:12; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

New layout rules

Geert

-----  
revision 2.67

date: 1995/02/22 00:33:30; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 2.66

date: 1995/02/21 22:54:33; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/tab/doc

Added more info from Trancy

Geert

=====

RCS file: /p/cvsroot/atlas/compass/BOM,v

Working file: atlas/compass/BOM

head: 10.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 10.0

keyword substitution: kv

total revisions: 217; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 2.3

date: 1995/02/23 07:43:10; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

releasing after conversion from microns to DBUS

-----  
revision 2.2

date: 1995/02/23 06:52:00; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

releasing before conversion from microns to DBUS

=====

RCS file: /p/cvsroot/atlas/compass/layouts/BOM,v

Working file: atlas/compass/layouts/BOM

head: 75.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 75.0

keyword substitution: kv

total revisions: 278; selected revisions: 4

bz Feb 21-27 1995.log

description:  
releasebom adding BOM

-----  
revision 4.0  
date: 1995/02/23 07:42:53; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/compass/layouts

releasing after conversion from microns to DBUS

-----  
revision 3.1  
date: 1995/02/23 07:42:40; author: tom; state: Exp; lines: +260 -260  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 3.0  
date: 1995/02/23 06:51:45; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/compass/layouts

releasing before conversion from microns to DBUS

-----  
revision 2.1  
date: 1995/02/23 06:51:34; author: tom; state: Exp; lines: +261 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v  
working file: atlas/compass/layouts/atlas.db  
head: 1.136  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.136  
keyword substitution: kv  
total revisions: 136; selected revisions: 2  
description:

-----  
revision 1.7  
date: 1995/02/23 00:02:59; author: chip; state: Exp; lines: +26 -26  
periodic checkin of Wed Feb 22 16:02:52 PST 1995

-----  
revision 1.6  
date: 1995/02/22 17:43:28; author: chip; state: Exp; lines: +17 -8  
periodic checkin of Wed Feb 22 09:43:14 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1bar1.ly,v  
working file: atlas/compass/layouts/ccr1bar1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:20:43; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:43:11; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1col.ly,v  
working file: atlas/compass/layouts/ccr1col.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:20:47; author: chip; state: Exp; lines: +82 -82  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:14; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1col2.ly,v  
working file: atlas/compass/layouts/ccr1col2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:20:49; author: chip; state: Exp; lines: +16 -16  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:18; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1colr.ly,v  
working file: atlas/compass/layouts/ccr1colr.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:20:50; author: chip; state: Exp; lines: +83 -83  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:21; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccr2col.ly,v  
Working file: atlas/compass/layouts/ccr2col.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:20:53; author: chip; state: Exp; lines: +28 -28  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:24; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccr4col.ly,v  
Working file: atlas/compass/layouts/ccr4col.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:20:55; author: chip; state: Exp; lines: +75 -75  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:28; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrcap.ly,v  
Working file: atlas/compass/layouts/ccrcap.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:20:58; author: chip; state: Exp; lines: +17 -17  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:31; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrcell.ly,v  
working file: atlas/compass/layouts/ccrcell.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:00; author: chip; state: Exp; lines: +58 -58  
periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:34; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrcell\_1.ly,v  
working file: atlas/compass/layouts/ccrcell\_1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:02; author: chip; state: Exp; lines: +266 -266  
periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:49:01; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrddrv.ly,v  
working file: atlas/compass/layouts/ccrddrv.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:05; author: chip; state: Exp; lines: +226 -226  
periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:38; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrddrv2.ly,v  
Working file: atlas/compass/layouts/ccrddrv2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:08; author: chip; state: Exp; lines: +228 -228  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:41; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrdec.ly,v  
Working file: atlas/compass/layouts/ccrdec.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:09; author: chip; state: Exp; lines: +16 -16  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:45; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrdecl.ly,v  
Working file: atlas/compass/layouts/ccrdecl.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:11; author: chip; state: Exp; lines: +259 -259  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:48; author: chip; state: Exp;

bz Feb 21-27 1995.log

periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrmcap.ly,v

working file: atlas/compass/layouts/ccrmcap.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.2

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:21:15; author: chip; state: Exp; lines: +17 -17

periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1

date: 1995/02/22 22:43:51; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrplat.ly,v

working file: atlas/compass/layouts/ccrplat.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.3

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:21:17; author: chip; state: Exp; lines: +4 -4

periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1

date: 1995/02/22 22:43:54; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrsa.ly,v

working file: atlas/compass/layouts/ccrsa.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.3

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:21:20; author: chip; state: Exp; lines: +341 -341

periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1

date: 1995/02/22 22:43:58; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrsa2.ly,v  
Working file: atlas/compass/layouts/ccrsa2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:21; author: chip; state: Exp; lines: +350 -350  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:44:01; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/ccrsanlat.ly,v  
Working file: atlas/compass/layouts/ccrsanlat.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.3  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:23; author: chip; state: Exp; lines: +153 -153  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:44:04; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell6t.ly,v  
Working file: atlas/compass/layouts/cell6t.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:26; author: chip; state: Exp; lines: +1146 -1146  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:49:05; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell6tx2.ly,v
working file: atlas/compass/layouts/cell6tx2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:21:29; author: chip; state: Exp; lines: +6 -6
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:49:10; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell6tx4.ly,v
working file: atlas/compass/layouts/cell6tx4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:21:31; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:49:14; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell6tx8.ly,v
working file: atlas/compass/layouts/cell6tx8.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:21:32; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:49:17; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell8t.ly,v
```

```

bz Feb 21-27 1995.log
Working file: atlas/compass/layouts/cell8t.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:35; author: chip; state: Exp; lines: +932 -932
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:21; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/crcell_6.ly,v
Working file: atlas/compass/layouts/crcell_6.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.2
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:38; author: chip; state: Exp; lines: +227 -227
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:24; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/csm.ly,v
Working file: atlas/compass/layouts/csm.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.3
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:40; author: chip; state: Exp; lines: +533 -581
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/23 01:13:36; author: chip; state: Exp;
periodic checkin of Wed Feb 22 17:13:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6t.ly,v
Working file: atlas/compass/layouts/csm6t.ly

```

bz Feb 21-27 1995.log

head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:44; author: chip; state: Exp; lines: +60 -60  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:27; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tc.ly,v  
working file: atlas/compass/layouts/csm6tc.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:45; author: chip; state: Exp; lines: +49 -49  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:30; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tcell.ly,v  
working file: atlas/compass/layouts/csm6tcell.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:48; author: chip; state: Exp; lines: +75 -75  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:33; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tcell\_1.ly,v  
working file: atlas/compass/layouts/csm6tcell\_1.ly  
head: 2.2  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:21:50; author: chip; state: Exp; lines: +77 -77

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:49:35; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tcx2.ly,v

working file: atlas/compass/layouts/csm6tcx2.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:21:53; author: chip; state: Exp; lines: +6 -6

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:49:38; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tcx4.ly,v

working file: atlas/compass/layouts/csm6tcx4.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:21:54; author: chip; state: Exp; lines: +4 -4

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:49:42; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tml.ly,v

working file: atlas/compass/layouts/csm6tml.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:56; author: chip; state: Exp; lines: +129 -129
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:45; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm18x8.ly,v
working file: atlas/compass/layouts/csm6tm18x8.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:59; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:48; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1a.ly,v
working file: atlas/compass/layouts/csm6tm1a.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:22:02; author: chip; state: Exp; lines: +132 -135
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:52; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1ax4.ly,v
working file: atlas/compass/layouts/csm6tm1ax4.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----

```

bz Feb 21-27 1995.log

revision 2.2

date: 1995/02/23 07:22:04; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:49:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1b.ly,v

working file: atlas/compass/layouts/csm6tm1b.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:22:29; author: chip; state: Exp; lines: +132 -133  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:49:58; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1c.ly,v

working file: atlas/compass/layouts/csm6tm1c.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:22:34; author: chip; state: Exp; lines: +64 -64  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:50:01; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1d.ly,v

working file: atlas/compass/layouts/csm6tm1d.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:22:36; author: chip; state: Exp; lines: +46 -46  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

-----  
revision 2.1  
date: 1995/02/22 22:50:04; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1e.ly,v  
working file: atlas/compass/layouts/csm6tm1e.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:22:39; author: chip; state: Exp; lines: +43 -43  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:07; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1f.ly,v  
working file: atlas/compass/layouts/csm6tm1f.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:22:40; author: chip; state: Exp; lines: +48 -48  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:10; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm1x4.ly,v  
working file: atlas/compass/layouts/csm6tm1x4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:22:42; author: chip; state: Exp; lines: +8 -8  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:13; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm28x8.ly,v  
working file: atlas/compass/layouts/csm6tm28x8.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:22:45; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:50:16; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tm38x8.ly,v  
working file: atlas/compass/layouts/csm6tm38x8.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:22:49; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:50:19; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tx2.ly,v  
working file: atlas/compass/layouts/csm6tx2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:22:51; author: chip; state: Exp; lines: +6 -6  
periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:50:22; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

---

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm6tx4.ly,v  
working file: atlas/compass/layouts/csm6tx4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----  
revision 2.2  
date: 1995/02/23 07:22:53; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----  
revision 2.1  
date: 1995/02/22 22:50:25; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_a1.ly,v  
working file: atlas/compass/layouts/csm\_a1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----  
revision 2.2  
date: 1995/02/23 07:22:55; author: chip; state: Exp; lines: +21 -21  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----  
revision 2.1  
date: 1995/02/22 22:50:28; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_a2.ly,v  
working file: atlas/compass/layouts/csm\_a2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----  
revision 2.2  
date: 1995/02/23 07:22:57; author: chip; state: Exp; lines: +17 -17  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----  
revision 2.1  
date: 1995/02/22 22:50:32; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_a3.ly,v  
working file: atlas/compass/layouts/csm\_a3.ly  
head: 2.2

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:01; author: chip; state: Exp; lines: +17 -17  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:35; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_a4.ly,v  
working file: atlas/compass/layouts/csm\_a4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:03; author: chip; state: Exp; lines: +17 -17  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:37; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_a5.ly,v  
working file: atlas/compass/layouts/csm\_a5.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:06; author: chip; state: Exp; lines: +13 -13  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:40; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_a6.ly,v  
working file: atlas/compass/layouts/csm\_a6.ly  
head: 2.2  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:23:07; author: chip; state: Exp; lines: +17 -17

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:50:42; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_a7.ly,v

working file: atlas/compass/layouts/csm\_a7.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:23:10; author: chip; state: Exp; lines: +19 -19

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:50:45; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_b1.ly,v

working file: atlas/compass/layouts/csm\_b1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:23:13; author: chip; state: Exp; lines: +19 -19

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:50:48; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_b1\_a1.ly,v

working file: atlas/compass/layouts/csm\_b1\_a1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 2.2  
date: 1995/02/23 07:23:16; author: chip; state: Exp; lines: +162 -162  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:51:15; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm\_cl.ly,v  
working file: atlas/compass/layouts/csm\_cl.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:23:17; author: chip; state: Exp; lines: +25 -25  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:51:19; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmatom.ly,v  
working file: atlas/compass/layouts/csmatom.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:23:19; author: chip; state: Exp; lines: +25 -25  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:51:24; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmatom\_2.ly,v  
working file: atlas/compass/layouts/csmatom\_2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2

bz Feb 21-27 1995.log  
date: 1995/02/23 07:23:22; author: chip; state: Exp; lines: +26 -26  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:51:28; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmloadlatbc.ly,v  
working file: atlas/compass/layouts/csmloadlatbc.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:25; author: chip; state: Exp; lines: +122 -122  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:51:31; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmloadlatbc\_a7.ly,v  
working file: atlas/compass/layouts/csmloadlatbc\_a7.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:27; author: chip; state: Exp; lines: +118 -118  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:51:35; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csmsertriflop.ly,v  
working file: atlas/compass/layouts/csmsertriflop.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:28; author: chip; state: Exp; lines: +8 -8  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

bz Feb 21-27 1995.log

revision 2.1

date: 1995/02/22 22:51:39; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/decls.ly,v

Working file: atlas/compass/layouts/decls.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:23:31; author: chip; state: Exp; lines: +981 -981

periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1

date: 1995/02/22 22:44:07; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/drv1.ly,v

Working file: atlas/compass/layouts/drv1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:23:34; author: chip; state: Exp; lines: +219 -219

periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1

date: 1995/02/22 22:44:10; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/emptyatom.ly,v

Working file: atlas/compass/layouts/emptyatom.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

---

revision 2.3

date: 1995/02/23 07:23:37; author: chip; state: Exp; lines: +8 -8

periodic checkin of wed Feb 22 23:20:23 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/exand1b17nm.ly,v

```

bz Feb 21-27 1995.log
working file: atlas/compass/layouts/exand1b17nm.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:23:39; author: chip; state: Exp; lines: +385 -407
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas/compass/layouts/exnor4nm.ly,v
working file: atlas/compass/layouts/exnor4nm.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.3
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.3
date: 1995/02/23 07:23:42; author: chip; state: Exp; lines: +61 -63
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

```

```

revision 2.2
date: 1995/02/23 01:13:38; author: chip; state: Exp; lines: +22 -18
periodic checkin of wed Feb 22 17:13:31 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas/compass/layouts/exvffqm.ly,v
working file: atlas/compass/layouts/exvffqm.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/23 07:23:45; author: chip; state: Exp; lines: +181 -183
periodic checkin of wed Feb 22 23:20:23 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/guardring.ly,v
working file: atlas/compass/layouts/guardring.ly
head: 2.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 1

```

bz Feb 21-27 1995.log

description:

-----  
revision 2.7  
date: 1995/02/23 07:23:47; author: chip; state: Exp; lines: +11 -11  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/guardringcnr.ly,v  
working file: atlas/compass/layouts/guardringcnr.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:49; author: chip; state: Exp; lines: +9 -9  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/mos\_site.ly,v  
working file: atlas/compass/layouts/mos\_site.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.4  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

-----  
revision 2.4  
date: 1995/02/23 07:24:21; author: chip; state: Exp; lines: +8 -8  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.3  
date: 1995/02/22 23:28:36; author: chip; state: Exp; lines: +9 -28  
periodic checkin of Wed Feb 22 15:28:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/mousbit.ly,v  
working file: atlas/compass/layouts/mousbit.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:24:24; author: chip; state: Exp; lines: +97 -106  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/23 01:13:41; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:13:31 PST 1995

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/mousbit2.ly,v
working file: atlas/compass/layouts/mousbit2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 2.2
date: 1995/02/23 07:24:27; author: chip; state: Exp; lines: +85 -93
periodic checkin of wed Feb 22 23:20:23 PST 1995
```

```
-----
revision 2.1
date: 1995/02/23 01:13:43; author: chip; state: Exp;
periodic checkin of wed Feb 22 17:13:31 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/mousbitx2.ly,v
working file: atlas/compass/layouts/mousbitx2.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 2.2
date: 1995/02/23 07:24:30; author: chip; state: Exp; lines: +5 -5
periodic checkin of wed Feb 22 23:20:23 PST 1995
```

```
-----
revision 2.1
date: 1995/02/23 01:13:45; author: chip; state: Exp;
periodic checkin of wed Feb 22 17:13:31 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/mousmemw1.ly,v
working file: atlas/compass/layouts/mousmemw1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 2.2
date: 1995/02/23 07:24:33; author: chip; state: Exp; lines: +28 -28
periodic checkin of wed Feb 22 23:20:23 PST 1995
```

```
-----
revision 2.1
date: 1995/02/23 01:16:06; author: chip; state: Exp;
periodic checkin of wed Feb 22 17:16:03 PST 1995
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/moussmem.ly,v
working file: atlas/compass/layouts/moussmem.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:24:35; author: chip; state: Exp; lines: +4 -4
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/23 01:16:08; author: chip; state: Exp;
periodic checkin of wed Feb 22 17:16:03 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux2_a1.ly,v
working file: atlas/compass/layouts/mux2_a1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:24:38; author: chip; state: Exp; lines: +12 -12
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:51:43; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_a1.ly,v
working file: atlas/compass/layouts/mux_a1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:24:42; author: chip; state: Exp; lines: +36 -36
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:51:46; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====
```

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a2.ly,v

working file: atlas/compass/layouts/mux\_a2.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:24:45; author: chip; state: Exp; lines: +4 -4

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:51:49; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a3.ly,v

working file: atlas/compass/layouts/mux\_a3.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:24:47; author: chip; state: Exp; lines: +4 -4

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:51:52; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a3\_1.ly,v

working file: atlas/compass/layouts/mux\_a3\_1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:24:50; author: chip; state: Exp; lines: +24 -24

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:51:55; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a3\_2.ly,v

working file: atlas/compass/layouts/mux\_a3\_2.ly

head: 2.2

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:24:54; author: chip; state: Exp; lines: +15 -15  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:51:58; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a4.ly,v  
working file: atlas/compass/layouts/mux\_a4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:24:57; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:01; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a5.ly,v  
working file: atlas/compass/layouts/mux\_a5.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:24:59; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:05; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a6.ly,v  
working file: atlas/compass/layouts/mux\_a6.ly  
head: 2.2  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:25:01; author: chip; state: Exp; lines: +4 -4

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:52:08; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a6\_1.ly,v

working file: atlas/compass/layouts/mux\_a6\_1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:25:03; author: chip; state: Exp; lines: +68 -68

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:52:13; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a7.ly,v

working file: atlas/compass/layouts/mux\_a7.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:25:06; author: chip; state: Exp; lines: +33 -33

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:52:16; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a7\_1.ly,v

working file: atlas/compass/layouts/mux\_a7\_1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 2.2

date: 1995/02/23 07:25:09; author: chip; state: Exp; lines: +27 -27  
periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:52:20; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a7\_2.ly,v

working file: atlas/compass/layouts/mux\_a7\_2.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:25:11; author: chip; state: Exp; lines: +122 -122  
periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:52:25; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a7\_2a.ly,v

working file: atlas/compass/layouts/mux\_a7\_2a.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:25:12; author: chip; state: Exp; lines: +125 -125  
periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:52:28; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux\_a7\_a.ly,v

working file: atlas/compass/layouts/mux\_a7\_a.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

```

bz Feb 21-27 1995.log
date: 1995/02/23 07:25:14; author: chip; state: Exp; lines: +32 -32
periodic checkin of Wed Feb 22 23:20:23 PST 1995

```

```
revision 2.1
date: 1995/02/22 22:52:32; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/mux_c1.ly,v
working file: atlas/compass/layouts/mux_c1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
revision 2.2
date: 1995/02/23 07:25:17; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 22 23:20:23 PST 1995
```

```
revision 2.1
date: 1995/02/22 22:52:34; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/nbcell.ly,v
working file: atlas/compass/layouts/nbcell.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.2
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
revision 2.2
date: 1995/02/23 07:25:20; author: chip; state: Exp; lines: +111 -111
periodic checkin of Wed Feb 22 23:20:23 PST 1995
```

```
revision 2.1
date: 1995/02/22 22:52:37; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/nbcell_1.ly,v
working file: atlas/compass/layouts/nbcell_1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.2
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
revision 2.2
date: 1995/02/23 07:25:22;  author: chip;  state: Exp;  lines: +108 -108
```

bz Feb 21-27 1995.log  
periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:52:40; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/nbcellx4.ly,v  
working file: atlas/compass/layouts/nbcellx4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:25:24; author: chip; state: Exp; lines: +8 -8  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:43; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell10u.ly,v  
working file: atlas/compass/layouts/ncell10u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:25:26; author: chip; state: Exp; lines: +28 -28  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:46; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell10ua.ly,v  
working file: atlas/compass/layouts/ncell10ua.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:25:27; author: chip; state: Exp; lines: +9 -9  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

bz Feb 21-27 1995.log

revision 2.1  
date: 1995/02/22 22:52:49; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell10ub.ly,v  
Working file: atlas/compass/layouts/ncell10ub.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:25:30; author: chip; state: Exp; lines: +10 -10  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:52:52; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell10ub1.ly,v  
Working file: atlas/compass/layouts/ncell10ub1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:25:32; author: chip; state: Exp; lines: +10 -10  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:52:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell15u.ly,v  
Working file: atlas/compass/layouts/ncell15u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:25:35; author: chip; state: Exp; lines: +19 -19  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:52:58; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell6u.ly,v
working file: atlas/compass/layouts/ncell6u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:25:37; author: chip; state: Exp; lines: +19 -19
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:53:01; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell7u.ly,v
working file: atlas/compass/layouts/ncell7u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:25:40; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:53:04; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/ncell8u.ly,v
working file: atlas/compass/layouts/ncell8u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:25:42; author: chip; state: Exp; lines: +22 -22
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:53:07; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v
```

bz Feb 21-27 1995.log

working file: atlas/compass/layouts/padvdd.ly

head: 2.38

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.38

keyword substitution: kv

total revisions: 38; selected revisions: 2

description:

-----  
revision 2.3

date: 1995/02/23 07:25:45; author: chip; state: Exp; lines: +5 -5

periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.2

date: 1995/02/23 00:55:44; author: chip; state: Exp; lines: +2 -44

periodic checkin of wed Feb 22 16:55:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell10u.ly,v

working file: atlas/compass/layouts/pcell10u.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:25:48; author: chip; state: Exp; lines: +28 -28

periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:53:24; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell12u.ly,v

working file: atlas/compass/layouts/pcell12u.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:26:16; author: chip; state: Exp; lines: +28 -28

periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:53:27; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell14u.ly,v

working file: atlas/compass/layouts/pcell14u.ly

head: 2.2

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:18; author: chip; state: Exp; lines: +31 -31  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:32; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell15u.ly,v  
working file: atlas/compass/layouts/pcell15u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:20; author: chip; state: Exp; lines: +31 -31  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:35; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell16u.ly,v  
working file: atlas/compass/layouts/pcell16u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:23; author: chip; state: Exp; lines: +22 -22  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:38; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell17u.ly,v  
working file: atlas/compass/layouts/pcell17u.ly  
head: 2.2  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:26:25; author: chip; state: Exp; lines: +22 -22

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:53:41; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell18u.ly,v

working file: atlas/compass/layouts/pcell18u.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:26:27; author: chip; state: Exp; lines: +22 -22

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:53:45; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pcell19u.ly,v

working file: atlas/compass/layouts/pcell19u.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:26:29; author: chip; state: Exp; lines: +22 -22

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:53:47; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rcell11.ly,v

working file: atlas/compass/layouts/rcell11.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 2.2  
date: 1995/02/23 07:26:30; author: chip; state: Exp; lines: +53 -53  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:44:13; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rdec1.ly,v  
working file: atlas/compass/layouts/rdec1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:26:33; author: chip; state: Exp; lines: +122 -122  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:44:17; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rdec2.ly,v  
working file: atlas/compass/layouts/rdec2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:26:36; author: chip; state: Exp; lines: +98 -98  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:44:20; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rdec3.ly,v  
working file: atlas/compass/layouts/rdec3.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2

bz Feb 21-27 1995.log  
date: 1995/02/23 07:26:38; author: chip; state: Exp; lines: +59 -59  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:44:23; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/rdec4.ly,v  
working file: atlas/compass/layouts/rdec4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:40; author: chip; state: Exp; lines: +55 -55  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:44:26; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/rvia12.ly,v  
working file: atlas/compass/layouts/rvia12.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:41; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/23 00:22:56; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 16:22:53 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/rvia23.ly,v  
working file: atlas/compass/layouts/rvia23.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:43; author: chip; state: Exp; lines: +7 -7

bz Feb 21-27 1995.log  
periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/23 00:22:58; author: chip; state: Exp;  
periodic checkin of wed Feb 22 16:22:53 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sa1.ly,v  
working file: atlas/compass/layouts/sa1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:45; author: chip; state: Exp; lines: +166 -166  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:44:29; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sa2.ly,v  
working file: atlas/compass/layouts/sa2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:48; author: chip; state: Exp; lines: +158 -158  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:44:32; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sa3.ly,v  
working file: atlas/compass/layouts/sa3.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:51; author: chip; state: Exp; lines: +524 -524  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

bz Feb 21-27 1995.log  
date: 1995/02/22 22:44:36; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sa\_c1.ly,v  
working file: atlas/compass/layouts/sa\_c1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:26:53; author: chip; state: Exp; lines: +21 -21  
periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:53:50; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/sertriflop\_b1.ly,v  
working file: atlas/compass/layouts/sertriflop\_b1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:26:55; author: chip; state: Exp; lines: +165 -165  
periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:53:54; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/tempcr.ly,v  
working file: atlas/compass/layouts/tempcr.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:26:57; author: chip; state: Exp; lines: +5 -5  
periodic checkin of wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:44:39; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995

---

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/template.ly,v

working file: atlas/compass/layouts/template.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:27:00; author: chip; state: Exp; lines: +28 -28

periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/tempx16.ly,v

working file: atlas/compass/layouts/tempx16.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:27:02; author: chip; state: Exp; lines: +4 -4

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:53:57; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_10x1.ly,v

working file: atlas/compass/layouts/uh\_10x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:27:03; author: chip; state: Exp; lines: +7 -7

periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_11x1.ly,v

working file: atlas/compass/layouts/uh\_11x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

bz Feb 21-27 1995.log

description:

-----  
revision 2.3  
date: 1995/02/23 07:27:05; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_12x1.ly,v  
working file: atlas/compass/layouts/uh\_12x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:07; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_13x1.ly,v  
working file: atlas/compass/layouts/uh\_13x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:10; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_14x1.ly,v  
working file: atlas/compass/layouts/uh\_14x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:12; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_15x1.ly,v  
working file: atlas/compass/layouts/uh\_15x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3

date: 1995/02/23 07:27:14; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_16x1.ly,v

working file: atlas/compass/layouts/uh\_16x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:27:15; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_17x1.ly,v

working file: atlas/compass/layouts/uh\_17x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:27:19; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_18x1.ly,v

working file: atlas/compass/layouts/uh\_18x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:27:22; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_19x1.ly,v

working file: atlas/compass/layouts/uh\_19x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:25; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_20x1.ly,v  
working file: atlas/compass/layouts/uh\_20x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:26; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_21x1.ly,v  
working file: atlas/compass/layouts/uh\_21x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:29; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_22x1.ly,v  
working file: atlas/compass/layouts/uh\_22x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:32; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_23x1.ly,v  
working file: atlas/compass/layouts/uh\_23x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:35; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_24x1.ly,v  
working file: atlas/compass/layouts/uh\_24x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:37; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_25x1.ly,v  
working file: atlas/compass/layouts/uh\_25x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:38; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_26x1.ly,v  
working file: atlas/compass/layouts/uh\_26x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:52; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_27x1.ly,v  
working file: atlas/compass/layouts/uh\_27x1.ly  
head: 2.4  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:53; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_28x1.ly,v  
working file: atlas/compass/layouts/uh\_28x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:55; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_29x1.ly,v  
working file: atlas/compass/layouts/uh\_29x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:57; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_2x1.ly,v  
working file: atlas/compass/layouts/uh\_2x1.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

-----  
revision 2.4  
date: 1995/02/23 07:28:00; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.3  
date: 1995/02/22 23:59:34; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 15:59:31 PST 1995  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_30x1.ly,v  
working file: atlas/compass/layouts/uh\_30x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----  
revision 2.3  
date: 1995/02/23 07:28:02; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_33x1.ly,v  
working file: atlas/compass/layouts/uh\_33x1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 2.2  
date: 1995/02/23 07:28:04; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_34x1.ly,v  
working file: atlas/compass/layouts/uh\_34x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----  
revision 2.3  
date: 1995/02/23 07:28:07; author: chip; state: Exp; lines: +8 -8  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_3x1.ly,v  
working file: atlas/compass/layouts/uh\_3x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----  
revision 2.3  
date: 1995/02/23 07:28:10; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_40x1.ly,v  
working file: atlas/compass/layouts/uh\_40x1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:28:13; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 23:59:36; author: chip; state: Exp;  
periodic checkin of wed Feb 22 15:59:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_45x1.ly,v  
working file: atlas/compass/layouts/uh\_45x1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:28:14; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_46x1.ly,v  
working file: atlas/compass/layouts/uh\_46x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:28:15; author: chip; state: Exp; lines: +8 -8  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_4x1.ly,v  
working file: atlas/compass/layouts/uh\_4x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

bz Feb 21-27 1995.log

-----  
revision 2.3  
date: 1995/02/23 07:32:07; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_5x1.ly,v  
working file: atlas/compass/layouts/uh\_5x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 2.3  
date: 1995/02/23 07:32:09; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_6x1.ly,v  
working file: atlas/compass/layouts/uh\_6x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 2.3  
date: 1995/02/23 07:32:12; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_7x1.ly,v  
working file: atlas/compass/layouts/uh\_7x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 2.3  
date: 1995/02/23 07:32:15; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_8x1.ly,v  
working file: atlas/compass/layouts/uh\_8x1.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1

bz Feb 21-27 1995.log

description:

-----  
revision 2.3  
date: 1995/02/23 07:32:18; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_9x1.ly,v  
working file: atlas/compass/layouts/uh\_9x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:32:20; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh\_grid.ly,v  
working file: atlas/compass/layouts/uh\_grid.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.4  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:32:23; author: chip; state: Exp; lines: +22 -41  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh\_hzchk.ly,v  
working file: atlas/compass/layouts/uh\_hzchk.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:32:25; author: chip; state: Exp; lines: +13 -13  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh\_power.ly,v  
working file: atlas/compass/layouts/uh\_power.ly  
head: 2.5  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 2.5

keyword substitution: kv

total revisions: 5; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:32:28; author: chip; state: Exp; lines: +154 -154

periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1

date: 1995/02/22 23:56:46; author: chip; state: Exp;

periodic checkin of wed Feb 22 15:56:43 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh\_pwr.ly,v

Working file: atlas/compass/layouts/uh\_pwr.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:32:31; author: chip; state: Exp; lines: +123 -123

periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh\_vrtchk.ly,v

Working file: atlas/compass/layouts/uh\_vrtchk.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.3

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.3

date: 1995/02/23 07:32:33; author: chip; state: Exp; lines: +16 -16

periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2

date: 1995/02/22 23:59:38; author: chip; state: Exp; lines: +2 -2

periodic checkin of wed Feb 22 15:59:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown.ly,v

Working file: atlas/compass/layouts/unknown.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 2.2  
date: 1995/02/23 07:32:35; author: chip; state: Exp; lines: +359 -359  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:54:00; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown2.ly,v  
working file: atlas/compass/layouts/unknown2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:32:38; author: chip; state: Exp; lines: +372 -372  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:54:04; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown3.ly,v  
working file: atlas/compass/layouts/unknown3.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:32:41; author: chip; state: Exp; lines: +88 -88  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:54:08; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown4.ly,v  
working file: atlas/compass/layouts/unknown4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:32:43; author: chip; state: Exp; lines: +327 -327

bz Feb 21-27 1995.log  
periodic checkin of wed Feb 22 23:31:42 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:54:12; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown5.ly,v  
working file: atlas/compass/layouts/unknown5.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:32:45; author: chip; state: Exp; lines: +253 -253  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:54:15; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/unknown6.ly,v  
working file: atlas/compass/layouts/unknown6.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:32:47; author: chip; state: Exp; lines: +342 -342  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:54:19; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/via12.ly,v  
working file: atlas/compass/layouts/via12.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:32:48; author: chip; state: Exp; lines: +6 -6  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

bz Feb 21-27 1995.log

revision 2.1  
date: 1995/02/23 00:23:00; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 16:22:53 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/via23.ly,v  
working file: atlas/compass/layouts/via23.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:32:50; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

---

revision 2.1  
date: 1995/02/23 00:23:02; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 16:22:53 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v  
working file: atlas/compass/layouts/vlsi.log  
head: 1.3654  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3654  
keyword substitution: kv  
total revisions: 3654; selected revisions: 77  
description:

---

revision 1.215  
date: 1995/02/26 19:19:01; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Sun Feb 26 11:18:58 PST 1995

---

revision 1.214  
date: 1995/02/26 18:40:57; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Sun Feb 26 10:40:54 PST 1995

---

revision 1.213  
date: 1995/02/25 17:51:58; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Sat Feb 25 09:51:56 PST 1995

---

revision 1.212  
date: 1995/02/25 17:42:41; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Sat Feb 25 09:42:38 PST 1995

---

revision 1.211  
date: 1995/02/25 17:40:50; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Sat Feb 25 09:40:47 PST 1995

---

revision 1.210  
date: 1995/02/25 17:38:44; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Sat Feb 25 09:38:41 PST 1995

---

revision 1.209

```

bz Feb 21-27 1995.log
date: 1995/02/24 21:59:18; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:59:15 PST 1995
-----
revision 1.208
date: 1995/02/24 21:29:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:29:26 PST 1995
-----
revision 1.207
date: 1995/02/24 21:08:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:08:47 PST 1995
-----
revision 1.206
date: 1995/02/24 18:29:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 10:29:17 PST 1995
-----
revision 1.205
date: 1995/02/24 02:01:32; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Feb 23 18:01:29 PST 1995
-----
revision 1.204
date: 1995/02/24 01:59:46; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Feb 23 17:59:43 PST 1995
-----
revision 1.203
date: 1995/02/24 01:58:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 17:57:59 PST 1995
-----
revision 1.202
date: 1995/02/24 01:56:15; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Feb 23 17:56:12 PST 1995
-----
revision 1.201
date: 1995/02/24 01:34:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 23 17:34:09 PST 1995
-----
revision 1.200
date: 1995/02/24 01:32:27; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 17:32:24 PST 1995
-----
revision 1.199
date: 1995/02/23 22:30:14; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 14:30:10 PST 1995
-----
revision 1.198
date: 1995/02/23 18:37:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 23 10:37:37 PST 1995
-----
revision 1.197
date: 1995/02/23 18:20:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 10:20:01 PST 1995
-----
revision 1.196
date: 1995/02/23 15:21:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 07:20:57 PST 1995
-----
revision 1.195
date: 1995/02/23 07:32:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 1.194
date: 1995/02/23 01:16:11; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 22 17:16:03 PST 1995
-----

```

bz Feb 21-27 1995.log

revision 1.193

date: 1995/02/23 01:13:48; author: chip; state: Exp; lines: +18 -0  
periodic checkin of wed Feb 22 17:13:31 PST 1995

revision 1.192

date: 1995/02/23 00:55:48; author: chip; state: Exp; lines: +3 -0  
periodic checkin of wed Feb 22 16:55:42 PST 1995

revision 1.191

date: 1995/02/23 00:53:48; author: chip; state: Exp; lines: +1 -0  
periodic checkin of wed Feb 22 16:53:45 PST 1995

revision 1.190

date: 1995/02/23 00:23:05; author: chip; state: Exp; lines: +8 -0  
periodic checkin of wed Feb 22 16:22:53 PST 1995

revision 1.189

date: 1995/02/23 00:03:03; author: chip; state: Exp; lines: +2 -0  
periodic checkin of wed Feb 22 16:02:52 PST 1995

revision 1.188

date: 1995/02/22 23:59:41; author: chip; state: Exp; lines: +17 -1122  
periodic checkin of wed Feb 22 15:59:31 PST 1995

revision 1.187

date: 1995/02/22 23:56:51; author: chip; state: Exp; lines: +53 -0  
periodic checkin of wed Feb 22 15:56:43 PST 1995

revision 1.186

date: 1995/02/22 23:28:40; author: chip; state: Exp; lines: +2 -0  
periodic checkin of wed Feb 22 15:28:31 PST 1995

revision 1.185

date: 1995/02/22 23:23:48; author: chip; state: Exp; lines: +1 -0  
periodic checkin of wed Feb 22 15:23:42 PST 1995

revision 1.184

date: 1995/02/22 23:16:13; author: chip; state: Exp; lines: +6 -0  
periodic checkin of wed Feb 22 15:16:04 PST 1995

revision 1.183

date: 1995/02/22 23:10:42; author: chip; state: Exp; lines: +2 -0  
periodic checkin of wed Feb 22 15:10:37 PST 1995

revision 1.182

date: 1995/02/22 23:07:50; author: chip; state: Exp; lines: +6 -0  
periodic checkin of wed Feb 22 15:07:41 PST 1995

revision 1.181

date: 1995/02/22 23:02:38; author: chip; state: Exp; lines: +1 -0  
periodic checkin of wed Feb 22 15:02:33 PST 1995

revision 1.180

date: 1995/02/22 22:57:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of wed Feb 22 14:56:58 PST 1995

revision 1.179

date: 1995/02/22 22:54:23; author: chip; state: Exp; lines: +172 -0  
periodic checkin of wed Feb 22 14:48:36 PST 1995

revision 1.178

date: 1995/02/22 22:44:43; author: chip; state: Exp; lines: +56 -0  
periodic checkin of wed Feb 22 14:42:50 PST 1995

bz Feb 21-27 1995.log

-----  
revision 1.177  
date: 1995/02/22 22:39:55; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Feb 22 14:39:50 PST 1995  
-----  
revision 1.176  
date: 1995/02/22 22:37:26; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Feb 22 14:37:21 PST 1995  
-----  
revision 1.175  
date: 1995/02/22 18:53:51; author: chip; state: Exp; lines: +14 -0  
periodic checkin of Wed Feb 22 10:53:44 PST 1995  
-----  
revision 1.174  
date: 1995/02/22 17:43:33; author: chip; state: Exp; lines: +24 -0  
periodic checkin of Wed Feb 22 09:43:14 PST 1995  
-----  
revision 1.173  
date: 1995/02/22 00:02:40; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Feb 21 16:02:34 PST 1995  
-----  
revision 1.172  
date: 1995/02/21 23:58:09; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 15:58:05 PST 1995  
-----  
revision 1.171  
date: 1995/02/21 23:52:55; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 15:52:50 PST 1995  
-----  
revision 1.170  
date: 1995/02/21 23:00:32; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Feb 21 15:00:26 PST 1995  
-----  
revision 1.169  
date: 1995/02/21 22:52:05; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Feb 21 14:52:00 PST 1995  
-----  
revision 1.168  
date: 1995/02/21 22:48:21; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 14:48:17 PST 1995  
-----  
revision 1.167  
date: 1995/02/21 22:46:22; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 14:46:17 PST 1995  
-----  
revision 1.166  
date: 1995/02/21 22:43:59; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Tue Feb 21 14:43:51 PST 1995  
-----  
revision 1.165  
date: 1995/02/21 22:40:23; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Feb 21 14:40:18 PST 1995  
-----  
revision 1.164  
date: 1995/02/21 22:37:43; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Tue Feb 21 14:37:40 PST 1995  
-----  
revision 1.163  
date: 1995/02/21 22:35:47; author: chip; state: Exp; lines: +16 -0  
periodic checkin of Tue Feb 21 14:35:43 PST 1995  
-----  
revision 1.162  
date: 1995/02/21 22:32:37; author: chip; state: Exp; lines: +31 -0

```

bz Feb 21-27 1995.log
periodic checkin of Tue Feb 21 14:32:29 PST 1995
-----
revision 1.161
date: 1995/02/21 21:22:46; author: chip; state: Exp; lines: +18 -0
periodic checkin of Tue Feb 21 13:22:39 PST 1995
-----
revision 1.160
date: 1995/02/21 19:54:02; author: chip; state: Exp; lines: +12 -0
periodic checkin of Tue Feb 21 11:53:57 PST 1995
-----
revision 1.159
date: 1995/02/21 19:45:36; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:45:34 PST 1995
-----
revision 1.158
date: 1995/02/21 19:27:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:27:33 PST 1995
-----
revision 1.157
date: 1995/02/21 19:25:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:25:09 PST 1995
-----
revision 1.156
date: 1995/02/21 19:22:54; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:22:52 PST 1995
-----
revision 1.155
date: 1995/02/21 19:20:38; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:20:35 PST 1995
-----
revision 1.154
date: 1995/02/21 19:18:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:18:20 PST 1995
-----
revision 1.153
date: 1995/02/21 19:15:43; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:15:41 PST 1995
-----
revision 1.152
date: 1995/02/21 19:14:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:14:01 PST 1995
-----
revision 1.151
date: 1995/02/21 19:12:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:12:05 PST 1995
-----
revision 1.150
date: 1995/02/21 19:09:34; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 11:09:31 PST 1995
-----
revision 1.149
date: 1995/02/21 19:07:16; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 11:07:13 PST 1995
-----
revision 1.148
date: 1995/02/21 19:05:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:05:08 PST 1995
-----
revision 1.147
date: 1995/02/21 18:54:08; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 10:54:06 PST 1995
-----
revision 1.146

```

bz Feb 21-27 1995.log  
date: 1995/02/21 18:52:04; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Feb 21 10:52:00 PST 1995

-----  
revision 1.145  
date: 1995/02/21 18:49:53; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Feb 21 10:49:50 PST 1995

-----  
revision 1.144  
date: 1995/02/21 18:26:45; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Feb 21 10:26:42 PST 1995

-----  
revision 1.143  
date: 1995/02/21 18:13:55; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 10:13:52 PST 1995

-----  
revision 1.142  
date: 1995/02/21 18:11:16; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Feb 21 10:11:12 PST 1995

-----  
revision 1.141  
date: 1995/02/21 18:08:36; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Feb 21 10:08:33 PST 1995

-----  
revision 1.140  
date: 1995/02/21 18:06:16; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 10:06:13 PST 1995

-----  
revision 1.139  
date: 1995/02/21 18:02:00; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====  
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n10s.ly,v  
working file: atlas/compass/layouts/xland2n10s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:32:57; author: chip; state: Exp; lines: +47 -48  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

=====  
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n160s.ly,v  
working file: atlas/compass/layouts/xland2n160s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:33:00; author: chip; state: Exp; lines: +499 -517  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n20s.ly,v  
working file: atlas/compass/layouts/xland2n20s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:02; author: chip; state: Exp; lines: +96 -98  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n40s.ly,v  
working file: atlas/compass/layouts/xland2n40s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:33:05; author: chip; state: Exp; lines: +148 -152  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n80s.ly,v  
working file: atlas/compass/layouts/xland2n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:33:09; author: chip; state: Exp; lines: +260 -271  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n10s.ly,v  
working file: atlas/compass/layouts/xland3n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:11; author: chip; state: Exp; lines: +44 -45  
periodic checkin of wed Feb 22 23:31:42 PST 1995

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n160s.ly,v
working file: atlas/compass/layouts/xland3n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:33:14; author: chip; state: Exp; lines: +651 -677
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n20s.ly,v
working file: atlas/compass/layouts/xland3n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:33:16; author: chip; state: Exp; lines: +101 -103
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n40s.ly,v
working file: atlas/compass/layouts/xland3n40s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:33:18; author: chip; state: Exp; lines: +210 -221
periodic checkin of wed Feb 22 23:31:42 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n80s.ly,v
working file: atlas/compass/layouts/xland3n80s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:33:21; author: chip; state: Exp; lines: +342 -356
```

bz Feb 21-27 1995.log  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n10s.ly,v  
working file: atlas/compass/layouts/xland4n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 2.2  
date: 1995/02/23 07:33:24; author: chip; state: Exp; lines: +68 -71  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n160s.ly,v  
working file: atlas/compass/layouts/xland4n160s.ly  
head: 2.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

---

revision 2.6  
date: 1995/02/23 07:33:27; author: chip; state: Exp; lines: +788 -823  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n20s.ly,v  
working file: atlas/compass/layouts/xland4n20s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 2.2  
date: 1995/02/23 07:33:29; author: chip; state: Exp; lines: +130 -136  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n40s.ly,v  
working file: atlas/compass/layouts/xland4n40s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

---

revision 2.3

bz Feb 21-27 1995.log  
date: 1995/02/23 07:33:55; author: chip; state: Exp; lines: +229 -241  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n80s.ly,v  
working file: atlas/compass/layouts/xland4n80s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

---

revision 2.3  
date: 1995/02/23 07:33:58; author: chip; state: Exp; lines: +416 -435  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn10s.ly,v  
working file: atlas/compass/layouts/xlbufn10s.ly  
head: 2.8  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.8  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

---

revision 2.3  
date: 1995/02/23 07:34:02; author: chip; state: Exp; lines: +23 -23  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn160s.ly,v  
working file: atlas/compass/layouts/xlbufn160s.ly  
head: 2.11  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.11  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

---

revision 2.5  
date: 1995/02/23 07:34:05; author: chip; state: Exp; lines: +308 -319  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn20s.ly,v  
working file: atlas/compass/layouts/xlbufn20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.6  
keyword substitution: kv

bz Feb 21-27 1995.log  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:34:07; author: chip; state: Exp; lines: +23 -23  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn40s.ly,v  
working file: atlas/compass/layouts/xlbufn40s.ly  
head: 2.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.11  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:34:10; author: chip; state: Exp; lines: +56 -57  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn80s.ly,v  
working file: atlas/compass/layouts/xlbufn80s.ly  
head: 2.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.11  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

-----  
revision 2.5  
date: 1995/02/23 07:34:13; author: chip; state: Exp; lines: +149 -153  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand12n20s.ly,v  
working file: atlas/compass/layouts/xldand12n20s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:34:15; author: chip; state: Exp; lines: +180 -183  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 17:43:39; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand17n20s.ly,v

bz Feb 21-27 1995.log

Working file: atlas/compass/layouts/xldand17n20s.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:34:17; author: chip; state: Exp; lines: +226 -229

periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1

date: 1995/02/22 17:43:42; author: chip; state: Exp;

periodic checkin of Wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand2n10s.ly,v

Working file: atlas/compass/layouts/xldand2n10s.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:34:19; author: chip; state: Exp; lines: +63 -67

periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1

date: 1995/02/22 17:43:45; author: chip; state: Exp;

periodic checkin of Wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand3n10s.ly,v

Working file: atlas/compass/layouts/xldand3n10s.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:34:21; author: chip; state: Exp; lines: +73 -76

periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1

date: 1995/02/22 17:43:48; author: chip; state: Exp;

periodic checkin of Wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand4n10s.ly,v

Working file: atlas/compass/layouts/xldand4n10s.ly

head: 2.3

branch:

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:34:24; author: chip; state: Exp; lines: +89 -92  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 17:43:51; author: chip; state: Exp;  
periodic checkin of wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand6n10s.ly,v  
working file: atlas/compass/layouts/xldand6n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:34:27; author: chip; state: Exp; lines: +105 -109  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 17:43:55; author: chip; state: Exp;  
periodic checkin of wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldand8n10s.ly,v  
working file: atlas/compass/layouts/xldand8n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:34:29; author: chip; state: Exp; lines: +130 -133  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 17:43:58; author: chip; state: Exp;  
periodic checkin of wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor12n20s.ly,v  
working file: atlas/compass/layouts/xldor12n20s.ly  
head: 2.7  
branch:  
locks: strict  
access list:  
symbolic names:

--

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 7; selected revisions: 5

description:

-----  
revision 2.5

date: 1995/02/24 02:01:34; author: chip; state: Exp; lines: +32 -25  
periodic checkin of Thu Feb 23 18:01:29 PST 1995

-----  
revision 2.4

date: 1995/02/24 01:34:15; author: chip; state: Exp; lines: +107 -130  
periodic checkin of Thu Feb 23 17:34:09 PST 1995

-----  
revision 2.3

date: 1995/02/23 07:34:32; author: chip; state: Exp; lines: +177 -180  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2

date: 1995/02/22 23:10:47; author: chip; state: Exp; lines: +30 -24  
periodic checkin of Wed Feb 22 15:10:37 PST 1995

-----  
revision 2.1

date: 1995/02/22 18:53:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 10:53:44 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor17n20s.ly,v

working file: atlas/compass/layouts/xldor17n20s.ly

head: 2.6

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 5

description:

-----  
revision 2.5

date: 1995/02/24 02:01:36; author: chip; state: Exp; lines: +28 -18  
periodic checkin of Thu Feb 23 18:01:29 PST 1995

-----  
revision 2.4

date: 1995/02/24 01:56:17; author: chip; state: Exp; lines: +137 -137  
periodic checkin of Thu Feb 23 17:56:12 PST 1995

-----  
revision 2.3

date: 1995/02/23 07:34:36; author: chip; state: Exp; lines: +192 -199  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2

date: 1995/02/22 23:16:18; author: chip; state: Exp; lines: +20 -21  
periodic checkin of Wed Feb 22 15:16:04 PST 1995

-----  
revision 2.1

date: 1995/02/22 18:53:59; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 10:53:44 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor2n10s.ly,v

working file: atlas/compass/layouts/xldor2n10s.ly

head: 2.6

branch:

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 4

description:

-----  
revision 2.4

date: 1995/02/24 01:59:48; author: chip; state: Exp; lines: +12 -15

periodic checkin of Thu Feb 23 17:59:43 PST 1995  
-----

revision 2.3

date: 1995/02/23 07:34:39; author: chip; state: Exp; lines: +55 -56

periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2

date: 1995/02/22 23:07:55; author: chip; state: Exp; lines: +8 -6

periodic checkin of Wed Feb 22 15:07:41 PST 1995  
-----

revision 2.1

date: 1995/02/22 18:54:01; author: chip; state: Exp;

periodic checkin of Wed Feb 22 10:53:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor3n10s.ly,v

working file: atlas/compass/layouts/xldor3n10s.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 3

description:

-----  
revision 2.3

date: 1995/02/23 07:34:41; author: chip; state: Exp; lines: +65 -65

periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2

date: 1995/02/22 23:07:59; author: chip; state: Exp; lines: +8 -6

periodic checkin of Wed Feb 22 15:07:41 PST 1995  
-----

revision 2.1

date: 1995/02/22 18:54:03; author: chip; state: Exp;

periodic checkin of Wed Feb 22 10:53:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor4n10s.ly,v

working file: atlas/compass/layouts/xldor4n10s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 3

description:

-----  
revision 2.3

date: 1995/02/23 07:34:42; author: chip; state: Exp; lines: +88 -90

periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2

date: 1995/02/22 23:08:01; author: chip; state: Exp; lines: +8 -6

bz Feb 21-27 1995.log  
periodic checkin of wed Feb 22 15:07:41 PST 1995

-----  
revision 2.1  
date: 1995/02/22 18:54:06; author: chip; state: Exp;  
periodic checkin of wed Feb 22 10:53:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor6n10s.ly,v  
working file: atlas/compass/layouts/xldor6n10s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:34:45; author: chip; state: Exp; lines: +100 -103  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/22 23:16:20; author: chip; state: Exp; lines: +19 -17  
periodic checkin of wed Feb 22 15:16:04 PST 1995  
-----

revision 2.1  
date: 1995/02/22 18:54:09; author: chip; state: Exp;  
periodic checkin of wed Feb 22 10:53:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldor8n10s.ly,v  
working file: atlas/compass/layouts/xldor8n10s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:34:48; author: chip; state: Exp; lines: +111 -114  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/22 23:16:23; author: chip; state: Exp; lines: +7 -6  
periodic checkin of wed Feb 22 15:16:04 PST 1995  
-----

revision 2.1  
date: 1995/02/22 18:54:11; author: chip; state: Exp;  
periodic checkin of wed Feb 22 10:53:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n10s.ly,v  
working file: atlas/compass/layouts/xlmux2n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 6;      selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:34:51; author: chip; state: Exp; lines: +83 -84
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 22:35:50; author: chip; state: Exp; lines: +49 -13
periodic checkin of Tue Feb 21 14:35:43 PST 1995
-----
revision 2.1
date: 1995/02/21 22:32:41; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n160s.ly,v
working file: atlas/compass/layouts/xlmux2n160s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:34:52; author: chip; state: Exp; lines: +310 -325
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 19:05:14; author: chip; state: Exp; lines: +17 -13
periodic checkin of Tue Feb 21 11:05:08 PST 1995
-----
revision 2.1
date: 1995/02/21 18:49:56; author: chip; state: Exp;
periodic checkin of Tue Feb 21 10:49:50 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n20s.ly,v
working file: atlas/compass/layouts/xlmux2n20s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 3
description:
-----
revision 2.3
date: 1995/02/23 07:34:54; author: chip; state: Exp; lines: +78 -81
periodic checkin of wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 22:37:47; author: chip; state: Exp; lines: +54 -37
periodic checkin of Tue Feb 21 14:37:40 PST 1995
-----
revision 2.1
date: 1995/02/21 22:32:43; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

```

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux2n40s.ly,v  
Working file: atlas/compass/layouts/x1mux2n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:34:57; author: chip; state: Exp; lines: +129 -135  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:22:49; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:02:03; author: chip; state: Exp; lines: +8 -9  
periodic checkin of Tue Feb 21 10:01:55 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux2n80s.ly,v  
Working file: atlas/compass/layouts/x1mux2n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:34:59; author: chip; state: Exp; lines: +208 -218  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:22:51; author: chip; state: Exp; lines: +12 -9  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:02:05; author: chip; state: Exp; lines: +12 -12  
periodic checkin of Tue Feb 21 10:01:55 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux3n10s.ly,v  
Working file: atlas/compass/layouts/x1mux3n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:35:03; author: chip; state: Exp; lines: +69 -70  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

-----  
revision 2.2  
date: 1995/02/21 22:37:49; author: chip; state: Exp; lines: +49 -41  
periodic checkin of Tue Feb 21 14:37:40 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:32:46; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n160s.ly,v  
working file: atlas/compass/layouts/xlmux3n160s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:35:04; author: chip; state: Exp; lines: +335 -350  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/21 19:07:19; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:07:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n20s.ly,v  
working file: atlas/compass/layouts/xlmux3n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:35:33; author: chip; state: Exp; lines: +111 -114  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:40:28; author: chip; state: Exp; lines: +80 -55  
periodic checkin of Tue Feb 21 14:40:18 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:32:48; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n40s.ly,v  
working file: atlas/compass/layouts/xlmux3n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3

bz Feb 21-27 1995.log

description:

-----  
revision 2.4

date: 1995/02/23 07:35:35; author: chip; state: Exp; lines: +140 -146  
periodic checkin of wed Feb 22 23:31:42 PST 1995

-----  
revision 2.3

date: 1995/02/21 21:22:54; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 13:22:39 PST 1995

-----  
revision 2.2

date: 1995/02/21 18:02:07; author: chip; state: Exp; lines: +8 -9  
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux3n80s.ly,v

working file: atlas/compass/layouts/xlmux3n80s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 3

description:

-----  
revision 2.4

date: 1995/02/23 07:35:38; author: chip; state: Exp; lines: +232 -244  
periodic checkin of wed Feb 22 23:31:42 PST 1995

-----  
revision 2.3

date: 1995/02/21 21:22:57; author: chip; state: Exp; lines: +13 -10  
periodic checkin of Tue Feb 21 13:22:39 PST 1995

-----  
revision 2.2

date: 1995/02/21 18:02:09; author: chip; state: Exp; lines: +13 -13  
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n10s.ly,v

working file: atlas/compass/layouts/xlmux4n10s.ly

head: 2.6

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 3

description:

-----  
revision 2.3

date: 1995/02/23 07:35:43; author: chip; state: Exp; lines: +78 -79  
periodic checkin of wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2

date: 1995/02/21 22:40:31; author: chip; state: Exp; lines: +55 -47  
periodic checkin of Tue Feb 21 14:40:18 PST 1995

-----  
revision 2.1

date: 1995/02/21 22:32:50; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n160s.ly,v  
working file: atlas/compass/layouts/xlmux4n160s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:35:45; author: chip; state: Exp; lines: +359 -376  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/21 19:07:21; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:07:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n20s.ly,v  
working file: atlas/compass/layouts/xlmux4n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:35:47; author: chip; state: Exp; lines: +116 -119  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:40:34; author: chip; state: Exp; lines: +79 -49  
periodic checkin of Tue Feb 21 14:40:18 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:32:54; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n40s.ly,v  
working file: atlas/compass/layouts/xlmux4n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:35:48; author: chip; state: Exp; lines: +150 -157  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:22:59; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----

bz Feb 21-27 1995.log

revision 2.2  
date: 1995/02/21 18:13:59; author: chip; state: Exp; lines: +8 -9  
periodic checkin of Tue Feb 21 10:13:52 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n80s.ly,v  
working file: atlas/compass/layouts/xlmux4n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

---

revision 2.4  
date: 1995/02/23 07:35:50; author: chip; state: Exp; lines: +257 -270  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

---

revision 2.3  
date: 1995/02/21 21:23:01; author: chip; state: Exp; lines: +14 -10  
periodic checkin of Tue Feb 21 13:22:39 PST 1995

---

revision 2.2  
date: 1995/02/21 18:06:18; author: chip; state: Exp; lines: +13 -14  
periodic checkin of Tue Feb 21 10:06:13 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n10s.ly,v  
working file: atlas/compass/layouts/xlmux5n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

---

revision 2.3  
date: 1995/02/23 07:35:52; author: chip; state: Exp; lines: +96 -98  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

---

revision 2.2  
date: 1995/02/21 22:44:03; author: chip; state: Exp; lines: +67 -41  
periodic checkin of Tue Feb 21 14:43:51 PST 1995

---

revision 2.1  
date: 1995/02/21 22:32:56; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n160s.ly,v  
working file: atlas/compass/layouts/xlmux5n160s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 2.2  
date: 1995/02/23 07:35:55; author: chip; state: Exp; lines: +384 -403  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/21 19:07:23; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:07:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n20s.ly,v  
working file: atlas/compass/layouts/xlmux5n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:35:57; author: chip; state: Exp; lines: +139 -143  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:44:05; author: chip; state: Exp; lines: +95 -56  
periodic checkin of Tue Feb 21 14:43:51 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:32:58; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n40s.ly,v  
working file: atlas/compass/layouts/xlmux5n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:  
-----

revision 2.4  
date: 1995/02/23 07:36:00; author: chip; state: Exp; lines: +169 -176  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:23:03; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:14:01; author: chip; state: Exp; lines: +13 -19  
periodic checkin of Tue Feb 21 10:13:52 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n80s.ly,v  
working file: atlas/compass/layouts/xlmux5n80s.ly  
head: 2.5  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:36:03; author: chip; state: Exp; lines: +281 -296  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:23:05; author: chip; state: Exp; lines: +14 -11  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:06:20; author: chip; state: Exp; lines: +14 -14  
periodic checkin of Tue Feb 21 10:06:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n10s.ly,v  
working file: atlas/compass/layouts/xlmux6n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:36:05; author: chip; state: Exp; lines: +133 -137  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:44:07; author: chip; state: Exp; lines: +90 -74  
periodic checkin of Tue Feb 21 14:43:51 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:33:00; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n160s.ly,v  
working file: atlas/compass/layouts/xlmux6n160s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:36:07; author: chip; state: Exp; lines: +433 -455  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/21 19:09:37; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:09:31 PST 1995  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n20s.ly,v  
working file: atlas/compass/layouts/xlmux6n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:36:10; author: chip; state: Exp; lines: +142 -146  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2  
date: 1995/02/21 22:44:10; author: chip; state: Exp; lines: +99 -63  
periodic checkin of Tue Feb 21 14:43:51 PST 1995

-----  
revision 2.1  
date: 1995/02/21 22:33:02; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n40s.ly,v  
working file: atlas/compass/layouts/xlmux6n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:36:13; author: chip; state: Exp; lines: +186 -193  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.3  
date: 1995/02/21 21:23:07; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 13:22:39 PST 1995

-----  
revision 2.2  
date: 1995/02/21 18:08:38; author: chip; state: Exp; lines: +12 -17  
periodic checkin of Tue Feb 21 10:08:33 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n80s.ly,v  
working file: atlas/compass/layouts/xlmux6n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:36:15; author: chip; state: Exp; lines: +306 -322  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

bz Feb 21-27 1995.log

revision 2.3

date: 1995/02/21 19:54:06; author: chip; state: Exp; lines: +15 -12  
periodic checkin of Tue Feb 21 11:53:57 PST 1995

-----  
revision 2.2

date: 1995/02/21 18:08:40; author: chip; state: Exp; lines: +15 -15  
periodic checkin of Tue Feb 21 10:08:33 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n10s.ly,v

working file: atlas/compass/layouts/xlmux7n10s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 3

description:

-----  
revision 2.3

date: 1995/02/23 07:36:16; author: chip; state: Exp; lines: +163 -167  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2

date: 1995/02/21 22:46:24; author: chip; state: Exp; lines: +113 -90  
periodic checkin of Tue Feb 21 14:46:17 PST 1995

-----  
revision 2.1

date: 1995/02/21 22:33:04; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n160s.ly,v

working file: atlas/compass/layouts/xlmux7n160s.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:36:21; author: chip; state: Exp; lines: +408 -428  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.1

date: 1995/02/21 19:09:38; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:09:31 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n20s.ly,v

working file: atlas/compass/layouts/xlmux7n20s.ly

head: 2.6

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 3

description:

bz Feb 21-27 1995.log

-----  
revision 2.3  
date: 1995/02/23 07:36:25; author: chip; state: Exp; lines: +168 -171  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:46:26; author: chip; state: Exp; lines: +120 -80  
periodic checkin of Tue Feb 21 14:46:17 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:33:07; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux7n40s.ly,v  
working file: atlas/compass/layouts/x1mux7n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:  
-----

revision 2.4  
date: 1995/02/23 07:36:27; author: chip; state: Exp; lines: +196 -203  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 19:54:07; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 11:53:57 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:11:18; author: chip; state: Exp; lines: +13 -19  
periodic checkin of Tue Feb 21 10:11:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux7n80s.ly,v  
working file: atlas/compass/layouts/x1mux7n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:  
-----

revision 2.4  
date: 1995/02/23 07:36:29; author: chip; state: Exp; lines: +330 -349  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 19:54:09; author: chip; state: Exp; lines: +16 -12  
periodic checkin of Tue Feb 21 11:53:57 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:11:21; author: chip; state: Exp; lines: +15 -16  
periodic checkin of Tue Feb 21 10:11:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/x1mux8n10s.ly,v

bz Feb 21-27 1995.log  
working file: atlas/compass/layouts/xlmux8n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

-----  
revision 2.3

date: 1995/02/23 07:36:31; author: chip; state: Exp; lines: +165 -169  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2

date: 1995/02/21 22:48:24; author: chip; state: Exp; lines: +114 -94  
periodic checkin of Tue Feb 21 14:48:17 PST 1995

-----  
revision 2.1

date: 1995/02/21 22:33:10; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n160s.ly,v

working file: atlas/compass/layouts/xlmux8n160s.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 3

description:

-----  
revision 2.3

date: 1995/02/23 07:36:34; author: chip; state: Exp; lines: +457 -481  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2

date: 1995/02/21 19:54:10; author: chip; state: Exp; lines: +21 -17  
periodic checkin of Tue Feb 21 11:53:57 PST 1995

-----  
revision 2.1

date: 1995/02/21 18:26:47; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 10:26:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n20s.ly,v

working file: atlas/compass/layouts/xlmux8n20s.ly

head: 2.6

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 3

description:

-----  
revision 2.3

date: 1995/02/23 07:36:37; author: chip; state: Exp; lines: +175 -178  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2

bz Feb 21-27 1995.log  
date: 1995/02/21 22:48:26; author: chip; state: Exp; lines: +122 -95  
periodic checkin of Tue Feb 21 14:48:17 PST 1995

-----  
revision 2.1

date: 1995/02/21 22:33:13; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n40s.ly,v  
working file: atlas/compass/layouts/xlmux8n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4

date: 1995/02/23 07:36:40; author: chip; state: Exp; lines: +208 -215  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.3

date: 1995/02/21 19:54:12; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 11:53:57 PST 1995

-----  
revision 2.2

date: 1995/02/21 18:11:23; author: chip; state: Exp; lines: +14 -21  
periodic checkin of Tue Feb 21 10:11:12 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n80s.ly,v  
working file: atlas/compass/layouts/xlmux8n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4

date: 1995/02/23 07:36:42; author: chip; state: Exp; lines: +355 -374  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.3

date: 1995/02/21 19:54:13; author: chip; state: Exp; lines: +16 -13  
periodic checkin of Tue Feb 21 11:53:57 PST 1995

-----  
revision 2.2

date: 1995/02/21 18:11:26; author: chip; state: Exp; lines: +16 -16  
periodic checkin of Tue Feb 21 10:11:12 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n10s.ly,v  
working file: atlas/compass/layouts/xlor2n10s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:37:02; author: chip; state: Exp; lines: +42 -42  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n160s.ly,v  
working file: atlas/compass/layouts/xlor2n160s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:37:04; author: chip; state: Exp; lines: +461 -479  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n20s.ly,v  
working file: atlas/compass/layouts/xlor2n20s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:37:07; author: chip; state: Exp; lines: +66 -66  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n40s.ly,v  
working file: atlas/compass/layouts/xlor2n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:37:09; author: chip; state: Exp; lines: +120 -124  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n80s.ly,v  
working file: atlas/compass/layouts/xlor2n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

-----  
revision 2.4

date: 1995/02/23 07:37:11; author: chip; state: Exp; lines: +220 -230

periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n10s.ly,v

working file: atlas/compass/layouts/xlor3n10s.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 2.2

date: 1995/02/23 07:37:14; author: chip; state: Exp; lines: +55 -55

periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n160s.ly,v

working file: atlas/compass/layouts/xlor3n160s.ly

head: 2.7

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 7; selected revisions: 1

description:

-----  
revision 2.6

date: 1995/02/23 07:37:17; author: chip; state: Exp; lines: +524 -539

periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n20s.ly,v

working file: atlas/compass/layouts/xlor3n20s.ly

head: 2.7

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 7; selected revisions: 1

description:

-----  
revision 2.6

date: 1995/02/23 07:37:19; author: chip; state: Exp; lines: +86 -88

periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n40s.ly,v

working file: atlas/compass/layouts/xlor3n40s.ly

head: 2.7

branch:

locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 2.6  
date: 1995/02/23 07:37:22; author: chip; state: Exp; lines: +150 -153  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n80s.ly,v  
working file: atlas/compass/layouts/xlor3n80s.ly  
head: 2.8  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 2.7  
date: 1995/02/23 07:37:25; author: chip; state: Exp; lines: +253 -261  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n10s.ly,v  
working file: atlas/compass/layouts/xlor4n10s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:37:27; author: chip; state: Exp; lines: +52 -53  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n160s.ly,v  
working file: atlas/compass/layouts/xlor4n160s.ly  
head: 2.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 2.6  
date: 1995/02/23 07:37:31; author: chip; state: Exp; lines: +694 -740  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n20s.ly,v  
working file: atlas/compass/layouts/xlor4n20s.ly  
head: 2.5  
branch:

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.5  
date: 1995/02/23 07:37:33; author: chip; state: Exp; lines: +96 -100  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n40s.ly,v  
working file: atlas/compass/layouts/xlor4n40s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 2.5  
date: 1995/02/23 07:37:36; author: chip; state: Exp; lines: +184 -193  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n80s.ly,v  
working file: atlas/compass/layouts/xlor4n80s.ly  
head: 2.11  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

-----  
revision 2.7  
date: 1995/02/23 07:37:40; author: chip; state: Exp; lines: +356 -380  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand12n.ly,v  
working file: atlas/compass/layouts/xvdand12n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/02/21 23:00:35; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 15:00:26 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand17n.ly,v  
working file: atlas/compass/layouts/xvdand17n.ly  
head: 2.1

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:  
-----  
revision 2.1  
date: 1995/02/21 22:52:08; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:52:00 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand2n.ly,v  
working file: atlas/compass/layouts/xvdand2n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:  
-----  
revision 2.1  
date: 1995/02/21 23:52:59; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 15:52:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand3n.ly,v  
working file: atlas/compass/layouts/xvdand3n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:  
-----  
revision 2.1  
date: 1995/02/21 23:53:02; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 15:52:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand4n.ly,v  
working file: atlas/compass/layouts/xvdand4n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:  
-----  
revision 2.1  
date: 1995/02/22 00:02:43; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 16:02:34 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand6n.ly,v  
working file: atlas/compass/layouts/xvdand6n.ly

bz Feb 21-27 1995.log

head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/02/21 23:58:12; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 15:58:05 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xvdand8n.ly,v  
working file: atlas/compass/layouts/xvdand8n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/02/21 23:58:14; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 15:58:05 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xvlan.ly,v  
working file: atlas/compass/layouts/xvlan.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:37:43; author: chip; state: Exp; lines: +68 -69  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/23 01:13:52; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:13:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xvmux8nm.ly,v  
working file: atlas/compass/layouts/xvmux8nm.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 2.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

bz Feb 21-27 1995.log

revision 2.2

date: 1995/02/23 07:37:44; author: chip; state: Exp; lines: +176 -185  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.1

date: 1995/02/23 01:13:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:13:31 PST 1995

=====

RCS file: /p/cvsroot/atlas/doc/BOM,v

working file: atlas/doc/BOM

head: 37.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 37.0

keyword substitution: kv

total revisions: 83; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 29.0

date: 1995/02/22 00:38:01; author: geert; state: Exp; lines: +1 -1

Release Target: atlas/doc

New layout rules

Geert

-----  
revision 28.1

date: 1995/02/22 00:37:52; author: geert; state: Exp; lines: +2 -2

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/doc/layout.ht,v

working file: atlas/doc/layout.ht

head: 11.18

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 11.18

keyword substitution: kv

total revisions: 18; selected revisions: 1

description:

-----  
revision 11.13

date: 1995/02/22 00:37:13; author: geert; state: Exp; lines: +8 -1

New layout rules

Geert

=====

RCS file: /p/cvsroot/atlas/gards/.checkoutrc,v

working file: atlas/gards/.checkoutrc

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 22:50:02; author: wampler; state: Exp; lines: +2 -2
Disabled atlas/gards .checkoutrc for now.
-----
revision 1.1
date: 1995/02/22 22:49:10; author: wampler; state: Exp;
Initial check-in of atlas/basegen.
=====

RCS file: /p/cvsroot/atlas/gards/BOM,v
working file: atlas/gards/BOM
head: 37.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 37.0
keyword substitution: kv
total revisions: 88;      selected revisions: 6
description:
-----
revision 2.3
date: 1995/02/24 01:51:58; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.
-----
revision 2.2
date: 1995/02/24 00:14:36; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.
-----
revision 2.1
date: 1995/02/23 20:48:18; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template
-----
revision 2.0
date: 1995/02/22 22:50:59; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards

Initial release of atlas/gards Makefiles & basegen stuff.
-----
revision 1.2
date: 1995/02/22 22:50:52; author: wampler; state: Exp; lines: +6 -1
releasebom: File needs to be up-to-date to use commit -r
-----
revision 1.1
date: 1995/02/22 22:43:54; author: wampler; state: Exp;
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.
=====

RCS file: /p/cvsroot/atlas/gards/Makefile,v
working file: atlas/gards/Makefile
head: 1.5
branch:

```

bz Feb 21-27 1995.log

```
locks: strict
access list:
symbolic names:
    b4_rich: 1.5
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:39:45; author: wampler; state: Exp;
Initial check-in of atlas GARDS Makefiles.  Untested.
```

---

```
RCS file: /p/cvsroot/atlas/gards/Makefile.base,v
working file: atlas/gards/Makefile.base
head: 1.11
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.11
keyword substitution: kv
total revisions: 11;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:39:47; author: wampler; state: Exp;
Initial check-in of atlas GARDS Makefiles.  Untested.
```

---

```
RCS file: /p/cvsroot/atlas/gards/Makefile.chipbase,v
working file: atlas/gards/Makefile.chipbase
head: 1.10
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.10
keyword substitution: kv
total revisions: 10;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:39:49; author: wampler; state: Exp;
Initial check-in of atlas GARDS Makefiles.  Untested.
```

---

```
RCS file: /p/cvsroot/atlas/gards/basegen/.checkoutrc,v
working file: atlas/gards/basegen/.checkoutrc
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 22:42:54; author: wampler; state: Exp;
Initial atlas/gards/basegen checkin.
```

---

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas/gards/basegen/BOM,v  
Working file: atlas/gards/basegen/BOM  
head: 31.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 31.0  
keyword substitution: kv  
total revisions: 60;     selected revisions: 8  
description:  
releasebom adding BOM

-----  
revision 5.0  
date: 1995/02/24 01:51:46; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

-----  
revision 4.1  
date: 1995/02/24 01:51:38; author: wampler; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 4.0  
date: 1995/02/24 00:14:25; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

-----  
revision 3.1  
date: 1995/02/24 00:14:17; author: wampler; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 3.0  
date: 1995/02/23 20:48:07; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template

-----  
revision 2.1  
date: 1995/02/23 20:47:59; author: wampler; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 2.0  
date: 1995/02/22 22:43:45; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.

-----  
revision 1.1  
date: 1995/02/22 22:43:37; author: wampler; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/gards/basegen/Makefile,v  
Working file: atlas/gards/basegen/Makefile  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1

date: 1995/02/22 22:38:40; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/abgen.c,v  
working file: atlas/gards/basegen/abgen.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1

date: 1995/02/22 22:38:42; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/abgen.h,v  
working file: atlas/gards/basegen/abgen.h  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1

date: 1995/02/22 22:38:44; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/basecompile,v  
working file: atlas/gards/basegen/basecompile  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1

date: 1995/02/22 22:38:45; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/baseflatten,v  
working file: atlas/gards/basegen/baseflatten  
head: 1.1

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/02/22 22:38:47; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas.  Untested.  
=====

RCS file: /p/cvsroot/atlas/gards/basegen/basegen,v  
working file: atlas/gards/basegen/basegen  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 22:38:49; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas.  Untested.  
=====

RCS file: /p/cvsroot/atlas/gards/basegen/baseobmerge,v  
working file: atlas/gards/basegen/baseobmerge  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 22:38:50; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas.  Untested.  
=====

RCS file: /p/cvsroot/atlas/gards/basegen/derive\_bounds,v  
working file: atlas/gards/basegen/derive\_bounds  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 22:38:52; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas.  Untested.

```
=====
RCS file: /p/cvsroot/atlas/gards/basegen/derive_cutouts,v
Working file: atlas/gards/basegen/derive_cutouts
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 22:38:54; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====
```

```
=====
RCS file: /p/cvsroot/atlas/gards/basegen/flat.sel,v
Working file: atlas/gards/basegen/flat.sel
head: 1.12
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.12
keyword substitution: kv
total revisions: 12;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 22:38:55; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====
```

```
=====
RCS file: /p/cvsroot/atlas/gards/basegen/freepos_cdls,v
Working file: atlas/gards/basegen/freepos_cdls
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 22:38:57; author: wampler; state: Exp;
Initial check-in of GARDS basegen support files for atlas.  Untested.
=====
```

```
=====
RCS file: /p/cvsroot/atlas/gards/basegen/get_profiles,v
Working file: atlas/gards/basegen/get_profiles
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 2
=====
```

bz Feb 21-27 1995.log

description:

-----  
revision 1.2  
date: 1995/02/24 00:13:41; author: wampler; state: Exp; lines: +2 -2  
Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.  
-----

revision 1.1  
date: 1995/02/22 22:38:59; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

RCS file: /p/cvsroot/atlas/gards/basegen/gsub,v  
working file: atlas/gards/basegen/gsub  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 22:39:00; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

RCS file: /p/cvsroot/atlas/gards/basegen/pdlobs.c,v  
working file: atlas/gards/basegen/pdlobs.c  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/23 20:47:13; author: wampler; state: Exp; lines: +5 -5  
Fixed layer map in pdlobs; updated vdd/vss/phi\_am wire data in 1x1 CDL default  
profile.  
-----

revision 1.1  
date: 1995/02/22 22:39:02; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

RCS file: /p/cvsroot/atlas/gards/basegen/pobsgen.c,v  
working file: atlas/gards/basegen/pobsgen.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1

bz Feb 21-27 1995.log

date: 1995/02/22 22:39:04; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofa.tdl.template,v  
working file: atlas/gards/basegen/sofa.tdl.template  
head: 1.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.7  
keyword substitution: kv  
total revisions: 7;      selected revisions: 2  
description:

-----

revision 1.2  
date: 1995/02/24 01:51:09; author: wampler; state: Exp; lines: +7 -7  
Changed line-pad & pad-pad spacing rules for csm tdl template.

-----

revision 1.1  
date: 1995/02/22 22:39:06; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofa\_exclude,v  
working file: atlas/gards/basegen/sofa\_exclude  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:

-----

revision 1.1  
date: 1995/02/22 22:39:08; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofa\_model.ly.template,v  
working file: atlas/gards/basegen/sofa\_model.ly.template  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

-----

revision 1.1  
date: 1995/02/22 22:39:10; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofacdl.c.template,v  
working file: atlas/gards/basegen/sofacdl.c.template  
head: 1.8  
branch:

.bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.8

keyword substitution: kv

total revisions: 8; selected revisions: 3

description:

-----  
revision 1.3

date: 1995/02/24 00:13:43; author: wampler; state: Exp; lines: +13 -7  
Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

-----  
revision 1.2

date: 1995/02/23 20:47:15; author: wampler; state: Exp; lines: +8 -6  
Fixed layer map in pdlobs; updated vdd/vss/phi\_am wire data in 1x1 CDL default profile.

-----  
revision 1.1

date: 1995/02/22 22:39:12; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas/ged/BOM,v

working file: atlas/ged/BOM

head: 22.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 22.0

keyword substitution: kv

total revisions: 654; selected revisions: 3

description:

-----  
revision 4.8

date: 1995/02/24 01:23:15; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

-----  
revision 4.7

date: 1995/02/22 01:55:15; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 4.6

date: 1995/02/22 00:33:21; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

=====

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v

working file: atlas/ged/xv/BOM

head: 33.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 33.0

keyword substitution: kv

total revisions: 102; selected revisions: 5

bz Feb 21-27 1995.log

description:  
releasebom adding BOM

-----  
revision 8.1  
date: 1995/02/24 01:23:05; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

-----  
revision 8.0  
date: 1995/02/22 01:55:05; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 7.1  
date: 1995/02/22 01:54:59; author: ong; state: Exp; lines: +15 -15  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 7.0  
date: 1995/02/22 00:33:10; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 6.1  
date: 1995/02/22 00:33:03; author: ong; state: Exp; lines: +15 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/BOM,v  
Working file: atlas/ged/xv/xvdand12n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM

-----  
revision 3.0  
date: 1995/02/22 01:48:34; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.1  
date: 1995/02/22 01:48:27; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 2.0  
date: 1995/02/22 00:26:30; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1  
date: 1995/02/22 00:26:23; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdand12n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:45:08; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.1
date: 1995/02/22 00:17:42; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdand12n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.2
date: 1995/02/22 01:45:10; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
-----
revision 1.1
date: 1995/02/22 00:17:45; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvdand12n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/22 00:17:46; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====

```

```

RCS file: /p/cvsroot/atlas/ged/xv/xvdand12n/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvdand12n/spice_cn.1.1
head: 1.1
branch:
locks: strict

```

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:17:48; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/BOM,v  
working file: atlas/ged/xv/xvdand17n/BOM  
head: 5.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 4.0  
date: 1995/02/22 01:48:55; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 3.1  
date: 1995/02/22 01:48:48; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 3.0  
date: 1995/02/22 00:26:50; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand  
-----

revision 2.1  
date: 1995/02/22 00:26:43; author: ong; state: Exp; lines: +5 -5  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/body.1.1,v  
working file: atlas/ged/xv/xvdand17n/body.1.1  
head: 1.4  
branch:

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 1.3  
date: 1995/02/22 01:45:19; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.2  
date: 1995/02/22 00:22:21; author: ong; state: Exp; lines: +64 -63  
Sized transistors. Discharge transistor is a different size than the

logic transistors

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/body.2.1,v  
working file: atlas/ged/xv/xvdand17n/body.2.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 2  
description:

---

revision 1.3  
date: 1995/02/22 01:45:21; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

---

revision 1.2  
date: 1995/02/22 00:22:24; author: ong; state: Exp; lines: +6 -5  
Sized transistors. Discharge transistor is a different size than the  
logic transistors

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvdand17n/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

---

revision 1.2  
date: 1995/02/22 00:22:26; author: ong; state: Exp; lines: +1141 -1135  
Sized transistors. Discharge transistor is a different size than the  
logic transistors

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdand17n/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvdand17n/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

---

revision 1.2  
date: 1995/02/22 00:22:33; author: ong; state: Exp; lines: +258 -258  
Sized transistors. Discharge transistor is a different size than the  
logic transistors

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/BOM,v  
working file: atlas/ged/xv/xvdand2n/BOM  
head: 4.0  
branch:

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM

-----  
revision 3.0  
date: 1995/02/22 01:49:15; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.1  
date: 1995/02/22 01:49:08; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 2.0  
date: 1995/02/22 00:27:09; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1  
date: 1995/02/22 00:27:02; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/body.1.1,v  
working file: atlas/ged/xv/xvdand2n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:45:26; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:17:55; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/body.2.1,v  
working file: atlas/ged/xv/xvdand2n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:45:28; author: ong; state: Exp; lines: +1 -1

bz Feb 21-27 1995.log  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:17:57; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvdand2n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:17:58; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand2n/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvdand2n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:18:01; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/BOM,v  
working file: atlas/ged/xv/xvdand3n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/02/22 01:49:35; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.1  
date: 1995/02/22 01:49:28; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0

bz Feb 21-27 1995.log  
date: 1995/02/22 00:27:26; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1  
date: 1995/02/22 00:27:19; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/body.1.1,v  
working file: atlas/ged/xv/xvdand3n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:45:34; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:06; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvdand3n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:45:35; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:08; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvdand3n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/22 00:18:10; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdand3n/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvdand3n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/02/22 00:18:11; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/BOM,v  
working file: atlas/ged/xv/xvdand4n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM

---

revision 3.0  
date: 1995/02/22 01:49:56; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

---

revision 2.1  
date: 1995/02/22 01:49:49; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

revision 2.0  
date: 1995/02/22 00:27:44; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

---

revision 1.1  
date: 1995/02/22 00:27:36; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/body.1.1,v  
working file: atlas/ged/xv/xvdand4n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.2  
date: 1995/02/22 01:45:41; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:18; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/body.2.1,v  
working file: atlas/ged/xv/xvdand4n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:45:43; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:20; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvdand4n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:18:21; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand4n/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvdand4n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:18:23; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/BOM,v
working file: atlas/ged/xv/xvdand6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 4
description:
releasebom adding BOM
=====
```

```
revision 3.0
date: 1995/02/22 01:50:16; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

```
=====
revision 2.1
date: 1995/02/22 01:50:09; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
revision 2.0
date: 1995/02/22 00:28:01; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

New schematic of different fanins of xvdor and xvdand

```
=====
revision 1.1
date: 1995/02/22 00:27:54; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/body.1.1,v
working file: atlas/ged/xv/xvdand6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
=====
```

```
revision 1.2
date: 1995/02/22 01:45:49; author: ong; state: Exp; lines: +1 -1
Changed parameter on body to include a strength variable for the
discharge transistor
=====
```

```
revision 1.1
date: 1995/02/22 00:18:29; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/body.2.1,v
working file: atlas/ged/xv/xvdand6n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
=====
```

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:45:50; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:32; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvdand6n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:18:34; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand6n/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvdand6n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:18:36; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/BOM,v  
working file: atlas/ged/xv/xvdand8n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/02/22 01:50:37; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv  
  
Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

bz Feb 21-27 1995.log

-----  
revision 2.1  
date: 1995/02/22 01:50:30; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0  
date: 1995/02/22 00:28:19; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv  
-----

New schematic of different fanins of xvdor and xvdand  
-----

revision 1.1  
date: 1995/02/22 00:28:12; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/body.1.1,v  
Working file: atlas/ged/xv/xvdand8n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:45:55; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:44; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvdand8n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:45:57; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:46; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvdand8n/spice.1.1  
head: 1.1  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:18:48; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdand8n/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvdand8n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:18:50; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/BOM,v  
Working file: atlas/ged/xv/xvdor12n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/02/22 01:51:07; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 2.1  
date: 1995/02/22 01:51:01; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0  
date: 1995/02/22 00:28:50; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand  
-----

revision 1.1  
date: 1995/02/22 00:28:43; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/body.1.1,v  
Working file: atlas/ged/xv/xvdor12n/body.1.1  
head: 1.3

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----  
revision 1.2  
date: 1995/02/22 01:46:03; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:18:56; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvdor12n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:46:04; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:18:58; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvdor12n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:19:00; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor12n/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvdor12n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

bz Feb 21-27 1995.log  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:19:02; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/BOM,v  
Working file: atlas/ged/xv/xvdor17n/BOM  
head: 5.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 4.0  
date: 1995/02/22 01:51:27; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 3.1  
date: 1995/02/22 01:51:20; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 3.0  
date: 1995/02/22 00:29:12; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand  
-----

revision 2.1  
date: 1995/02/22 00:29:04; author: ong; state: Exp; lines: +5 -5  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/body.1.1,v  
Working file: atlas/ged/xv/xvdor17n/body.1.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 1.3  
date: 1995/02/22 01:46:10; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.2  
date: 1995/02/22 00:22:40; author: ong; state: Exp; lines: +63 -62  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvdor17n/body.2.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----  
revision 1.3  
date: 1995/02/22 01:46:12; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----  
revision 1.2  
date: 1995/02/22 00:22:42; author: ong; state: Exp; lines: +2 -1  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvdor17n/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.2  
date: 1995/02/22 00:22:43; author: ong; state: Exp; lines: +1102 -1095  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor17n/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvdor17n/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 1.2  
date: 1995/02/22 00:22:50; author: ong; state: Exp; lines: +257 -257  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/BOM,v  
Working file: atlas/ged/xv/xvdor2n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM

-----  
revision 3.0  
date: 1995/02/22 01:51:47; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.1  
date: 1995/02/22 01:51:41; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 2.0  
date: 1995/02/22 00:29:30; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1  
date: 1995/02/22 00:29:23; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/body.1.1,v  
working file: atlas/ged/xv/xvdor2n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:46:17; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:19:09; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/body.2.1,v  
working file: atlas/ged/xv/xvdor2n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:46:19; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/22 00:19:11; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvdor2n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/02/22 00:19:13; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdor2n/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvdor2n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/02/22 00:19:15; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/BOM,v  
Working file: atlas/ged/xv/xvdor3n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM

---

revision 3.0  
date: 1995/02/22 01:52:06; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

---

revision 2.1  
date: 1995/02/22 01:51:59; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

revision 2.0  
date: 1995/02/22 00:29:49; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

bz Feb 21-27 1995.log

New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1

date: 1995/02/22 00:29:41; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/body.1.1,v

working file: atlas/ged/xv/xvdor3n/body.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:  
-----

revision 1.2

date: 1995/02/22 01:46:24; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1

date: 1995/02/22 00:19:21; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/body.2.1,v

working file: atlas/ged/xv/xvdor3n/body.2.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:  
-----

revision 1.2

date: 1995/02/22 01:46:25; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1

date: 1995/02/22 00:19:23; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/spice.1.1,v

working file: atlas/ged/xv/xvdor3n/spice.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:  
-----

revision 1.1

date: 1995/02/22 00:19:25; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xvdor3n/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvdor3n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 00:19:26; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/BOM,v
Working file: atlas/ged/xv/xvdor4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 4
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/02/22 01:52:25; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

```
-----
revision 2.1
date: 1995/02/22 01:52:19; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 2.0
date: 1995/02/22 00:30:06; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

New schematic of different fanins of xvdor and xvdand

```
-----
revision 1.1
date: 1995/02/22 00:30:00; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdor4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 1.2
```

bz Feb 21-27 1995.log  
date: 1995/02/22 01:46:30; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:19:32; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/body.2.1,v  
working file: atlas/ged/xv/xvdor4n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:46:33; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:19:34; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvdor4n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:19:36; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor4n/Attic/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvdor4n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:19:38; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/BOM,v

bz Feb 21-27 1995.log  
Working file: atlas/ged/xv/xvdor6n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----  
revision 3.0  
date: 1995/02/22 01:52:44; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.1  
date: 1995/02/22 01:52:38; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0  
date: 1995/02/22 00:30:26; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1  
date: 1995/02/22 00:30:18; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/body.1.1,v  
Working file: atlas/ged/xv/xvdor6n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:46:39; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:19:44; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/body.2.1,v  
Working file: atlas/ged/xv/xvdor6n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.2  
date: 1995/02/22 01:46:40; author: ong; state: Exp; lines: +1 -1  
changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:19:47; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/spice.1.1,v  
Working file: atlas/ged/xv/xvdor6n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:19:49; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor6n/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvdor6n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:19:51; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/BOM,v  
Working file: atlas/ged/xv/xvdor8n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/02/22 01:53:04; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 2.1  
date: 1995/02/22 01:52:57; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r  
-----  
bz Feb 21-27 1995.log  
revision 2.0  
date: 1995/02/22 00:30:47; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand  
-----

revision 1.1  
date: 1995/02/22 00:30:39; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/body.1.1,v  
working file: atlas/ged/xv/xvdor8n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:46:46; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:19:58; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/body.2.1,v  
working file: atlas/ged/xv/xvdor8n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:46:48; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:20:00; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/spice.1.1,v  
working file: atlas/ged/xv/xvdor8n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:20:02; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdor8n/Attic/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvdor8n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:20:04; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv1bn/BOM,v  
Working file: atlas/ged/xv/xv1bn/BOM  
head: 9.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 9.0  
keyword substitution: kv  
total revisions: 16; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/02/24 01:22:51; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies  
-----

revision 2.1  
date: 1995/02/24 01:22:44; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv1bn/body.1.1,v  
Working file: atlas/ged/xv/xv1bn/body.1.1  
head: 1.6  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.6  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/02/24 01:22:08; author: ong; state: Exp; lines: +17 -16  
Added transistor size parameters to body

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv1bn/body.2.1,v
working file: atlas/ged/xv/xv1bn/body.2.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.6
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
=====
```

```
revision 1.2
date: 1995/02/24 01:22:10; author: ong; state: Exp; lines: +17 -16
Added transistor size parameters to body
=====
```

```
=====
RCS file: /p/cvsroot/atlas/leafgen/makeDepend,v
working file: atlas/leafgen/makeDepend
head: 3.15
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 3.15
keyword substitution: kv
total revisions: 15;    selected revisions: 1
description:
=====
```

```
revision 3.3
date: 1995/02/24 01:32:44; author: brianl; state: Exp; lines: +17 -2
Added dand* dor* cells
=====
```

```
=====
RCS file: /p/cvsroot/atlas/tab/BOM,v
working file: atlas/tab/BOM
head: 3.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 3.0
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
releasebom adding BOM
=====
```

```
revision 2.2
date: 1995/02/21 22:54:25; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/tab/doc
```

Added more info from Trancy

Geert

```
=====
RCS file: /p/cvsroot/atlas/tab/doc/BOM,v
working file: atlas/tab/doc/BOM
head: 4.0
branch:
locks: strict
```

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 4.0

keyword substitution: kv

total revisions: 6; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 3.0

date: 1995/02/21 22:54:16; author: geert; state: Exp; lines: +1 -1

Release Target: atlas/tab/doc

Added more info from Trancy

Geert

-----  
revision 2.1

date: 1995/02/21 22:54:10; author: geert; state: Exp; lines: +2 -2

releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/tab/doc/tab.ht,v

working file: atlas/tab/doc/tab.ht

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/02/21 22:53:35; author: geert; state: Exp; lines: +17 -8

Added more info from Trancy

Geert

=====

RCS file: /p/cvsroot/atlas2/BOM,v

working file: atlas2/BOM

head: 201.2755

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 201.2700

keyword substitution: kv

total revisions: 4418; selected revisions: 12

description:

-----  
revision 2.77

date: 1995/02/24 01:52:08; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/gads/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

-----  
revision 2.76

date: 1995/02/24 01:23:25; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

bz Feb 21-27 1995.log

-----  
revision 2.75

date: 1995/02/24 00:14:48; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

-----  
revision 2.74

date: 1995/02/23 20:48:27; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template

-----  
revision 2.73

date: 1995/02/23 07:43:23; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts

releasing after conversion from microns to DBUS

-----  
revision 2.72

date: 1995/02/23 06:52:12; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts

releasing before conversion from microns to DBUS

-----  
revision 2.71

date: 1995/02/22 22:51:12; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards

Initial release of atlas/gards Makefiles & basegen stuff.

-----  
revision 2.70

date: 1995/02/22 22:44:05; author: wampler; state: Exp; lines: +5 -1  
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.

-----  
revision 2.69

date: 1995/02/22 01:55:23; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.68

date: 1995/02/22 00:38:12; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/doc

New layout rules

Geert

-----  
revision 2.67

date: 1995/02/22 00:33:30; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 2.66

date: 1995/02/21 22:54:33; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/tab/doc

Added more info from Trancy

Geert

```
=====
RCS file: /p/cvsroot/atlas2/compass/BOM,v
working file: atlas2/compass/BOM
head: 203.329
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 203.329
keyword substitution: kv
total revisions: 532;   selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.3
date: 1995/02/23 07:43:10; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
```

releasing after conversion from microns to DBUs

```
-----
revision 2.2
date: 1995/02/23 06:52:00; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
```

releasing before conversion from microns to DBUs

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/BOM,v
working file: atlas2/compass/layouts/BOM
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 248;   selected revisions: 4
description:
releasebom adding BOM
-----
```

```
revision 4.0
date: 1995/02/23 07:42:53; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/compass/layouts
```

releasing after conversion from microns to DBUs

```
-----
revision 3.1
date: 1995/02/23 07:42:40; author: tom; state: Exp; lines: +260 -260
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 3.0
date: 1995/02/23 06:51:45; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/compass/layouts
```

releasing before conversion from microns to DBUs

```
-----
revision 2.1
date: 1995/02/23 06:51:34; author: tom; state: Exp; lines: +261 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v
```

bz Feb 21-27 1995.log

Working file: atlas2/compass/layouts/atlas.db

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 133; selected revisions: 2

description:

-----  
revision 1.7

date: 1995/02/23 00:02:59; author: chip; state: Exp; lines: +26 -26

periodic checkin of Wed Feb 22 16:02:52 PST 1995

-----  
revision 1.6

date: 1995/02/22 17:43:28; author: chip; state: Exp; lines: +17 -8

periodic checkin of Wed Feb 22 09:43:14 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1bar1.ly,v

Working file: atlas2/compass/layouts/ccr1bar1.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:20:43; author: chip; state: Exp; lines: +5 -5

periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:43:11; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1col1.ly,v

Working file: atlas2/compass/layouts/ccr1col1.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:20:47; author: chip; state: Exp; lines: +82 -82

periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:43:14; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1col2.ly,v

Working file: atlas2/compass/layouts/ccr1col2.ly

head: 200.0

branch:

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:20:49; author: chip; state: Exp; lines: +16 -16  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:18; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1colr.ly,v  
Working file: atlas2/compass/layouts/ccr1colr.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:20:50; author: chip; state: Exp; lines: +83 -83  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:21; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr2col.ly,v  
Working file: atlas2/compass/layouts/ccr2col.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:20:53; author: chip; state: Exp; lines: +28 -28  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:24; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr4col.ly,v  
Working file: atlas2/compass/layouts/ccr4col.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:20:55; author: chip; state: Exp; lines: +75 -75  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:28; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrcap.ly,v  
working file: atlas2/compass/layouts/ccrcap.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:20:58; author: chip; state: Exp; lines: +17 -17  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:31; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrcell.ly,v  
working file: atlas2/compass/layouts/ccrcell.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:00; author: chip; state: Exp; lines: +58 -58  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:34; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrcell\_1.ly,v  
working file: atlas2/compass/layouts/ccrcell\_1.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 2.2  
date: 1995/02/23 07:21:02; author: chip; state: Exp; lines: +266 -266  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:01; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrddrv.ly,v  
working file: atlas2/compass/layouts/ccrddrv.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:21:05; author: chip; state: Exp; lines: +226 -226  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:38; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrddrv2.ly,v  
working file: atlas2/compass/layouts/ccrddrv2.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:21:08; author: chip; state: Exp; lines: +228 -228  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:41; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdec.ly,v  
working file: atlas2/compass/layouts/ccrdec.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:21:09; author: chip; state: Exp; lines: +16 -16

bz Feb 21-27 1995.log  
periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:43:45; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdecl.ly,v  
working file: atlas2/compass/layouts/ccrdecl.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:21:11; author: chip; state: Exp; lines: +259 -259  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:48; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrmcap.ly,v  
working file: atlas2/compass/layouts/ccrmcap.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:21:15; author: chip; state: Exp; lines: +17 -17  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:43:51; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrplat.ly,v  
working file: atlas2/compass/layouts/ccrplat.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:21:17; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

bz Feb 21-27 1995.log  
date: 1995/02/22 22:43:54; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrsa.ly,v  
working file: atlas2/compass/layouts/ccrsa.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:20; author: chip; state: Exp; lines: +341 -341  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:43:58; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrsa2.ly,v  
working file: atlas2/compass/layouts/ccrsa2.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:21; author: chip; state: Exp; lines: +350 -350  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:44:01; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrsanlat.ly,v  
working file: atlas2/compass/layouts/ccrsanlat.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:21:23; author: chip; state: Exp; lines: +153 -153  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:44:04; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell6t.ly,v  
working file: atlas2/compass/layouts/cell6t.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:26; author: chip; state: Exp; lines: +1146 -1146  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:05; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell6tx2.ly,v  
working file: atlas2/compass/layouts/cell6tx2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:29; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:10; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell6tx4.ly,v  
working file: atlas2/compass/layouts/cell6tx4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:31; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:14; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell6tx8.ly,v  
working file: atlas2/compass/layouts/cell6tx8.ly

bz Feb 21-27 1995.log

head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:32; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:17; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell8t.ly,v  
working file: atlas2/compass/layouts/cell8t.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:35; author: chip; state: Exp; lines: +932 -932  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:21; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/crcell\_6.ly,v  
working file: atlas2/compass/layouts/crcell\_6.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:38; author: chip; state: Exp; lines: +227 -227  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:24; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm.ly,v  
working file: atlas2/compass/layouts/csm.ly  
head: 200.0  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:40; author: chip; state: Exp; lines: +533 -581  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/23 01:13:36; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:13:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6t.ly,v  
working file: atlas2/compass/layouts/csm6t.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:44; author: chip; state: Exp; lines: +60 -60  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:27; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tc.ly,v  
working file: atlas2/compass/layouts/csm6tc.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:21:45; author: chip; state: Exp; lines: +49 -49  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:30; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tcell.ly,v  
working file: atlas2/compass/layouts/csm6tcell.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:48; author: chip; state: Exp; lines: +75 -75
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:33; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tcell1.1y,v
working file: atlas2/compass/layouts/csm6tcell1.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:50; author: chip; state: Exp; lines: +77 -77
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:35; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tcx2.1y,v
working file: atlas2/compass/layouts/csm6tcx2.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:21:53; author: chip; state: Exp; lines: +6 -6
periodic checkin of wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:49:38; author: chip; state: Exp;
periodic checkin of wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tcx4.1y,v
working file: atlas2/compass/layouts/csm6tcx4.1y
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----

```

bz Feb 21-27 1995.log

revision 2.2

date: 1995/02/23 07:21:54; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:49:42; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1.ly,v

working file: atlas2/compass/layouts/csm6tm1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:21:56; author: chip; state: Exp; lines: +129 -129  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:49:45; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm18x8.ly,v

working file: atlas2/compass/layouts/csm6tm18x8.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:21:59; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:49:48; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1a.ly,v

working file: atlas2/compass/layouts/csm6tm1a.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:22:02; author: chip; state: Exp; lines: +132 -135  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

-----  
revision 2.1  
date: 1995/02/22 22:49:52; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1ax4.ly,v  
working file: atlas2/compass/layouts/csm6tm1ax4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:22:04; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1b.ly,v  
working file: atlas2/compass/layouts/csm6tm1b.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:22:29; author: chip; state: Exp; lines: +132 -133  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:49:58; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1c.ly,v  
working file: atlas2/compass/layouts/csm6tm1c.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:22:34; author: chip; state: Exp; lines: +64 -64  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:01; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1d.ly,v  
Working file: atlas2/compass/layouts/csm6tm1d.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:22:36; author: chip; state: Exp; lines: +46 -46  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:50:04; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1e.ly,v  
Working file: atlas2/compass/layouts/csm6tm1e.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:22:39; author: chip; state: Exp; lines: +43 -43  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:50:07; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1f.ly,v  
Working file: atlas2/compass/layouts/csm6tm1f.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:22:40; author: chip; state: Exp; lines: +48 -48  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:50:10; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm1x4.ly,v

working file: atlas2/compass/layouts/csm6tm1x4.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:22:42; author: chip; state: Exp; lines: +8 -8

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:50:13; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm28x8.ly,v

working file: atlas2/compass/layouts/csm6tm28x8.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:22:45; author: chip; state: Exp; lines: +4 -4

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:50:16; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tm38x8.ly,v

working file: atlas2/compass/layouts/csm6tm38x8.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:22:49; author: chip; state: Exp; lines: +4 -4

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

date: 1995/02/22 22:50:19; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tx2.ly,v

working file: atlas2/compass/layouts/csm6tx2.ly

head: 2.2

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:22:51; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:22; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm6tx4.ly,v  
working file: atlas2/compass/layouts/csm6tx4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:22:53; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:25; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_a1.ly,v  
working file: atlas2/compass/layouts/csm\_a1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:22:55; author: chip; state: Exp; lines: +21 -21  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:28; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_a2.ly,v  
working file: atlas2/compass/layouts/csm\_a2.ly  
head: 2.2  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:22:57; author: chip; state: Exp; lines: +17 -17  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:32; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_a3.ly,v  
working file: atlas2/compass/layouts/csm\_a3.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:01; author: chip; state: Exp; lines: +17 -17  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:35; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_a4.ly,v  
working file: atlas2/compass/layouts/csm\_a4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:03; author: chip; state: Exp; lines: +17 -17  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:50:37; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_a5.ly,v  
working file: atlas2/compass/layouts/csm\_a5.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 2.2

date: 1995/02/23 07:23:06; author: chip; state: Exp; lines: +13 -13  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:50:40; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_a6.ly,v

working file: atlas2/compass/layouts/csm\_a6.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:23:07; author: chip; state: Exp; lines: +17 -17  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:50:42; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_a7.ly,v

working file: atlas2/compass/layouts/csm\_a7.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:23:10; author: chip; state: Exp; lines: +19 -19  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:50:45; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_b1.ly,v

working file: atlas2/compass/layouts/csm\_b1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

bz Feb 21-27 1995.log  
date: 1995/02/23 07:23:13; author: chip; state: Exp; lines: +19 -19  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:50:48; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_b1\_a1.ly,v  
working file: atlas2/compass/layouts/csm\_b1\_a1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:16; author: chip; state: Exp; lines: +162 -162  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:51:15; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm\_c1.ly,v  
working file: atlas2/compass/layouts/csm\_c1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:17; author: chip; state: Exp; lines: +25 -25  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:51:19; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmatom.ly,v  
working file: atlas2/compass/layouts/csmatom.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:23:19; author: chip; state: Exp; lines: +25 -25  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

bz Feb 21-27 1995.log

revision 2.1

date: 1995/02/22 22:51:24; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmatom\_2.ly,v

working file: atlas2/compass/layouts/csmatom\_2.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:23:22; author: chip; state: Exp; lines: +26 -26

periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1

date: 1995/02/22 22:51:28; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmloadlatbc.ly,v

working file: atlas2/compass/layouts/csmloadlatbc.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:23:25; author: chip; state: Exp; lines: +122 -122

periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1

date: 1995/02/22 22:51:31; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmloadlatbc\_a7.ly,v

working file: atlas2/compass/layouts/csmloadlatbc\_a7.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:23:27; author: chip; state: Exp; lines: +118 -118

periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1

date: 1995/02/22 22:51:35; author: chip; state: Exp;

periodic checkin of Wed Feb 22 14:48:36 PST 1995

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csmsertriflop.ly,v
Working file: atlas2/compass/layouts/csmsertriflop.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:23:28; author: chip; state: Exp; lines: +8 -8
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:51:39; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/decls.ly,v
Working file: atlas2/compass/layouts/decls.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:23:31; author: chip; state: Exp; lines: +981 -981
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:44:07; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/drv1.ly,v
Working file: atlas2/compass/layouts/drv1.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:23:34; author: chip; state: Exp; lines: +219 -219
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:44:10; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:42:50 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/emptyatom.ly,v
```

bz Feb 21-27 1995.log

working file: atlas2/compass/layouts/emptyatom.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:23:37; author: chip; state: Exp; lines: +8 -8

periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/exand1b17nm.ly,v

working file: atlas2/compass/layouts/exand1b17nm.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:23:39; author: chip; state: Exp; lines: +385 -407

periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/exnor4nm.ly,v

working file: atlas2/compass/layouts/exnor4nm.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

-----  
revision 2.3

date: 1995/02/23 07:23:42; author: chip; state: Exp; lines: +61 -63

periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.2

date: 1995/02/23 01:13:38; author: chip; state: Exp; lines: +22 -18

periodic checkin of wed Feb 22 17:13:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/exvffqm.ly,v

working file: atlas2/compass/layouts/exvffqm.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 2.3

bz Feb 21-27 1995.log  
date: 1995/02/23 07:23:45; author: chip; state: Exp; lines: +181 -183  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/guardring.ly,v  
working file: atlas2/compass/layouts/guardring.ly  
head: 2.9  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:  
-----

revision 2.7  
date: 1995/02/23 07:23:47; author: chip; state: Exp; lines: +11 -11  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/guardringcnr.ly,v  
working file: atlas2/compass/layouts/guardringcnr.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 2.2  
date: 1995/02/23 07:23:49; author: chip; state: Exp; lines: +9 -9  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mos\_site.ly,v  
working file: atlas2/compass/layouts/mos\_site.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 2  
description:  
-----

revision 2.4  
date: 1995/02/23 07:24:21; author: chip; state: Exp; lines: +8 -8  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.3  
date: 1995/02/22 23:28:36; author: chip; state: Exp; lines: +9 -28  
periodic checkin of Wed Feb 22 15:28:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mousbit.ly,v  
working file: atlas2/compass/layouts/mousbit.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:24:24; author: chip; state: Exp; lines: +97 -106  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/23 01:13:41; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:13:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mousbit2.ly,v

working file: atlas2/compass/layouts/mousbit2.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:24:27; author: chip; state: Exp; lines: +85 -93  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/23 01:13:43; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:13:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mousbitx2.ly,v

working file: atlas2/compass/layouts/mousbitx2.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:24:30; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/23 01:13:45; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:13:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mousmemw1.ly,v

working file: atlas2/compass/layouts/mousmemw1.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 2.2  
date: 1995/02/23 07:24:33; author: chip; state: Exp; lines: +28 -28  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/23 01:16:06; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:16:03 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/moussmem.ly,v  
Working file: atlas2/compass/layouts/moussmem.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:24:35; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/23 01:16:08; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:16:03 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux2\_a1.ly,v  
Working file: atlas2/compass/layouts/mux2\_a1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:24:38; author: chip; state: Exp; lines: +12 -12  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:51:43; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a1.ly,v  
Working file: atlas2/compass/layouts/mux\_a1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:24:42; author: chip; state: Exp; lines: +36 -36

bz Feb 21-27 1995.log  
periodic checkin of wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:51:46; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a2.ly,v  
working file: atlas2/compass/layouts/mux\_a2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:24:45; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:51:49; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a3.ly,v  
working file: atlas2/compass/layouts/mux\_a3.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:24:47; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:51:52; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a3\_1.ly,v  
working file: atlas2/compass/layouts/mux\_a3\_1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:24:50; author: chip; state: Exp; lines: +24 -24  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1

bz Feb 21-27 1995.log  
date: 1995/02/22 22:51:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a3\_2.ly,v  
working file: atlas2/compass/layouts/mux\_a3\_2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:24:54; author: chip; state: Exp; lines: +15 -15  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:51:58; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a4.ly,v  
working file: atlas2/compass/layouts/mux\_a4.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:24:57; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:52:01; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a5.ly,v  
working file: atlas2/compass/layouts/mux\_a5.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:24:59; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:52:05; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a6.ly,v  
working file: atlas2/compass/layouts/mux\_a6.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:01; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:08; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a6\_1.ly,v  
working file: atlas2/compass/layouts/mux\_a6\_1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:03; author: chip; state: Exp; lines: +68 -68  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:13; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a7.ly,v  
working file: atlas2/compass/layouts/mux\_a7.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:06; author: chip; state: Exp; lines: +33 -33  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:16; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a7\_1.ly,v  
working file: atlas2/compass/layouts/mux\_a7\_1.ly

bz Feb 21-27 1995.log

head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:09; author: chip; state: Exp; lines: +27 -27  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:20; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a7\_2.ly,v  
working file: atlas2/compass/layouts/mux\_a7\_2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:11; author: chip; state: Exp; lines: +122 -122  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:25; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a7\_2a.ly,v  
working file: atlas2/compass/layouts/mux\_a7\_2a.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:12; author: chip; state: Exp; lines: +125 -125  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:28; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_a7\_a.ly,v  
working file: atlas2/compass/layouts/mux\_a7\_a.ly  
head: 2.2  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:14; author: chip; state: Exp; lines: +32 -32  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:32; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mux\_c1.ly,v  
working file: atlas2/compass/layouts/mux\_c1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:17; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:34; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/nbcell.ly,v  
working file: atlas2/compass/layouts/nbcell.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:20; author: chip; state: Exp; lines: +111 -111  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:52:37; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/nbcell\_1.ly,v  
working file: atlas2/compass/layouts/nbcell\_1.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:25:22; author: chip; state: Exp; lines: +108 -108
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:52:40; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/nbcellx4.ly,v
working file: atlas2/compass/layouts/nbcellx4.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:25:24; author: chip; state: Exp; lines: +8 -8
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:52:43; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell10u.ly,v
working file: atlas2/compass/layouts/ncell10u.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:25:26; author: chip; state: Exp; lines: +28 -28
periodic checkin of Wed Feb 22 23:20:23 PST 1995
-----
revision 2.1
date: 1995/02/22 22:52:46; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell10ua.ly,v
working file: atlas2/compass/layouts/ncell10ua.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----

```

bz Feb 21-27 1995.log

revision 2.2  
date: 1995/02/23 07:25:27; author: chip; state: Exp; lines: +9 -9  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:52:49; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell10ub.ly,v  
Working file: atlas2/compass/layouts/ncell10ub.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:30; author: chip; state: Exp; lines: +10 -10  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:52:52; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell10ub1.ly,v  
Working file: atlas2/compass/layouts/ncell10ub1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:32; author: chip; state: Exp; lines: +10 -10  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:52:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell15u.ly,v  
Working file: atlas2/compass/layouts/ncell15u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:25:35; author: chip; state: Exp; lines: +19 -19  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

bz Feb 21-27 1995.log

-----  
revision 2.1  
date: 1995/02/22 22:52:58; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell6u.ly,v  
working file: atlas2/compass/layouts/ncell6u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:25:37; author: chip; state: Exp; lines: +19 -19  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:01; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell7u.ly,v  
working file: atlas2/compass/layouts/ncell7u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:25:40; author: chip; state: Exp; lines: +22 -22  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:04; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ncell8u.ly,v  
working file: atlas2/compass/layouts/ncell8u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:25:42; author: chip; state: Exp; lines: +22 -22  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:07; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v  
Working file: atlas2/compass/layouts/padvdd.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 39; selected revisions: 2  
description:

---

revision 2.3  
date: 1995/02/23 07:25:45; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.2  
date: 1995/02/23 00:55:44; author: chip; state: Exp; lines: +2 -44  
periodic checkin of Wed Feb 22 16:55:42 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell110u.ly,v  
Working file: atlas2/compass/layouts/pcell110u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:25:48; author: chip; state: Exp; lines: +28 -28  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:53:24; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell112u.ly,v  
Working file: atlas2/compass/layouts/pcell112u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:26:16; author: chip; state: Exp; lines: +28 -28  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:53:27; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell114u.ly,v  
working file: atlas2/compass/layouts/pcell114u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:18; author: chip; state: Exp; lines: +31 -31  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:32; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell115u.ly,v  
working file: atlas2/compass/layouts/pcell115u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:20; author: chip; state: Exp; lines: +31 -31  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:35; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell16u.ly,v  
working file: atlas2/compass/layouts/pcell16u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:23; author: chip; state: Exp; lines: +22 -22  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:38; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell17u.ly,v  
working file: atlas2/compass/layouts/pcell17u.ly  
head: 2.2

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:25; author: chip; state: Exp; lines: +22 -22  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:41; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell8u.ly,v  
working file: atlas2/compass/layouts/pcell8u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:27; author: chip; state: Exp; lines: +22 -22  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:45; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pcell9u.ly,v  
working file: atlas2/compass/layouts/pcell9u.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:29; author: chip; state: Exp; lines: +22 -22  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:53:47; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rcell11.ly,v  
working file: atlas2/compass/layouts/rcell11.ly  
head: 2.2  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:30; author: chip; state: Exp; lines: +53 -53  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:44:13; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rdec1.ly,v  
working file: atlas2/compass/layouts/rdec1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:33; author: chip; state: Exp; lines: +122 -122  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:44:17; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rdec2.ly,v  
working file: atlas2/compass/layouts/rdec2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:36; author: chip; state: Exp; lines: +98 -98  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 22:44:20; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rdec3.ly,v  
working file: atlas2/compass/layouts/rdec3.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 2.2

date: 1995/02/23 07:26:38; author: chip; state: Exp; lines: +59 -59  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:44:23; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rdec4.ly,v

working file: atlas2/compass/layouts/rdec4.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:26:40; author: chip; state: Exp; lines: +55 -55  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/22 22:44:26; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rvia12.ly,v

working file: atlas2/compass/layouts/rvia12.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.2

date: 1995/02/23 07:26:41; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1

date: 1995/02/23 00:22:56; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 16:22:53 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/rvia23.ly,v

working file: atlas2/compass/layouts/rvia23.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 2.2

bz Feb 21-27 1995.log  
date: 1995/02/23 07:26:43; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/23 00:22:58; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 16:22:53 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sa1.ly,v  
Working file: atlas2/compass/layouts/sa1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:45; author: chip; state: Exp; lines: +166 -166  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:44:29; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sa2.ly,v  
Working file: atlas2/compass/layouts/sa2.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:48; author: chip; state: Exp; lines: +158 -158  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

-----  
revision 2.1  
date: 1995/02/22 22:44:32; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sa3.ly,v  
Working file: atlas2/compass/layouts/sa3.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:26:51; author: chip; state: Exp; lines: +524 -524  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

bz Feb 21-27 1995.log

revision 2.1  
date: 1995/02/22 22:44:36; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sa\_cl.ly,v  
working file: atlas2/compass/layouts/sa\_cl.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:26:53; author: chip; state: Exp; lines: +21 -21  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:53:50; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sertriflop\_b1.ly,v  
working file: atlas2/compass/layouts/sertriflop\_b1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:26:55; author: chip; state: Exp; lines: +165 -165  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:53:54; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/tempcr.ly,v  
working file: atlas2/compass/layouts/tempcr.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:26:57; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:44:39; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

bz Feb 21-27 1995.log

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/template.ly,v  
working file: atlas2/compass/layouts/template.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 1  
description:

---

revision 2.3  
date: 1995/02/23 07:27:00; author: chip; state: Exp; lines: +28 -28  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/tempx16.ly,v  
working file: atlas2/compass/layouts/tempx16.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:27:02; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

revision 2.1  
date: 1995/02/22 22:53:57; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_10x1.ly,v  
working file: atlas2/compass/layouts/uh\_10x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

---

revision 2.3  
date: 1995/02/23 07:27:03; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_11x1.ly,v  
working file: atlas2/compass/layouts/uh\_11x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1

bz Feb 21-27 1995.log

description:

-----  
revision 2.3  
date: 1995/02/23 07:27:05; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_12x1.ly,v  
working file: atlas2/compass/layouts/uh\_12x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:07; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_13x1.ly,v  
working file: atlas2/compass/layouts/uh\_13x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:10; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_14x1.ly,v  
working file: atlas2/compass/layouts/uh\_14x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:12; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_15x1.ly,v  
working file: atlas2/compass/layouts/uh\_15x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3

date: 1995/02/23 07:27:14; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_16x1.ly,v

Working file: atlas2/compass/layouts/uh\_16x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:27:15; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_17x1.ly,v

Working file: atlas2/compass/layouts/uh\_17x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:27:19; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_18x1.ly,v

Working file: atlas2/compass/layouts/uh\_18x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:27:22; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_19x1.ly,v

Working file: atlas2/compass/layouts/uh\_19x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:25; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_20x1.ly,v  
working file: atlas2/compass/layouts/uh\_20x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:26; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_21x1.ly,v  
working file: atlas2/compass/layouts/uh\_21x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:29; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_22x1.ly,v  
working file: atlas2/compass/layouts/uh\_22x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:32; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_23x1.ly,v  
working file: atlas2/compass/layouts/uh\_23x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:35; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_24x1.ly,v  
working file: atlas2/compass/layouts/uh\_24x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:37; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_25x1.ly,v  
working file: atlas2/compass/layouts/uh\_25x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:38; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_26x1.ly,v  
working file: atlas2/compass/layouts/uh\_26x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:52; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_27x1.ly,v  
working file: atlas2/compass/layouts/uh\_27x1.ly  
head: 2.4  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:53; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_28x1.ly,v  
working file: atlas2/compass/layouts/uh\_28x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:55; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_29x1.ly,v  
working file: atlas2/compass/layouts/uh\_29x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:27:57; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_2x1.ly,v  
working file: atlas2/compass/layouts/uh\_2x1.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

-----  
revision 2.4  
date: 1995/02/23 07:28:00; author: chip; state: Exp; lines: +7 -7  
periodic checkin of wed Feb 22 23:20:23 PST 1995  
-----

revision 2.3  
date: 1995/02/22 23:59:34; author: chip; state: Exp; lines: +4 -4  
periodic checkin of wed Feb 22 15:59:31 PST 1995  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_30x1.ly,v

Working file: atlas2/compass/layouts/uh\_30x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:28:02; author: chip; state: Exp; lines: +7 -7

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_33x1.ly,v

Working file: atlas2/compass/layouts/uh\_33x1.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 2.2

date: 1995/02/23 07:28:04; author: chip; state: Exp; lines: +7 -7

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_34x1.ly,v

Working file: atlas2/compass/layouts/uh\_34x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:28:07; author: chip; state: Exp; lines: +8 -8

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_3x1.ly,v

Working file: atlas2/compass/layouts/uh\_3x1.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 2.3

date: 1995/02/23 07:28:10; author: chip; state: Exp; lines: +7 -7

periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_40x1.ly,v  
working file: atlas2/compass/layouts/uh\_40x1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:28:13; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
-----

revision 2.1  
date: 1995/02/22 23:59:36; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 15:59:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_45x1.ly,v  
working file: atlas2/compass/layouts/uh\_45x1.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:28:14; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_46x1.ly,v  
working file: atlas2/compass/layouts/uh\_46x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:28:15; author: chip; state: Exp; lines: +8 -8  
periodic checkin of Wed Feb 22 23:20:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_4x1.ly,v  
working file: atlas2/compass/layouts/uh\_4x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

bz Feb 21-27 1995.log

-----  
revision 2.3  
date: 1995/02/23 07:32:07; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_5x1.ly,v  
working file: atlas2/compass/layouts/uh\_5x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 2.3  
date: 1995/02/23 07:32:09; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_6x1.ly,v  
working file: atlas2/compass/layouts/uh\_6x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 2.3  
date: 1995/02/23 07:32:12; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_7x1.ly,v  
working file: atlas2/compass/layouts/uh\_7x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 2.3  
date: 1995/02/23 07:32:15; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_8x1.ly,v  
working file: atlas2/compass/layouts/uh\_8x1.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1

bz Feb 21-27 1995.log

description:

-----  
revision 2.3  
date: 1995/02/23 07:32:18; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_9x1.ly,v  
working file: atlas2/compass/layouts/uh\_9x1.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:32:20; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_grid.ly,v  
working file: atlas2/compass/layouts/uh\_grid.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:32:23; author: chip; state: Exp; lines: +22 -41  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_hzchk.ly,v  
working file: atlas2/compass/layouts/uh\_hzchk.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:32:25; author: chip; state: Exp; lines: +13 -13  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_power.ly,v  
working file: atlas2/compass/layouts/uh\_power.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

bz Feb 21-27 1995.log  
total revisions: 6; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:32:28; author: chip; state: Exp; lines: +154 -154  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 23:56:46; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 15:56:43 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_pwr.ly,v  
working file: atlas2/compass/layouts/uh\_pwr.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:32:31; author: chip; state: Exp; lines: +123 -123  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_vrtchk.ly,v  
working file: atlas2/compass/layouts/uh\_vrtchk.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

-----  
revision 2.3  
date: 1995/02/23 07:32:33; author: chip; state: Exp; lines: +16 -16  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/22 23:59:38; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Wed Feb 22 15:59:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown.ly,v  
working file: atlas2/compass/layouts/unknown.ly  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:32:35; author: chip; state: Exp; lines: +359 -359  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

bz Feb 21-27 1995.log

revision 2.1

date: 1995/02/22 22:54:00; author: chip; state: Exp;  
periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown2.ly,v

working file: atlas2/compass/layouts/unknown2.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:32:38; author: chip; state: Exp; lines: +372 -372

periodic checkin of wed Feb 22 23:31:42 PST 1995

---

revision 2.1

date: 1995/02/22 22:54:04; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown3.ly,v

working file: atlas2/compass/layouts/unknown3.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:32:41; author: chip; state: Exp; lines: +88 -88

periodic checkin of wed Feb 22 23:31:42 PST 1995

---

revision 2.1

date: 1995/02/22 22:54:08; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown4.ly,v

working file: atlas2/compass/layouts/unknown4.ly

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 2.2

date: 1995/02/23 07:32:43; author: chip; state: Exp; lines: +327 -327

periodic checkin of wed Feb 22 23:31:42 PST 1995

---

revision 2.1

date: 1995/02/22 22:54:12; author: chip; state: Exp;

periodic checkin of wed Feb 22 14:48:36 PST 1995

---

bz Feb 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown5.ly,v
working file: atlas2/compass/layouts/unknown5.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:32:45; author: chip; state: Exp; lines: +253 -253
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:54:15; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/unknown6.ly,v
working file: atlas2/compass/layouts/unknown6.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:32:47; author: chip; state: Exp; lines: +342 -342
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.1
date: 1995/02/22 22:54:19; author: chip; state: Exp;
periodic checkin of Wed Feb 22 14:48:36 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/via12.ly,v
working file: atlas2/compass/layouts/via12.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:32:48; author: chip; state: Exp; lines: +6 -6
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.1
date: 1995/02/23 00:23:00; author: chip; state: Exp;
periodic checkin of Wed Feb 22 16:22:53 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/via23.ly,v
```

```

bz Feb 21-27 1995.log
Working file: atlas2/compass/layouts/via23.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 2.2
date: 1995/02/23 07:32:50; author: chip; state: Exp; lines: +6 -6
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.1
date: 1995/02/23 00:23:02; author: chip; state: Exp;
periodic checkin of Wed Feb 22 16:22:53 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v
Working file: atlas2/compass/layouts/vlsi.log
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3575; selected revisions: 77
description:
-----
revision 1.215
date: 1995/02/26 19:19:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sun Feb 26 11:18:58 PST 1995
-----
revision 1.214
date: 1995/02/26 18:40:57; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sun Feb 26 10:40:54 PST 1995
-----
revision 1.213
date: 1995/02/25 17:51:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:51:56 PST 1995
-----
revision 1.212
date: 1995/02/25 17:42:41; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:42:38 PST 1995
-----
revision 1.211
date: 1995/02/25 17:40:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:40:47 PST 1995
-----
revision 1.210
date: 1995/02/25 17:38:44; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sat Feb 25 09:38:41 PST 1995
-----
revision 1.209
date: 1995/02/24 21:59:18; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:59:15 PST 1995
-----
revision 1.208
date: 1995/02/24 21:29:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:29:26 PST 1995
-----
revision 1.207

```

```

bz Feb 21-27 1995.log
date: 1995/02/24 21:08:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 13:08:47 PST 1995
-----
revision 1.206
date: 1995/02/24 18:29:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 24 10:29:17 PST 1995
-----
revision 1.205
date: 1995/02/24 02:01:32; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Feb 23 18:01:29 PST 1995
-----
revision 1.204
date: 1995/02/24 01:59:46; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Feb 23 17:59:43 PST 1995
-----
revision 1.203
date: 1995/02/24 01:58:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 17:57:59 PST 1995
-----
revision 1.202
date: 1995/02/24 01:56:15; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Feb 23 17:56:12 PST 1995
-----
revision 1.201
date: 1995/02/24 01:34:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 23 17:34:09 PST 1995
-----
revision 1.200
date: 1995/02/24 01:32:27; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 17:32:24 PST 1995
-----
revision 1.199
date: 1995/02/23 22:30:14; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 14:30:10 PST 1995
-----
revision 1.198
date: 1995/02/23 18:37:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 23 10:37:37 PST 1995
-----
revision 1.197
date: 1995/02/23 18:20:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 10:20:01 PST 1995
-----
revision 1.196
date: 1995/02/23 15:21:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 23 07:20:57 PST 1995
-----
revision 1.195
date: 1995/02/23 07:32:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 1.194
date: 1995/02/23 01:16:11; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 22 17:16:03 PST 1995
-----
revision 1.193
date: 1995/02/23 01:13:48; author: chip; state: Exp; lines: +18 -0
periodic checkin of Wed Feb 22 17:13:31 PST 1995
-----
revision 1.192
date: 1995/02/23 00:55:48; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 22 16:55:42 PST 1995
-----

```

bz Feb 21-27 1995.log

revision 1.191

date: 1995/02/23 00:53:48; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Feb 22 16:53:45 PST 1995

-----  
revision 1.190

date: 1995/02/23 00:23:05; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Wed Feb 22 16:22:53 PST 1995

-----  
revision 1.189

date: 1995/02/23 00:03:03; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Feb 22 16:02:52 PST 1995

-----  
revision 1.188

date: 1995/02/22 23:59:41; author: chip; state: Exp; lines: +17 -1122  
periodic checkin of Wed Feb 22 15:59:31 PST 1995

-----  
revision 1.187

date: 1995/02/22 23:56:51; author: chip; state: Exp; lines: +53 -0  
periodic checkin of Wed Feb 22 15:56:43 PST 1995

-----  
revision 1.186

date: 1995/02/22 23:28:40; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Feb 22 15:28:31 PST 1995

-----  
revision 1.185

date: 1995/02/22 23:23:48; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Feb 22 15:23:42 PST 1995

-----  
revision 1.184

date: 1995/02/22 23:16:13; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Wed Feb 22 15:16:04 PST 1995

-----  
revision 1.183

date: 1995/02/22 23:10:42; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Feb 22 15:10:37 PST 1995

-----  
revision 1.182

date: 1995/02/22 23:07:50; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Wed Feb 22 15:07:41 PST 1995

-----  
revision 1.181

date: 1995/02/22 23:02:38; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Feb 22 15:02:33 PST 1995

-----  
revision 1.180

date: 1995/02/22 22:57:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Feb 22 14:56:58 PST 1995

-----  
revision 1.179

date: 1995/02/22 22:54:23; author: chip; state: Exp; lines: +172 -0  
periodic checkin of Wed Feb 22 14:48:36 PST 1995

-----  
revision 1.178

date: 1995/02/22 22:44:43; author: chip; state: Exp; lines: +56 -0  
periodic checkin of Wed Feb 22 14:42:50 PST 1995

-----  
revision 1.177

date: 1995/02/22 22:39:55; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Feb 22 14:39:50 PST 1995

-----  
revision 1.176

date: 1995/02/22 22:37:26; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Feb 22 14:37:21 PST 1995

bz Feb 21-27 1995.log

-----  
revision 1.175  
date: 1995/02/22 18:53:51; author: chip; state: Exp; lines: +14 -0  
periodic checkin of Wed Feb 22 10:53:44 PST 1995  
-----  
revision 1.174  
date: 1995/02/22 17:43:33; author: chip; state: Exp; lines: +24 -0  
periodic checkin of Wed Feb 22 09:43:14 PST 1995  
-----  
revision 1.173  
date: 1995/02/22 00:02:40; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Feb 21 16:02:34 PST 1995  
-----  
revision 1.172  
date: 1995/02/21 23:58:09; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 15:58:05 PST 1995  
-----  
revision 1.171  
date: 1995/02/21 23:52:55; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 15:52:50 PST 1995  
-----  
revision 1.170  
date: 1995/02/21 23:00:32; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Feb 21 15:00:26 PST 1995  
-----  
revision 1.169  
date: 1995/02/21 22:52:05; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Feb 21 14:52:00 PST 1995  
-----  
revision 1.168  
date: 1995/02/21 22:48:21; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 14:48:17 PST 1995  
-----  
revision 1.167  
date: 1995/02/21 22:46:22; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 14:46:17 PST 1995  
-----  
revision 1.166  
date: 1995/02/21 22:43:59; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Tue Feb 21 14:43:51 PST 1995  
-----  
revision 1.165  
date: 1995/02/21 22:40:23; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Feb 21 14:40:18 PST 1995  
-----  
revision 1.164  
date: 1995/02/21 22:37:43; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Tue Feb 21 14:37:40 PST 1995  
-----  
revision 1.163  
date: 1995/02/21 22:35:47; author: chip; state: Exp; lines: +16 -0  
periodic checkin of Tue Feb 21 14:35:43 PST 1995  
-----  
revision 1.162  
date: 1995/02/21 22:32:37; author: chip; state: Exp; lines: +31 -0  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
-----  
revision 1.161  
date: 1995/02/21 21:22:46; author: chip; state: Exp; lines: +18 -0  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----  
revision 1.160  
date: 1995/02/21 19:54:02; author: chip; state: Exp; lines: +12 -0

```

bz Feb 21-27 1995.log
periodic checkin of Tue Feb 21 11:53:57 PST 1995
-----
revision 1.159
date: 1995/02/21 19:45:36; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:45:34 PST 1995
-----
revision 1.158
date: 1995/02/21 19:27:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:27:33 PST 1995
-----
revision 1.157
date: 1995/02/21 19:25:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:25:09 PST 1995
-----
revision 1.156
date: 1995/02/21 19:22:54; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:22:52 PST 1995
-----
revision 1.155
date: 1995/02/21 19:20:38; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:20:35 PST 1995
-----
revision 1.154
date: 1995/02/21 19:18:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:18:20 PST 1995
-----
revision 1.153
date: 1995/02/21 19:15:43; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:15:41 PST 1995
-----
revision 1.152
date: 1995/02/21 19:14:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:14:01 PST 1995
-----
revision 1.151
date: 1995/02/21 19:12:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 11:12:05 PST 1995
-----
revision 1.150
date: 1995/02/21 19:09:34; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 21 11:09:31 PST 1995
-----
revision 1.149
date: 1995/02/21 19:07:16; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Feb 21 11:07:13 PST 1995
-----
revision 1.148
date: 1995/02/21 19:05:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 11:05:08 PST 1995
-----
revision 1.147
date: 1995/02/21 18:54:08; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 10:54:06 PST 1995
-----
revision 1.146
date: 1995/02/21 18:52:04; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 21 10:52:00 PST 1995
-----
revision 1.145
date: 1995/02/21 18:49:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 21 10:49:50 PST 1995
-----
revision 1.144

```

bz Feb 21-27 1995.log  
date: 1995/02/21 18:26:45; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Feb 21 10:26:42 PST 1995

-----  
revision 1.143  
date: 1995/02/21 18:13:55; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 10:13:52 PST 1995

-----  
revision 1.142  
date: 1995/02/21 18:11:16; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Feb 21 10:11:12 PST 1995

-----  
revision 1.141  
date: 1995/02/21 18:08:36; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Feb 21 10:08:33 PST 1995

-----  
revision 1.140  
date: 1995/02/21 18:06:16; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Feb 21 10:06:13 PST 1995

-----  
revision 1.139  
date: 1995/02/21 18:02:00; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Tue Feb 21 10:01:55 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n10s.ly,v  
working file: atlas2/compass/layouts/xland2n10s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:32:57; author: chip; state: Exp; lines: +47 -48  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n160s.ly,v  
working file: atlas2/compass/layouts/xland2n160s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:33:00; author: chip; state: Exp; lines: +499 -517  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n20s.ly,v  
working file: atlas2/compass/layouts/xland2n20s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:02; author: chip; state: Exp; lines: +96 -98  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n40s.ly,v  
working file: atlas2/compass/layouts/xland2n40s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:33:05; author: chip; state: Exp; lines: +148 -152  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n80s.ly,v  
working file: atlas2/compass/layouts/xland2n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:33:09; author: chip; state: Exp; lines: +260 -271  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n10s.ly,v  
working file: atlas2/compass/layouts/xland3n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:11; author: chip; state: Exp; lines: +44 -45  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n160s.ly,v  
working file: atlas2/compass/layouts/xland3n160s.ly  
head: 2.3  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:14; author: chip; state: Exp; lines: +651 -677  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n20s.ly,v  
working file: atlas2/compass/layouts/xland3n20s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:16; author: chip; state: Exp; lines: +101 -103  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n40s.ly,v  
working file: atlas2/compass/layouts/xland3n40s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:18; author: chip; state: Exp; lines: +210 -221  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n80s.ly,v  
working file: atlas2/compass/layouts/xland3n80s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:21; author: chip; state: Exp; lines: +342 -356  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n10s.ly,v  
working file: atlas2/compass/layouts/xland4n10s.ly  
head: 2.3  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:24; author: chip; state: Exp; lines: +68 -71  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n160s.ly,v  
working file: atlas2/compass/layouts/xland4n160s.ly  
head: 2.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 2.6  
date: 1995/02/23 07:33:27; author: chip; state: Exp; lines: +788 -823  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n20s.ly,v  
working file: atlas2/compass/layouts/xland4n20s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:33:29; author: chip; state: Exp; lines: +130 -136  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n40s.ly,v  
working file: atlas2/compass/layouts/xland4n40s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:33:55; author: chip; state: Exp; lines: +229 -241  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n80s.ly,v  
working file: atlas2/compass/layouts/xland4n80s.ly  
head: 2.4  
branch:

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:33:58; author: chip; state: Exp; lines: +416 -435  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn10s.ly,v  
working file: atlas2/compass/layouts/xlbufn10s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:34:02; author: chip; state: Exp; lines: +23 -23  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn160s.ly,v  
working file: atlas2/compass/layouts/xlbufn160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

-----  
revision 2.5  
date: 1995/02/23 07:34:05; author: chip; state: Exp; lines: +308 -319  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn20s.ly,v  
working file: atlas2/compass/layouts/xlbufn20s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:34:07; author: chip; state: Exp; lines: +23 -23  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn40s.ly,v  
working file: atlas2/compass/layouts/xlbufn40s.ly  
head: 200.0

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

---

revision 2.4  
date: 1995/02/23 07:34:10; author: chip; state: Exp; lines: +56 -57  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn80s.ly,v  
working file: atlas2/compass/layouts/xlbufn80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

---

revision 2.5  
date: 1995/02/23 07:34:13; author: chip; state: Exp; lines: +149 -153  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand12n20s.ly,v  
working file: atlas2/compass/layouts/xldand12n20s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:34:15; author: chip; state: Exp; lines: +180 -183  
periodic checkin of wed Feb 22 23:31:42 PST 1995

---

revision 2.1  
date: 1995/02/22 17:43:39; author: chip; state: Exp;  
periodic checkin of wed Feb 22 09:43:14 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand17n20s.ly,v  
working file: atlas2/compass/layouts/xldand17n20s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:34:17; author: chip; state: Exp; lines: +226 -229  
periodic checkin of wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

-----  
revision 2.1  
date: 1995/02/22 17:43:42; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand2n10s.ly,v  
working file: atlas2/compass/layouts/xldand2n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:34:19; author: chip; state: Exp; lines: +63 -67  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 17:43:45; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand3n10s.ly,v  
working file: atlas2/compass/layouts/xldand3n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:34:21; author: chip; state: Exp; lines: +73 -76  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 17:43:48; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 09:43:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand4n10s.ly,v  
working file: atlas2/compass/layouts/xldand4n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:34:24; author: chip; state: Exp; lines: +89 -92  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/22 17:43:51; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of Wed Feb 22 09:43:14 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand6n10s.ly,v  
working file: atlas2/compass/layouts/xldand6n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:34:27; author: chip; state: Exp; lines: +105 -109  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

---

revision 2.1  
date: 1995/02/22 17:43:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 09:43:14 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldand8n10s.ly,v  
working file: atlas2/compass/layouts/xldand8n10s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 2.2  
date: 1995/02/23 07:34:29; author: chip; state: Exp; lines: +130 -133  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

---

revision 2.1  
date: 1995/02/22 17:43:58; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 09:43:14 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor12n20s.ly,v  
working file: atlas2/compass/layouts/xldor12n20s.ly  
head: 2.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 5  
description:

---

revision 2.5  
date: 1995/02/24 02:01:34; author: chip; state: Exp; lines: +32 -25  
periodic checkin of Thu Feb 23 18:01:29 PST 1995

---

revision 2.4  
date: 1995/02/24 01:34:15; author: chip; state: Exp; lines: +107 -130  
periodic checkin of Thu Feb 23 17:34:09 PST 1995

---

revision 2.3

bz Feb 21-27 1995.log  
date: 1995/02/23 07:34:32; author: chip; state: Exp; lines: +177 -180  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2  
date: 1995/02/22 23:10:47; author: chip; state: Exp; lines: +30 -24  
periodic checkin of Wed Feb 22 15:10:37 PST 1995

-----  
revision 2.1  
date: 1995/02/22 18:53:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 10:53:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor17n20s.ly,v  
working file: atlas2/compass/layouts/xldor17n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 5  
description:

-----  
revision 2.5  
date: 1995/02/24 02:01:36; author: chip; state: Exp; lines: +28 -18  
periodic checkin of Thu Feb 23 18:01:29 PST 1995

-----  
revision 2.4  
date: 1995/02/24 01:56:17; author: chip; state: Exp; lines: +137 -137  
periodic checkin of Thu Feb 23 17:56:12 PST 1995

-----  
revision 2.3  
date: 1995/02/23 07:34:36; author: chip; state: Exp; lines: +192 -199  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2  
date: 1995/02/22 23:16:18; author: chip; state: Exp; lines: +20 -21  
periodic checkin of Wed Feb 22 15:16:04 PST 1995

-----  
revision 2.1  
date: 1995/02/22 18:53:59; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 10:53:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor2n10s.ly,v  
working file: atlas2/compass/layouts/xldor2n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:

-----  
revision 2.4  
date: 1995/02/24 01:59:48; author: chip; state: Exp; lines: +12 -15  
periodic checkin of Thu Feb 23 17:59:43 PST 1995

-----  
revision 2.3  
date: 1995/02/23 07:34:39; author: chip; state: Exp; lines: +55 -56  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

bz Feb 21-27 1995.log

revision 2.2

date: 1995/02/22 23:07:55; author: chip; state: Exp; lines: +8 -6  
periodic checkin of Wed Feb 22 15:07:41 PST 1995

revision 2.1

date: 1995/02/22 18:54:01; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 10:53:44 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor3n10s.ly,v

working file: atlas2/compass/layouts/xldor3n10s.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 3

description:

revision 2.3

date: 1995/02/23 07:34:41; author: chip; state: Exp; lines: +65 -65  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/22 23:07:59; author: chip; state: Exp; lines: +8 -6  
periodic checkin of Wed Feb 22 15:07:41 PST 1995

revision 2.1

date: 1995/02/22 18:54:03; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 10:53:44 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor4n10s.ly,v

working file: atlas2/compass/layouts/xldor4n10s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 3

description:

revision 2.3

date: 1995/02/23 07:34:42; author: chip; state: Exp; lines: +88 -90  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

revision 2.2

date: 1995/02/22 23:08:01; author: chip; state: Exp; lines: +8 -6  
periodic checkin of Wed Feb 22 15:07:41 PST 1995

revision 2.1

date: 1995/02/22 18:54:06; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 10:53:44 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor6n10s.ly,v

working file: atlas2/compass/layouts/xldor6n10s.ly

head: 2.4

branch:

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:34:45; author: chip; state: Exp; lines: +100 -103  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2  
date: 1995/02/22 23:16:20; author: chip; state: Exp; lines: +19 -17  
periodic checkin of Wed Feb 22 15:16:04 PST 1995

-----  
revision 2.1  
date: 1995/02/22 18:54:09; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 10:53:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldor8n10s.ly,v  
working file: atlas2/compass/layouts/xldor8n10s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:34:48; author: chip; state: Exp; lines: +111 -114  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2  
date: 1995/02/22 23:16:23; author: chip; state: Exp; lines: +7 -6  
periodic checkin of Wed Feb 22 15:16:04 PST 1995

-----  
revision 2.1  
date: 1995/02/22 18:54:11; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 10:53:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n10s.ly,v  
working file: atlas2/compass/layouts/xlmux2n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:34:51; author: chip; state: Exp; lines: +83 -84  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2  
date: 1995/02/21 22:35:50; author: chip; state: Exp; lines: +49 -13  
periodic checkin of Tue Feb 21 14:35:43 PST 1995

-----  
revision 2.1  
date: 1995/02/21 22:32:41; author: chip; state: Exp;

bz Feb 21-27 1995.log  
periodic checkin of Tue Feb 21 14:32:29 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n160s.ly,v  
working file: atlas2/compass/layouts/xlmux2n160s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 3  
description:

---

revision 2.3  
date: 1995/02/23 07:34:52; author: chip; state: Exp; lines: +310 -325  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

---

revision 2.2  
date: 1995/02/21 19:05:14; author: chip; state: Exp; lines: +17 -13  
periodic checkin of Tue Feb 21 11:05:08 PST 1995

---

revision 2.1  
date: 1995/02/21 18:49:56; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 10:49:50 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n20s.ly,v  
working file: atlas2/compass/layouts/xlmux2n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

---

revision 2.3  
date: 1995/02/23 07:34:54; author: chip; state: Exp; lines: +78 -81  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

---

revision 2.2  
date: 1995/02/21 22:37:47; author: chip; state: Exp; lines: +54 -37  
periodic checkin of Tue Feb 21 14:37:40 PST 1995

---

revision 2.1  
date: 1995/02/21 22:32:43; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n40s.ly,v  
working file: atlas2/compass/layouts/xlmux2n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

---

revision 2.4

bz Feb 21-27 1995.log  
date: 1995/02/23 07:34:57; author: chip; state: Exp; lines: +129 -135  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.3  
date: 1995/02/21 21:22:49; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 13:22:39 PST 1995

-----  
revision 2.2  
date: 1995/02/21 18:02:03; author: chip; state: Exp; lines: +8 -9  
periodic checkin of Tue Feb 21 10:01:55 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n80s.ly,v  
Working file: atlas2/compass/layouts/xlmux2n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:  
-----

revision 2.4  
date: 1995/02/23 07:34:59; author: chip; state: Exp; lines: +208 -218  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.3  
date: 1995/02/21 21:22:51; author: chip; state: Exp; lines: +12 -9  
periodic checkin of Tue Feb 21 13:22:39 PST 1995

-----  
revision 2.2  
date: 1995/02/21 18:02:05; author: chip; state: Exp; lines: +12 -12  
periodic checkin of Tue Feb 21 10:01:55 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n10s.ly,v  
Working file: atlas2/compass/layouts/xlmux3n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:35:03; author: chip; state: Exp; lines: +69 -70  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.2  
date: 1995/02/21 22:37:49; author: chip; state: Exp; lines: +49 -41  
periodic checkin of Tue Feb 21 14:37:40 PST 1995

-----  
revision 2.1  
date: 1995/02/21 22:32:46; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n160s.ly,v  
Working file: atlas2/compass/layouts/xlmux3n160s.ly  
head: 2.3

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:35:04; author: chip; state: Exp; lines: +335 -350  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/21 19:07:19; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:07:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n20s.ly,v  
working file: atlas2/compass/layouts/xlmux3n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:35:33; author: chip; state: Exp; lines: +111 -114  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:40:28; author: chip; state: Exp; lines: +80 -55  
periodic checkin of Tue Feb 21 14:40:18 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:32:48; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n40s.ly,v  
working file: atlas2/compass/layouts/xlmux3n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:35:35; author: chip; state: Exp; lines: +140 -146  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:22:54; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:02:07; author: chip; state: Exp; lines: +8 -9  
periodic checkin of Tue Feb 21 10:01:55 PST 1995

bz Feb 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n80s.ly,v
Working file: atlas2/compass/layouts/xlmux3n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 3
description:
-----
```

```
revision 2.4
date: 1995/02/23 07:35:38; author: chip; state: Exp; lines: +232 -244
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.3
date: 1995/02/21 21:22:57; author: chip; state: Exp; lines: +13 -10
periodic checkin of Tue Feb 21 13:22:39 PST 1995
-----
```

```
revision 2.2
date: 1995/02/21 18:02:09; author: chip; state: Exp; lines: +13 -13
periodic checkin of Tue Feb 21 10:01:55 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n10s.ly,v
Working file: atlas2/compass/layouts/xlmux4n10s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 3
description:
-----
```

```
revision 2.3
date: 1995/02/23 07:35:43; author: chip; state: Exp; lines: +78 -79
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
```

```
revision 2.2
date: 1995/02/21 22:40:31; author: chip; state: Exp; lines: +55 -47
periodic checkin of Tue Feb 21 14:40:18 PST 1995
-----
```

```
revision 2.1
date: 1995/02/21 22:32:50; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n160s.ly,v
Working file: atlas2/compass/layouts/xlmux4n160s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 2.2
date: 1995/02/23 07:35:45; author: chip; state: Exp; lines: +359 -376
```

bz Feb 21-27 1995.log  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

-----  
revision 2.1  
date: 1995/02/21 19:07:21; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:07:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n20s.ly,v  
Working file: atlas2/compass/layouts/xlmux4n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:35:47; author: chip; state: Exp; lines: +116 -119  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:40:34; author: chip; state: Exp; lines: +79 -49  
periodic checkin of Tue Feb 21 14:40:18 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:32:54; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n40s.ly,v  
Working file: atlas2/compass/layouts/xlmux4n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:  
-----

revision 2.4  
date: 1995/02/23 07:35:48; author: chip; state: Exp; lines: +150 -157  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:22:59; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:13:59; author: chip; state: Exp; lines: +8 -9  
periodic checkin of Tue Feb 21 10:13:52 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n80s.ly,v  
Working file: atlas2/compass/layouts/xlmux4n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

bz Feb 21-27 1995.log  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:35:50; author: chip; state: Exp; lines: +257 -270  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:23:01; author: chip; state: Exp; lines: +14 -10  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:06:18; author: chip; state: Exp; lines: +13 -14  
periodic checkin of Tue Feb 21 10:06:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n10s.ly,v  
working file: atlas2/compass/layouts/xlmux5n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:35:52; author: chip; state: Exp; lines: +96 -98  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:44:03; author: chip; state: Exp; lines: +67 -41  
periodic checkin of Tue Feb 21 14:43:51 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:32:56; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n160s.ly,v  
working file: atlas2/compass/layouts/xlmux5n160s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:35:55; author: chip; state: Exp; lines: +384 -403  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/21 19:07:23; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:07:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n20s.ly,v  
working file: atlas2/compass/layouts/xlmux5n20s.ly  
head: 2.6

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:35:57; author: chip; state: Exp; lines: +139 -143  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:44:05; author: chip; state: Exp; lines: +95 -56  
periodic checkin of Tue Feb 21 14:43:51 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:32:58; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n40s.ly,v  
working file: atlas2/compass/layouts/xlmux5n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:36:00; author: chip; state: Exp; lines: +169 -176  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:23:03; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 13:22:39 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:14:01; author: chip; state: Exp; lines: +13 -19  
periodic checkin of Tue Feb 21 10:13:52 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n80s.ly,v  
working file: atlas2/compass/layouts/xlmux5n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:36:03; author: chip; state: Exp; lines: +281 -296  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 21:23:05; author: chip; state: Exp; lines: +14 -11  
periodic checkin of Tue Feb 21 13:22:39 PST 1995

bz Feb 21-27 1995.log

-----  
revision 2.2  
date: 1995/02/21 18:06:20; author: chip; state: Exp; lines: +14 -14  
periodic checkin of Tue Feb 21 10:06:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n10s.ly,v  
working file: atlas2/compass/layouts/xlmux6n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:36:05; author: chip; state: Exp; lines: +133 -137  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:44:07; author: chip; state: Exp; lines: +90 -74  
periodic checkin of Tue Feb 21 14:43:51 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:33:00; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n160s.ly,v  
working file: atlas2/compass/layouts/xlmux6n160s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 2.2  
date: 1995/02/23 07:36:07; author: chip; state: Exp; lines: +433 -455  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/21 19:09:37; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:09:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n20s.ly,v  
working file: atlas2/compass/layouts/xlmux6n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:36:10; author: chip; state: Exp; lines: +142 -146

```

bz Feb 21-27 1995.log
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.2
date: 1995/02/21 22:44:10; author: chip; state: Exp; lines: +99 -63
periodic checkin of Tue Feb 21 14:43:51 PST 1995
-----
revision 2.1
date: 1995/02/21 22:33:02; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:32:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n40s.ly,v
working file: atlas2/compass/layouts/xlmux6n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:
-----
revision 2.4
date: 1995/02/23 07:36:13; author: chip; state: Exp; lines: +186 -193
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.3
date: 1995/02/21 21:23:07; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 21 13:22:39 PST 1995
-----
revision 2.2
date: 1995/02/21 18:08:38; author: chip; state: Exp; lines: +12 -17
periodic checkin of Tue Feb 21 10:08:33 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n80s.ly,v
Working file: atlas2/compass/layouts/xlmux6n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:
-----
revision 2.4
date: 1995/02/23 07:36:15; author: chip; state: Exp; lines: +306 -322
periodic checkin of Wed Feb 22 23:31:42 PST 1995
-----
revision 2.3
date: 1995/02/21 19:54:06; author: chip; state: Exp; lines: +15 -12
periodic checkin of Tue Feb 21 11:53:57 PST 1995
-----
revision 2.2
date: 1995/02/21 18:08:40; author: chip; state: Exp; lines: +15 -15
periodic checkin of Tue Feb 21 10:08:33 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n10s.ly,v
Working file: atlas2/compass/layouts/xlmux7n10s.ly
head: 2.5
branch:

```

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:36:16; author: chip; state: Exp; lines: +163 -167  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:46:24; author: chip; state: Exp; lines: +113 -90  
periodic checkin of Tue Feb 21 14:46:17 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:33:04; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n160s.ly,v  
working file: atlas2/compass/layouts/xlmux7n160s.ly  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:36:21; author: chip; state: Exp; lines: +408 -428  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/21 19:09:38; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 11:09:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n20s.ly,v  
working file: atlas2/compass/layouts/xlmux7n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:36:25; author: chip; state: Exp; lines: +168 -171  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:46:26; author: chip; state: Exp; lines: +120 -80  
periodic checkin of Tue Feb 21 14:46:17 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:33:07; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n40s.ly,v  
Working file: atlas2/compass/layouts/xlmux7n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:36:27; author: chip; state: Exp; lines: +196 -203  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 19:54:07; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 11:53:57 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:11:18; author: chip; state: Exp; lines: +13 -19  
periodic checkin of Tue Feb 21 10:11:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux7n80s.ly,v  
Working file: atlas2/compass/layouts/xlmux7n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:36:29; author: chip; state: Exp; lines: +330 -349  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 19:54:09; author: chip; state: Exp; lines: +16 -12  
periodic checkin of Tue Feb 21 11:53:57 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:11:21; author: chip; state: Exp; lines: +15 -16  
periodic checkin of Tue Feb 21 10:11:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n10s.ly,v  
Working file: atlas2/compass/layouts/xlmux8n10s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:

-----  
revision 2.3  
date: 1995/02/23 07:36:31; author: chip; state: Exp; lines: +165 -169  
periodic checkin of Wed Feb 22 23:31:42 PST 1995

bz Feb 21-27 1995.log

-----  
revision 2.2  
date: 1995/02/21 22:48:24; author: chip; state: Exp; lines: +114 -94  
periodic checkin of Tue Feb 21 14:48:17 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:33:10; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux8n160s.ly,v  
working file: atlas2/compass/layouts/x1mux8n160s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:36:34; author: chip; state: Exp; lines: +457 -481  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 19:54:10; author: chip; state: Exp; lines: +21 -17  
periodic checkin of Tue Feb 21 11:53:57 PST 1995  
-----

revision 2.1  
date: 1995/02/21 18:26:47; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 10:26:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux8n20s.ly,v  
working file: atlas2/compass/layouts/x1mux8n20s.ly  
head: 2.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 3  
description:  
-----

revision 2.3  
date: 1995/02/23 07:36:37; author: chip; state: Exp; lines: +175 -178  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.2  
date: 1995/02/21 22:48:26; author: chip; state: Exp; lines: +122 -95  
periodic checkin of Tue Feb 21 14:48:17 PST 1995  
-----

revision 2.1  
date: 1995/02/21 22:33:13; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 14:32:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux8n40s.ly,v  
working file: atlas2/compass/layouts/x1mux8n40s.ly  
head: 2.5  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:36:40; author: chip; state: Exp; lines: +208 -215  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 19:54:12; author: chip; state: Exp; lines: +8 -5  
periodic checkin of Tue Feb 21 11:53:57 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:11:23; author: chip; state: Exp; lines: +14 -21  
periodic checkin of Tue Feb 21 10:11:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux8n80s.ly,v  
working file: atlas2/compass/layouts/xlmux8n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 3  
description:

-----  
revision 2.4  
date: 1995/02/23 07:36:42; author: chip; state: Exp; lines: +355 -374  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.3  
date: 1995/02/21 19:54:13; author: chip; state: Exp; lines: +16 -13  
periodic checkin of Tue Feb 21 11:53:57 PST 1995  
-----

revision 2.2  
date: 1995/02/21 18:11:26; author: chip; state: Exp; lines: +16 -16  
periodic checkin of Tue Feb 21 10:11:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n10s.ly,v  
working file: atlas2/compass/layouts/xlor2n10s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:37:02; author: chip; state: Exp; lines: +42 -42  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n160s.ly,v  
working file: atlas2/compass/layouts/xlor2n160s.ly  
head: 2.5  
branch:

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:37:04; author: chip; state: Exp; lines: +461 -479  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n20s.ly,v  
working file: atlas2/compass/layouts/xlor2n20s.ly  
head: 2.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 1  
description:

-----  
revision 2.3  
date: 1995/02/23 07:37:07; author: chip; state: Exp; lines: +66 -66  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n40s.ly,v  
working file: atlas2/compass/layouts/xlor2n40s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:37:09; author: chip; state: Exp; lines: +120 -124  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n80s.ly,v  
working file: atlas2/compass/layouts/xlor2n80s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:37:11; author: chip; state: Exp; lines: +220 -230  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n10s.ly,v  
working file: atlas2/compass/layouts/xlor3n10s.ly  
head: 2.4

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/02/23 07:37:14; author: chip; state: Exp; lines: +55 -55  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n160s.ly,v  
working file: atlas2/compass/layouts/xlor3n160s.ly  
head: 2.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7;      selected revisions: 1  
description:

-----  
revision 2.6  
date: 1995/02/23 07:37:17; author: chip; state: Exp; lines: +524 -539  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n20s.ly,v  
working file: atlas2/compass/layouts/xlor3n20s.ly  
head: 2.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7;      selected revisions: 1  
description:

-----  
revision 2.6  
date: 1995/02/23 07:37:19; author: chip; state: Exp; lines: +86 -88  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n40s.ly,v  
working file: atlas2/compass/layouts/xlor3n40s.ly  
head: 2.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7;      selected revisions: 1  
description:

-----  
revision 2.6  
date: 1995/02/23 07:37:22; author: chip; state: Exp; lines: +150 -153  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n80s.ly,v  
working file: atlas2/compass/layouts/xlor3n80s.ly

bz Feb 21-27 1995.log

head: 2.8  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 2.7  
date: 1995/02/23 07:37:25; author: chip; state: Exp; lines: +253 -261  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n10s.ly,v  
working file: atlas2/compass/layouts/xlor4n10s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/02/23 07:37:27; author: chip; state: Exp; lines: +52 -53  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n160s.ly,v  
working file: atlas2/compass/layouts/xlor4n160s.ly  
head: 2.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 2.6  
date: 1995/02/23 07:37:31; author: chip; state: Exp; lines: +694 -740  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n20s.ly,v  
working file: atlas2/compass/layouts/xlor4n20s.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.5  
date: 1995/02/23 07:37:33; author: chip; state: Exp; lines: +96 -100  
periodic checkin of wed Feb 22 23:31:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n40s.ly,v

```

bz Feb 21-27 1995.log
working file: atlas2/compass/layouts/xlor4n40s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 1
description:
-----
revision 2.5
date: 1995/02/23 07:37:36; author: chip; state: Exp; lines: +184 -193
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n80s.ly,v
working file: atlas2/compass/layouts/xlor4n80s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11;     selected revisions: 1
description:
-----
revision 2.7
date: 1995/02/23 07:37:40; author: chip; state: Exp; lines: +356 -380
periodic checkin of Wed Feb 22 23:31:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand12n.ly,v
working file: atlas2/compass/layouts/xvdand12n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 2.1
date: 1995/02/21 23:00:35; author: chip; state: Exp;
periodic checkin of Tue Feb 21 15:00:26 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand17n.ly,v
working file: atlas2/compass/layouts/xvdand17n.ly
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 2.1
date: 1995/02/21 22:52:08; author: chip; state: Exp;
periodic checkin of Tue Feb 21 14:52:00 PST 1995
=====

```

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand2n.ly,v  
working file: atlas2/compass/layouts/xvdand2n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/02/21 23:52:59; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 15:52:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand3n.ly,v  
working file: atlas2/compass/layouts/xvdand3n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/02/21 23:53:02; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 15:52:50 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand4n.ly,v  
working file: atlas2/compass/layouts/xvdand4n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/02/22 00:02:43; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 16:02:34 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand6n.ly,v  
working file: atlas2/compass/layouts/xvdand6n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/02/21 23:58:12; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 15:58:05 PST 1995  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvdand8n.ly,v  
working file: atlas2/compass/layouts/xvdand8n.ly  
head: 2.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/02/21 23:58:14; author: chip; state: Exp;  
periodic checkin of Tue Feb 21 15:58:05 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvlan.ly,v  
working file: atlas2/compass/layouts/xvlan.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:37:43; author: chip; state: Exp; lines: +68 -69  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/23 01:13:52; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:13:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xvmux8nm.ly,v  
working file: atlas2/compass/layouts/xvmux8nm.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 2.2  
date: 1995/02/23 07:37:44; author: chip; state: Exp; lines: +176 -185  
periodic checkin of Wed Feb 22 23:31:42 PST 1995  
-----

revision 2.1  
date: 1995/02/23 01:13:55; author: chip; state: Exp;  
periodic checkin of Wed Feb 22 17:13:31 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/doc/BOM,v  
working file: atlas2/doc/BOM  
head: 208.0  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 203.0

keyword substitution: kv

total revisions: 101; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 29.0

date: 1995/02/22 00:38:01; author: geert; state: Exp; lines: +1 -1

Release Target: atlas/doc

New layout rules

Geert

-----  
revision 28.1

date: 1995/02/22 00:37:52; author: geert; state: Exp; lines: +2 -2

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/doc/layout.ht,v

working file: atlas2/doc/layout.ht

head: 200.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 200.0

keyword substitution: kv

total revisions: 20; selected revisions: 1

description:

-----  
revision 11.13

date: 1995/02/22 00:37:13; author: geert; state: Exp; lines: +8 -1

New layout rules

Geert

=====

RCS file: /p/cvsroot/atlas2/gards/.checkoutrc,v

working file: atlas2/gards/.checkoutrc

head: 200.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 200.0

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

-----  
revision 1.2

date: 1995/02/22 22:50:02; author: wampler; state: Exp; lines: +2 -2

Disabled atlas/gards .checkoutrc for now.

-----  
revision 1.1

date: 1995/02/22 22:49:10; author: wampler; state: Exp;

Initial check-in of atlas/basegen.

=====

RCS file: /p/cvsroot/atlas2/gards/BOM,v

working file: atlas2/gards/BOM

head: 235.0

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 235.0  
keyword substitution: kv  
total revisions: 168; selected revisions: 6  
description:

-----  
revision 2.3  
date: 1995/02/24 01:51:58; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

-----  
revision 2.2  
date: 1995/02/24 00:14:36; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Fixed bug in sofacdl with regard to recognition of cell profile identifiers.

-----  
revision 2.1  
date: 1995/02/23 20:48:18; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacdl.c.template

-----  
revision 2.0  
date: 1995/02/22 22:50:59; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards

Initial release of atlas/gards Makefiles & basegen stuff.

-----  
revision 1.2  
date: 1995/02/22 22:50:52; author: wampler; state: Exp; lines: +6 -1  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 1.1  
date: 1995/02/22 22:43:54; author: wampler; state: Exp;  
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.

=====

RCS file: /p/cvsroot/atlas2/gards/Makefile,v  
working file: atlas2/gards/Makefile  
head: 200.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.5  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:39:45; author: wampler; state: Exp;  
Initial check-in of atlas GARDS Makefiles. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/Makefile.base,v  
working file: atlas2/gards/Makefile.base

bz Feb 21-27 1995.log

head: 200.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.10  
keyword substitution: kv  
total revisions: 22;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:39:47; author: wampler; state: Exp;  
Initial check-in of atlas GARDS Makefiles. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/Attic/Makefile.chipbase,v  
working file: atlas2/gards/Makefile.chipbase  
head: 200.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:39:49; author: wampler; state: Exp;  
Initial check-in of atlas GARDS Makefiles. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/.checkoutrc,v  
working file: atlas2/gards/basegen/.checkoutrc  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.1  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:42:54; author: wampler; state: Exp;  
Initial atlas/gards/basegen checkin.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/BOM,v  
working file: atlas2/gards/basegen/BOM  
head: 228.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 228.0  
keyword substitution: kv  
total revisions: 109;    selected revisions: 8  
description:  
releasebom adding BOM

-----  
revision 5.0  
date: 1995/02/24 01:51:46; author: wampler; state: Exp; lines: +1 -1

bz Feb 21-27 1995.log

Release Target: atlas/gards/basegen

Changed line-pad & pad-pad spacing rules for csm tdl template.

-----  
revision 4.1

date: 1995/02/24 01:51:38; author: wampler; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 4.0

date: 1995/02/24 00:14:25; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

-----  
revision 3.1

date: 1995/02/24 00:14:17; author: wampler; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 3.0

date: 1995/02/23 20:48:07; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

Minor fixes to atlas/gards/basegen: pdlobs.c + sofacd1.c.template

-----  
revision 2.1

date: 1995/02/23 20:47:59; author: wampler; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 2.0

date: 1995/02/22 22:43:45; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

Initial release of atlas/gards/basegen scripts/programs.

-----  
revision 1.1

date: 1995/02/22 22:43:37; author: wampler; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Makefile,v

Working file: atlas2/gards/basegen/Makefile

head: 200.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 200.3

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/02/22 22:38:40; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/abgen.c,v

Working file: atlas2/gards/basegen/abgen.c

head: 200.0

branch:

locks: strict

access list:

symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1

date: 1995/02/22 22:38:42; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/abgen.h,v  
working file: atlas2/gards/basegen/abgen.h

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/02/22 22:38:44; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/basecompile,v

working file: atlas2/gards/basegen/basecompile

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/02/22 22:38:45; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/baseflatten,v

working file: atlas2/gards/basegen/baseflatten

head: 200.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 200.0

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/02/22 22:38:47; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/basegen,v

working file: atlas2/gards/basegen/basegen

head: 200.2

branch:

locks: strict

bz Feb 21-27 1995.log

access list:  
symbolic names:  
    b4\_rich: 200.2  
keyword substitution: kv  
total revisions: 5;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:38:49; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas.  Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/baseobmerge,v  
working file: atlas2/gards/basegen/baseobmerge  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:38:50; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas.  Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/derive\_bounds,v  
working file: atlas2/gards/basegen/derive\_bounds  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:38:52; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas.  Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/derive\_cutouts,v  
working file: atlas2/gards/basegen/derive\_cutouts  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:38:54; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas.  Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/flat.sel,v  
working file: atlas2/gards/basegen/flat.sel

bz Feb 21-27 1995.log

head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:38:55; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/freepos\_cdls,v  
working file: atlas2/gards/basegen/freepos\_cdls  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 22:38:57; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/get\_profiles,v  
working file: atlas2/gards/basegen/get\_profiles  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/24 00:13:41; author: wampler; state: Exp; lines: +2 -2  
Fixed bug in sofacd1 with regard to recognition of cell profile identifiers.

-----  
revision 1.1  
date: 1995/02/22 22:38:59; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/gsub,v  
working file: atlas2/gards/basegen/gsub  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/22 22:39:00; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/pdlobs.c,v  
working file: atlas2/gards/basegen/pdlobs.c  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/23 20:47:13; author: wampler; state: Exp; lines: +5 -5  
Fixed layer map in pdlobs; updated vdd/vss/phi\_am wire data in 1x1 CDL default  
profile.  
-----

revision 1.1  
date: 1995/02/22 22:39:02; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/pobsgen.c,v  
working file: atlas2/gards/basegen/pobsgen.c  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 22:39:04; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofa.tdl.template,v  
working file: atlas2/gards/basegen/sofa.tdl.template  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/24 01:51:09; author: wampler; state: Exp; lines: +7 -7  
Changed line-pad & pad-pad spacing rules for csm tdl template.  
-----

revision 1.1  
date: 1995/02/22 22:39:06; author: wampler; state: Exp;  
Initial check-in of GARDS basegen support files for atlas. Untested.  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofa\_exclude,v

working file: atlas2/gards/basegen/sofa\_exclude

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/02/22 22:39:08; author: wampler; state: Exp;

Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofa\_model.ly.template,v

working file: atlas2/gards/basegen/sofa\_model.ly.template

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/02/22 22:39:10; author: wampler; state: Exp;

Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofacdl.c.template,v

working file: atlas2/gards/basegen/sofacdl.c.template

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 9; selected revisions: 3

description:

-----  
revision 1.3

date: 1995/02/24 00:13:43; author: wampler; state: Exp; lines: +13 -7

Fixed bug in sofacdl with regard to recognition of cell profile identifiers.

-----  
revision 1.2

date: 1995/02/23 20:47:15; author: wampler; state: Exp; lines: +8 -6

Fixed layer map in pdlobs; updated vdd/vss/phi\_am wire data in 1x1 CDL default profile.

-----  
revision 1.1

date: 1995/02/22 22:39:12; author: wampler; state: Exp;

Initial check-in of GARDS basegen support files for atlas. Untested.

=====

RCS file: /p/cvsroot/atlas2/ged/BOM,v

working file: atlas2/ged/BOM

head: 207.61

branch:

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 207.57

keyword substitution: kv

total revisions: 1847; selected revisions: 3

description:

-----  
revision 4.8

date: 1995/02/24 01:23:15; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

-----  
revision 4.7

date: 1995/02/22 01:55:15; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 4.6

date: 1995/02/22 00:33:21; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v

Working file: atlas2/ged/xv/BOM

head: 212.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 212.0

keyword substitution: kv

total revisions: 348; selected revisions: 5

description:

releasebom adding BOM

-----  
revision 8.1

date: 1995/02/24 01:23:05; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

-----  
revision 8.0

date: 1995/02/22 01:55:05; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 7.1

date: 1995/02/22 01:54:59; author: ong; state: Exp; lines: +15 -15

releasebom: File needs to be up-to-date to use commit -r

-----  
revision 7.0

date: 1995/02/22 00:33:10; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 6.1

date: 1995/02/22 00:33:03; author: ong; state: Exp; lines: +15 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/BOM,v  
working file: atlas2/ged/xv/xvdand12n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM

-----

revision 3.0  
date: 1995/02/22 01:48:34; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----

revision 2.1  
date: 1995/02/22 01:48:27; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----

revision 2.0  
date: 1995/02/22 00:26:30; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----

revision 1.1  
date: 1995/02/22 00:26:23; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdand12n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----

revision 1.2  
date: 1995/02/22 01:45:08; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----

revision 1.1  
date: 1995/02/22 00:17:42; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdand12n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:45:10; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:17:45; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdand12n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:17:46; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand12n/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdand12n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:17:48; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/BOM,v  
working file: atlas2/ged/xv/xvdand17n/BOM  
head: 5.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 4.0  
date: 1995/02/22 01:48:55; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv  
  
Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

bz Feb 21-27 1995.log

-----  
revision 3.1  
date: 1995/02/22 01:48:48; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 3.0  
date: 1995/02/22 00:26:50; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv  
-----

New schematic of different fanins of xvdor and xvdand  
-----

revision 2.1  
date: 1995/02/22 00:26:43; author: ong; state: Exp; lines: +5 -5  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdand17n/body.1.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 1.3  
date: 1995/02/22 01:45:19; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.2  
date: 1995/02/22 00:22:21; author: ong; state: Exp; lines: +64 -63  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdand17n/body.2.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 1.3  
date: 1995/02/22 01:45:21; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.2  
date: 1995/02/22 00:22:24; author: ong; state: Exp; lines: +6 -5  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdand17n/spice.1.1  
head: 1.2  
=====

bz Feb 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.2

date: 1995/02/22 00:22:26; author: ong; state: Exp; lines: +1141 -1135  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand17n/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdand17n/spice\_cn.1.1  
head: 1.2

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.2

date: 1995/02/22 00:22:33; author: ong; state: Exp; lines: +258 -258  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/BOM,v  
working file: atlas2/ged/xv/xvdand2n/BOM  
head: 4.0

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 3.0

date: 1995/02/22 01:49:15; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 2.1

date: 1995/02/22 01:49:08; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0

date: 1995/02/22 00:27:09; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand  
-----

revision 1.1

date: 1995/02/22 00:27:02; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvdand2n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:45:26; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:17:55; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xvdand2n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:45:28; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:17:57; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvdand2n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:17:58; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand2n/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvdand2n/spice\_cn.1.1  
head: 1.1  
branch:

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/02/22 00:18:01; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/BOM,v  
Working file: atlas2/ged/xv/xvdand3n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/02/22 01:49:35; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 2.1  
date: 1995/02/22 01:49:28; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0  
date: 1995/02/22 00:27:26; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand  
-----

revision 1.1  
date: 1995/02/22 00:27:19; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvdand3n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:45:34; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:06; author: ong; state: Exp;

bz Feb 21-27 1995.log

New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/body.2.1,v

Working file: atlas2/ged/xv/xvdand3n/body.2.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

---

revision 1.2

date: 1995/02/22 01:45:35; author: ong; state: Exp; lines: +1 -1

Changed parameter on body to include a strength variable for the  
discharge transistor

---

revision 1.1

date: 1995/02/22 00:18:08; author: ong; state: Exp;

New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/spice.1.1,v

Working file: atlas2/ged/xv/xvdand3n/spice.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

---

revision 1.1

date: 1995/02/22 00:18:10; author: ong; state: Exp;

New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand3n/Attic/spice\_cn.1.1,v

Working file: atlas2/ged/xv/xvdand3n/spice\_cn.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

---

revision 1.1

date: 1995/02/22 00:18:11; author: ong; state: Exp;

New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/BOM,v

Working file: atlas2/ged/xv/xvdand4n/BOM

head: 4.0

branch:

locks: strict

access list:

symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM

-----  
revision 3.0  
date: 1995/02/22 01:49:56; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.1  
date: 1995/02/22 01:49:49; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 2.0  
date: 1995/02/22 00:27:44; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1  
date: 1995/02/22 00:27:36; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdand4n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:45:41; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:18:18; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdand4n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:45:43; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/22 00:18:20; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xvdand4n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/02/22 00:18:21; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand4n/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xvdand4n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/02/22 00:18:23; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/BOM,v  
Working file: atlas2/ged/xv/xvdand6n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM

---

revision 3.0  
date: 1995/02/22 01:50:16; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

---

revision 2.1  
date: 1995/02/22 01:50:09; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

revision 2.0  
date: 1995/02/22 00:28:01; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

bz Feb 21-27 1995.log  
New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1  
date: 1995/02/22 00:27:54; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdand6n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:45:49; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:29; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdand6n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:45:50; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:32; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdand6n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:18:34; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand6n/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvdand6n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/22 00:18:36; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/BOM,v
Working file: atlas2/ged/xv/xvdand8n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 4
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/02/22 01:50:37; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

```
-----
revision 2.1
date: 1995/02/22 01:50:30; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 2.0
date: 1995/02/22 00:28:19; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

New schematic of different fanins of xvdor and xvdand

```
-----
revision 1.1
date: 1995/02/22 00:28:12; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvdand8n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
```

```
revision 1.2
```

bz Feb 21-27 1995.log  
date: 1995/02/22 01:45:55; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:18:44; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdand8n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:45:57; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1  
date: 1995/02/22 00:18:46; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdand8n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:18:48; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdand8n/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdand8n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:18:50; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/BOM,v

bz Feb 21-27 1995.log  
working file: atlas2/ged/xv/xvdor12n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----  
revision 3.0  
date: 1995/02/22 01:51:07; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 2.1  
date: 1995/02/22 01:51:01; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0  
date: 1995/02/22 00:28:50; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand  
-----

revision 1.1  
date: 1995/02/22 00:28:43; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdor12n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:46:03; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:56; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdor12n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.2  
date: 1995/02/22 01:46:04; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:18:58; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdor12n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:19:00; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor12n/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdor12n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:19:02; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/BOM,v  
working file: atlas2/ged/xv/xvdor17n/BOM  
head: 5.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 4.0  
date: 1995/02/22 01:51:27; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 3.1  
date: 1995/02/22 01:51:20; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r  
-----  
bz Feb 21-27 1995.log  
revision 3.0  
date: 1995/02/22 00:29:12; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 2.1  
date: 1995/02/22 00:29:04; author: ong; state: Exp; lines: +5 -5  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdor17n/body.1.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 1.3  
date: 1995/02/22 01:46:10; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.2  
date: 1995/02/22 00:22:40; author: ong; state: Exp; lines: +63 -62  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdor17n/body.2.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 1.3  
date: 1995/02/22 01:46:12; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.2  
date: 1995/02/22 00:22:42; author: ong; state: Exp; lines: +2 -1  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdor17n/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/02/22 00:22:43; author: ong; state: Exp; lines: +1102 -1095  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor17n/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdor17n/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/02/22 00:22:50; author: ong; state: Exp; lines: +257 -257  
Sized transistors. Discharge transistor is a different size than the  
logic transistors  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/BOM,v  
working file: atlas2/ged/xv/xvdor2n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/02/22 01:51:47; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 2.1  
date: 1995/02/22 01:51:41; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0  
date: 1995/02/22 00:29:30; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand  
-----

revision 1.1  
date: 1995/02/22 00:29:23; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdor2n/body.1.1

bz Feb 21-27 1995.log

head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:46:17; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:19:09; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdor2n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2  
date: 1995/02/22 01:46:19; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:19:11; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdor2n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/02/22 00:19:13; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor2n/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdor2n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1

date: 1995/02/22 00:19:15; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/BOM,v  
Working file: atlas2/ged/xv/xvdor3n/BOM  
head: 4.0

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM

-----  
revision 3.0

date: 1995/02/22 01:52:06; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.1

date: 1995/02/22 01:51:59; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 2.0

date: 1995/02/22 00:29:49; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1

date: 1995/02/22 00:29:41; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvdor3n/body.1.1  
head: 1.3

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.2

date: 1995/02/22 01:46:24; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1

date: 1995/02/22 00:19:21; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdor3n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----  
revision 1.2  
date: 1995/02/22 01:46:25; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----  
revision 1.1  
date: 1995/02/22 00:19:23; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdor3n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/02/22 00:19:25; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor3n/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdor3n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/02/22 00:19:26; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/BOM,v  
working file: atlas2/ged/xv/xvdor4n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:

bz Feb 21-27 1995.log

releasebom adding BOM

-----  
revision 3.0

date: 1995/02/22 01:52:25; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

-----  
revision 2.1

date: 1995/02/22 01:52:19; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 2.0

date: 1995/02/22 00:30:06; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand

-----  
revision 1.1

date: 1995/02/22 00:30:00; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/body.1.1,v

Working file: atlas2/ged/xv/xvdor4n/body.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.2

date: 1995/02/22 01:46:30; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1

date: 1995/02/22 00:19:32; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/body.2.1,v

Working file: atlas2/ged/xv/xvdor4n/body.2.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.2

date: 1995/02/22 01:46:33; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

-----  
revision 1.1

date: 1995/02/22 00:19:34; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdor4n/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
```

```
-----
revision 1.1
date: 1995/02/22 00:19:36; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor4n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdor4n/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
```

```
-----
revision 1.1
date: 1995/02/22 00:19:38; author: ong; state: Exp;
New schematics based on the 17-input schematic, with sizes
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/BOM,v
working file: atlas2/ged/xv/xvdor6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 4
description:
releasebom adding BOM
```

```
-----
revision 3.0
date: 1995/02/22 01:52:44; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier

```
-----
revision 2.1
date: 1995/02/22 01:52:38; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
```

```
-----
revision 2.0
date: 1995/02/22 00:30:26; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

New schematic of different fanins of xvdor and xvdand

```
-----
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/22 00:30:18; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdor6n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----  
revision 1.2  
date: 1995/02/22 01:46:39; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----  
revision 1.1  
date: 1995/02/22 00:19:44; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdor6n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----  
revision 1.2  
date: 1995/02/22 01:46:40; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----  
revision 1.1  
date: 1995/02/22 00:19:47; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdor6n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/02/22 00:19:49; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor6n/Attic/spice\_cn.1.1,v

bz Feb 21-27 1995.log  
working file: atlas2/ged/xv/xvdor6n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/02/22 00:19:51; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/BOM,v  
working file: atlas2/ged/xv/xvdor8n/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/02/22 01:53:04; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed Bodies of xvdor\* and xvdand\* to include strength qualifier  
-----

revision 2.1  
date: 1995/02/22 01:52:57; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 2.0  
date: 1995/02/22 00:30:47; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

New schematic of different fanins of xvdor and xvdand  
-----

revision 1.1  
date: 1995/02/22 00:30:39; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdor8n/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:46:46; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/22 00:19:58; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdor8n/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.2  
date: 1995/02/22 01:46:48; author: ong; state: Exp; lines: +1 -1  
Changed parameter on body to include a strength variable for the  
discharge transistor  
-----

revision 1.1  
date: 1995/02/22 00:20:00; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdor8n/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:20:02; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdor8n/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdor8n/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/02/22 00:20:04; author: ong; state: Exp;  
New schematics based on the 17-input schematic, with sizes  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv1bn/Attic/BOM,v  
working file: atlas2/ged/xv/xv1bn/BOM  
head: 201.0  
branch:

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 19; selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 3.0  
date: 1995/02/24 01:22:51; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xv1bn

Added transistor size parameters to bodies

-----  
revision 2.1  
date: 1995/02/24 01:22:44; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv1bn/Attic/body.1.1,v  
working file: atlas2/ged/xv/xv1bn/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/02/24 01:22:08; author: ong; state: Exp; lines: +17 -16  
Added transistor size parameters to body

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv1bn/Attic/body.2.1,v  
working file: atlas2/ged/xv/xv1bn/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/02/24 01:22:10; author: ong; state: Exp; lines: +17 -16  
Added transistor size parameters to body

=====

RCS file: /p/cvsroot/atlas2/leafgen/Attic/makeDepend,v  
working file: atlas2/leafgen/makeDepend  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 15; selected revisions: 1  
description:

-----  
revision 3.3

bz Feb 21-27 1995.log

date: 1995/02/24 01:32:44; author: brianl; state: Exp; lines: +17 -2  
Added dand\* dor\* cells

---

RCS file: /p/cvsroot/atlas2/tab/BOM,v  
working file: atlas2/tab/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 201.0  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:  
releasebom adding BOM

---

revision 2.2  
date: 1995/02/21 22:54:25; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/tab/doc

Added more info from Trancy

Geert

---

RCS file: /p/cvsroot/atlas2/tab/doc/BOM,v  
working file: atlas2/tab/doc/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 201.0  
keyword substitution: kv  
total revisions: 9; selected revisions: 2  
description:  
releasebom adding BOM

---

revision 3.0  
date: 1995/02/21 22:54:16; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/tab/doc

Added more info from Trancy

Geert

---

revision 2.1  
date: 1995/02/21 22:54:10; author: geert; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/tab/doc/tab.ht,v  
working file: atlas2/tab/doc/tab.ht  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

---

bz Feb 21-27 1995.log

-----  
revision 1.2  
date: 1995/02/21 22:53:35; author: geert; state: Exp; lines: +17 -8  
Added more ibnfo from Trancy

Geert

=====

RCS file: /p/cvsroot/c\_tests/nullstone/analysis.c,v  
Working file: c\_tests/nullstone/analysis.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone/boolean.h,v  
Working file: c\_tests/nullstone/boolean.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone/chart.c,v  
Working file: c\_tests/nullstone/chart.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:12; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/commands,v

working file: c\_tests/nullstone/commands

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 3

description:

-----  
revision 1.2

date: 1995/02/24 22:26:04; author: claseman; state: Exp; lines: +14 -14

change from stb to osf

-----  
revision 1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config.bat,v

working file: c\_tests/nullstone/config.bat

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config.mpw,v  
Working file: c\_tests/nullstone/config.mpw  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config.sh,v  
Working file: c\_tests/nullstone/config.sh  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 5; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/driver.c,v  
Working file: c\_tests/nullstone/driver.c  
head: 1.3

bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 5;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/error.c,v
working file: c_tests/nullstone/error.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:12; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/error.log,v
working file: c_tests/nullstone/error.log
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:16; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/gui.c,v  
working file: c\_tests/nullstone/gui.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:13; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/kernels.h,v  
working file: c\_tests/nullstone/kernels.h  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.2  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/libnull.c,v  
working file: c\_tests/nullstone/libnull.c  
head: 1.3  
branch:  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.3

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 5; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/main.c,v

working file: c\_tests/nullstone/main.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:12; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/notice.txt,v

working file: c\_tests/nullstone/notice.txt

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/page.c,v  
Working file: c\_tests/nullstone/page.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/page.h,v  
Working file: c\_tests/nullstone/page.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/parse.c,v  
Working file: c\_tests/nullstone/parse.c  
head: 1.2  
branch:  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/parse.h,v

Working file: c\_tests/nullstone/parse.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/reprtgen.c,v

Working file: c\_tests/nullstone/reprtgen.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/Attic/stderr.dat,v  
Working file: c\_tests/nullstone/stderr.dat  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/Attic/stdout.dat,v  
Working file: c\_tests/nullstone/stdout.dat  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/Attic/stone.dat,v  
Working file: c\_tests/nullstone/stone.dat  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/testlist,v  
Working file: c\_tests/nullstone/testlist  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:13; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/tick.c,v  
Working file: c\_tests/nullstone/tick.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/tick.h,v

bz Feb 21-27 1995.log

Working file: c\_tests/nullstone/tick.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/tokens.h,v

Working file: c\_tests/nullstone/tokens.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/values.h,v

Working file: c\_tests/nullstone/values.h

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 5; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:31:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/version.h,v  
working file: c\_tests/nullstone/version.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/alpha/commands,v  
working file: c\_tests/nullstone/config/alpha/commands  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/alpha/config.h,v  
working file: c\_tests/nullstone/config/alpha/config.h

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/config/alpha/makefile,v
Working file: c_tests/nullstone/config/alpha/makefile
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:17; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:18; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/config/mac040/analysis.mak,v
Working file: c_tests/nullstone/config/mac040/analysis.mak
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/mac040/config.h,v  
Working file: c\_tests/nullstone/config/mac040/config.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/mac040/driver.mak,v  
Working file: c\_tests/nullstone/config/mac040/driver.mak  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/mac040/driver.mpw,v  
Working file: c\_tests/nullstone/config/mac040/driver.mpw  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/mac040/readme,v  
Working file: c\_tests/nullstone/config/mac040/readme  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/pentium/commands,v  
Working file: c\_tests/nullstone/config/pentium/commands  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/pentium/config.h,v  
working file: c\_tests/nullstone/config/pentium/config.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/pentium/makefile,v  
working file: c\_tests/nullstone/config/pentium/makefile  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/rs6000/commands,v  
working file: c\_tests/nullstone/config/rs6000/commands  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/rs6000/config.h,v  
working file: c\_tests/nullstone/config/rs6000/config.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/rs6000/makefile,v  
working file: c\_tests/nullstone/config/rs6000/makefile  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/sparc/commands,v  
Working file: c\_tests/nullstone/config/sparc/commands  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/sparc/config.h,v  
Working file: c\_tests/nullstone/config/sparc/config.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/sparc/makefile,v  
Working file: c\_tests/nullstone/config/sparc/makefile  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/template/commands,v

working file: c\_tests/nullstone/config/template/commands

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/template/config.h,v

working file: c\_tests/nullstone/config/template/config.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/template/makefile,v  
Working file: c\_tests/nullstone/config/template/makefile  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/terp/commands,v  
Working file: c\_tests/nullstone/config/terp/commands  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 6; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/terp/config.h,v  
Working file: c\_tests/nullstone/config/terp/config.h  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.4  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 5; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/config/terp/makefile,v  
working file: c\_tests/nullstone/config/terp/makefile  
head: 1.6  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.6  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 7; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/address/addr\_01.c,v  
working file: c\_tests/nullstone/src/address/addr\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/address/addr_02.c,v
working file: c_tests/nullstone/src/address/addr_02.c
```

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_01.c,v

working file: c\_tests/nullstone/src/alias/alias\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_02.c,v

working file: c\_tests/nullstone/src/alias/alias\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_03.c,v  
working file: c\_tests/nullstone/src/alias/alias\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_04.c,v  
working file: c\_tests/nullstone/src/alias/alias\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_05.c,v
working file: c_tests/nullstone/src/alias/alias_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_06.c,v
working file: c_tests/nullstone/src/alias/alias_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:24; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/alias/alias_07.c,v
working file: c_tests/nullstone/src/alias/alias_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_08.c,v

Working file: c\_tests/nullstone/src/alias/alias\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_09.c,v

Working file: c\_tests/nullstone/src/alias/alias\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_10.c,v  
working file: c\_tests/nullstone/src/alias/alias\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_11.c,v  
working file: c\_tests/nullstone/src/alias/alias\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_12.c,v  
working file: c\_tests/nullstone/src/alias/alias\_12.c  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 4; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_20.c,v  
working file: c\_tests/nullstone/src/alias/alias\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_21.c,v  
working file: c\_tests/nullstone/src/alias/alias\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_22.c,v  
working file: c\_tests/nullstone/src/alias/alias\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/alias/alias\_23.c,v  
working file: c\_tests/nullstone/src/alias/alias\_23.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/bitfield/bit\_01.c,v  
working file: c\_tests/nullstone/src/bitfield/bit\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/bitfield/bit\_02.c,v

working file: c\_tests/nullstone/src/bitfield/bit\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/bitfield/bit\_03.c,v

working file: c\_tests/nullstone/src/bitfield/bit\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_01.c,v

bz Feb 21-27 1995.log

Working file: c\_tests/nullstone/src/branch/br\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_02.c,v

Working file: c\_tests/nullstone/src/branch/br\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_03.c,v

Working file: c\_tests/nullstone/src/branch/br\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:13; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_04.c,v  
working file: c\_tests/nullstone/src/branch/br\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:13; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_05.c,v  
working file: c\_tests/nullstone/src/branch/br\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:13; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_06.c,v  
working file: c\_tests/nullstone/src/branch/br\_06.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_07.c,v
working file: c_tests/nullstone/src/branch/br_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_08.c,v
working file: c_tests/nullstone/src/branch/br_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_09.c,v

Working file: c\_tests/nullstone/src/branch/br\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_10.c,v

Working file: c\_tests/nullstone/src/branch/br\_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_11.c,v

Working file: c\_tests/nullstone/src/branch/br\_11.c

head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_12.c,v
working file: c_tests/nullstone/src/branch/br_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/branch/br_13.c,v
working file: c_tests/nullstone/src/branch/br_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_14.c,v  
working file: c\_tests/nullstone/src/branch/br\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_15.c,v  
working file: c\_tests/nullstone/src/branch/br\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/branch/br\_16.c,v  
working file: c\_tests/nullstone/src/branch/br\_16.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_01.c,v

working file: c\_tests/nullstone/src/combine/comb\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_02.c,v

working file: c\_tests/nullstone/src/combine/comb\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:12; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_03.c,v  
working file: c\_tests/nullstone/src/combine/comb\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:13; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_04.c,v  
working file: c\_tests/nullstone/src/combine/comb\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:13; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_05.c,v  
working file: c\_tests/nullstone/src/combine/comb\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_06.c,v

working file: c\_tests/nullstone/src/combine/comb\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_07.c,v

working file: c\_tests/nullstone/src/combine/comb\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_08.c,v  
working file: c\_tests/nullstone/src/combine/comb\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_09.c,v  
working file: c\_tests/nullstone/src/combine/comb\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_10.c,v  
working file: c\_tests/nullstone/src/combine/comb\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_11.c,v

working file: c\_tests/nullstone/src/combine/comb\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_12.c,v

working file: c\_tests/nullstone/src/combine/comb\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_13.c,v  
Working file: c\_tests/nullstone/src/combine/comb\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_14.c,v  
Working file: c\_tests/nullstone/src/combine/comb\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_15.c,v  
Working file: c\_tests/nullstone/src/combine/comb\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_16.c,v  
working file: c\_tests/nullstone/src/combine/comb\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_17.c,v  
working file: c\_tests/nullstone/src/combine/comb\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_18.c,v  
working file: c\_tests/nullstone/src/combine/comb\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_19.c,v  
working file: c\_tests/nullstone/src/combine/comb\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_20.c,v  
working file: c\_tests/nullstone/src/combine/comb\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_21.c,v  
working file: c\_tests/nullstone/src/combine/comb\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_22.c,v  
working file: c\_tests/nullstone/src/combine/comb\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_23.c,v  
working file: c\_tests/nullstone/src/combine/comb\_23.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_24.c,v  
working file: c\_tests/nullstone/src/combine/comb\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_25.c,v  
working file: c\_tests/nullstone/src/combine/comb\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_31.c,v

working file: c\_tests/nullstone/src/combine/comb\_31.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_32.c,v

working file: c\_tests/nullstone/src/combine/comb\_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_33.c,v
Working file: c_tests/nullstone/src/combine/comb_33.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_34.c,v
Working file: c_tests/nullstone/src/combine/comb_34.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_35.c,v
Working file: c_tests/nullstone/src/combine/comb_35.c
```

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_36.c,v  
Working file: c\_tests/nullstone/src/combine/comb\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_37.c,v  
Working file: c\_tests/nullstone/src/combine/comb\_37.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_38.c,v
working file: c_tests/nullstone/src/combine/comb_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_39.c,v
working file: c_tests/nullstone/src/combine/comb_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_40.c,v
working file: c_tests/nullstone/src/combine/comb_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
=====
```

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_41.c,v  
working file: c\_tests/nullstone/src/combine/comb\_41.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_42.c,v  
working file: c\_tests/nullstone/src/combine/comb\_42.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_43.c,v  
Working file: c\_tests/nullstone/src/combine/comb\_43.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_44.c,v  
Working file: c\_tests/nullstone/src/combine/comb\_44.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_45.c,v  
Working file: c\_tests/nullstone/src/combine/comb\_45.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:20;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:21;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_46.c,v
Working file: c_tests/nullstone/src/combine/comb_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:20;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:21;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/combine/comb_47.c,v
Working file: c_tests/nullstone/src/combine/comb_47.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:20;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:21;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_48.c,v

Working file: c\_tests/nullstone/src/combine/comb\_48.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_49.c,v

Working file: c\_tests/nullstone/src/combine/comb\_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_50.c,v

Working file: c\_tests/nullstone/src/combine/comb\_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_51.c,v

working file: c\_tests/nullstone/src/combine/comb\_51.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description: -----

revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_52.c,v

working file: c\_tests/nullstone/src/combine/comb\_52.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description: -----

revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_53.c,v

bz Feb 21-27 1995.log  
Working file: c\_tests/nullstone/src/combine/comb\_53.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_54.c,v

Working file: c\_tests/nullstone/src/combine/comb\_54.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_55.c,v

Working file: c\_tests/nullstone/src/combine/comb\_55.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:32:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_61.c,v  
working file: c\_tests/nullstone/src/combine/comb\_61.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_62.c,v  
working file: c\_tests/nullstone/src/combine/comb\_62.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_63.c,v  
working file: c\_tests/nullstone/src/combine/comb\_63.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_64.c,v  
working file: c\_tests/nullstone/src/combine/comb\_64.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_65.c,v  
working file: c\_tests/nullstone/src/combine/comb\_65.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_66.c,v  
working file: c\_tests/nullstone/src/combine/comb\_66.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_67.c,v  
working file: c\_tests/nullstone/src/combine/comb\_67.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_68.c,v  
working file: c\_tests/nullstone/src/combine/comb\_68.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_69.c,v  
working file: c\_tests/nullstone/src/combine/comb\_69.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_70.c,v  
working file: c\_tests/nullstone/src/combine/comb\_70.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_71.c,v  
working file: c\_tests/nullstone/src/combine/comb\_71.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_72.c,v  
working file: c\_tests/nullstone/src/combine/comb\_72.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_73.c,v  
working file: c\_tests/nullstone/src/combine/comb\_73.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_74.c,v

Working file: c\_tests/nullstone/src/combine/comb\_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_75.c,v

Working file: c\_tests/nullstone/src/combine/comb\_75.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:26; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_76.c,v  
working file: c\_tests/nullstone/src/combine/comb\_76.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_77.c,v  
working file: c\_tests/nullstone/src/combine/comb\_77.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_78.c,v  
working file: c\_tests/nullstone/src/combine/comb\_78.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:26; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_79.c,v

working file: c\_tests/nullstone/src/combine/comb\_79.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_80.c,v

working file: c\_tests/nullstone/src/combine/comb\_80.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_81.c,v  
working file: c\_tests/nullstone/src/combine/comb\_81.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_82.c,v  
working file: c\_tests/nullstone/src/combine/comb\_82.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_83.c,v  
working file: c\_tests/nullstone/src/combine/comb\_83.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_84.c,v

working file: c\_tests/nullstone/src/combine/comb\_84.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/combine/comb\_85.c,v

working file: c\_tests/nullstone/src/combine/comb\_85.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_01.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_02.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_03.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_04.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_05.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_06.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_07.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_08.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_09.c,v

working file: c\_tests/nullstone/src/consfold/fold\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_10.c,v

working file: c\_tests/nullstone/src/consfold/fold\_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_11.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_12.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_13.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_14.c,v

working file: c\_tests/nullstone/src/consfold/fold\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_15.c,v

working file: c\_tests/nullstone/src/consfold/fold\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_16.c,v
working file: c_tests/nullstone/src/consfold/fold_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:27;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:28;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_17.c,v
working file: c_tests/nullstone/src/consfold/fold_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:28;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:29;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_18.c,v
working file: c_tests/nullstone/src/consfold/fold_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
```

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_19.c,v

working file: c\_tests/nullstone/src/consfold/fold\_19.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_20.c,v

working file: c\_tests/nullstone/src/consfold/fold\_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_21.c,v
working file: c_tests/nullstone/src/consfold/fold_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_22.c,v
working file: c_tests/nullstone/src/consfold/fold_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_23.c,v
working file: c_tests/nullstone/src/consfold/fold_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_24.c,v

working file: c\_tests/nullstone/src/consfold/fold\_24.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_25.c,v

working file: c\_tests/nullstone/src/consfold/fold\_25.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_26.c,v

working file: c\_tests/nullstone/src/consfold/fold\_26.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_27.c,v

working file: c\_tests/nullstone/src/consfold/fold\_27.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_28.c,v

working file: c\_tests/nullstone/src/consfold/fold\_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_31.c,v
Working file: c_tests/nullstone/src/consfold/fold_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_32.c,v
Working file: c_tests/nullstone/src/consfold/fold_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_33.c,v
Working file: c_tests/nullstone/src/consfold/fold_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_34.c,v
Working file: c_tests/nullstone/src/consfold/fold_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/consfold/fold_35.c,v
Working file: c_tests/nullstone/src/consfold/fold_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2

```

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_36.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_37.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_37.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_38.c,v

bz Feb 21-27 1995.log  
Working file: c\_tests/nullstone/src/consfold/fold\_38.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_39.c,v

Working file: c\_tests/nullstone/src/consfold/fold\_39.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_40.c,v

Working file: c\_tests/nullstone/src/consfold/fold\_40.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_41.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_41.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_42.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_42.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_43.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_43.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_44.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_44.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_45.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_45.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_46.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_46.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_47.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_47.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_48.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_48.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_49.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_49.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_50.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_50.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_51.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_51.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_52.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_52.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_53.c,v  
Working file: c\_tests/nullstone/src/consfold/fold\_53.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_54.c,v

working file: c\_tests/nullstone/src/consfold/fold\_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_55.c,v

working file: c\_tests/nullstone/src/consfold/fold\_55.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_56.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_56.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_57.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_57.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consfold/fold\_58.c,v  
working file: c\_tests/nullstone/src/consfold/fold\_58.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_01.c,v

working file: c\_tests/nullstone/src/consprop/prop\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_02.c,v

working file: c\_tests/nullstone/src/consprop/prop\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_03.c,v  
working file: c\_tests/nullstone/src/consprop/prop\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_04.c,v  
working file: c\_tests/nullstone/src/consprop/prop\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_05.c,v  
working file: c\_tests/nullstone/src/consprop/prop\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_06.c,v

working file: c\_tests/nullstone/src/consprop/prop\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_07.c,v

working file: c\_tests/nullstone/src/consprop/prop\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_08.c,v  
Working file: c\_tests/nullstone/src/consprop/prop\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_09.c,v  
Working file: c\_tests/nullstone/src/consprop/prop\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_10.c,v  
Working file: c\_tests/nullstone/src/consprop/prop\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_11.c,v  
working file: c\_tests/nullstone/src/consprop/prop\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_12.c,v  
working file: c\_tests/nullstone/src/consprop/prop\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_13.c,v  
working file: c\_tests/nullstone/src/consprop/prop\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_14.c,v  
working file: c\_tests/nullstone/src/consprop/prop\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/consprop/prop\_15.c,v  
working file: c\_tests/nullstone/src/consprop/prop\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_01.c,v  
Working file: c\_tests/nullstone/src/cse/cse\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_02.c,v  
Working file: c\_tests/nullstone/src/cse/cse\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_03.c,v  
working file: c\_tests/nullstone/src/cse/cse\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_04.c,v  
working file: c\_tests/nullstone/src/cse/cse\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_05.c,v  
working file: c\_tests/nullstone/src/cse/cse\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_06.c,v

working file: c\_tests/nullstone/src/cse/cse\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_07.c,v

working file: c\_tests/nullstone/src/cse/cse\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_08.c,v

working file: c\_tests/nullstone/src/cse/cse\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:33:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_09.c,v

working file: c\_tests/nullstone/src/cse/cse\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_10.c,v

working file: c\_tests/nullstone/src/cse/cse\_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_11.c,v

working file: c\_tests/nullstone/src/cse/cse\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/cse/cse\_12.c,v

working file: c\_tests/nullstone/src/cse/cse\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_13.c,v
working file: c_tests/nullstone/src/cse/cse_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_14.c,v
working file: c_tests/nullstone/src/cse/cse_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

```
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/cse/cse_15.c,v
working file: c_tests/nullstone/src/cse/cse_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_01.c,v  
working file: c\_tests/nullstone/src/dead/dead\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_02.c,v  
working file: c\_tests/nullstone/src/dead/dead\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_03.c,v  
working file: c\_tests/nullstone/src/dead/dead\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_04.c,v  
working file: c\_tests/nullstone/src/dead/dead\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_05.c,v  
working file: c\_tests/nullstone/src/dead/dead\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:09;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:10;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_06.c,v
working file: c_tests/nullstone/src/dead/dead_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:09;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:10;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_07.c,v
working file: c_tests/nullstone/src/dead/dead_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:09;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:10;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_08.c,v

Working file: c\_tests/nullstone/src/dead/dead\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_09.c,v

Working file: c\_tests/nullstone/src/dead/dead\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_10.c,v

Working file: c\_tests/nullstone/src/dead/dead\_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_11.c,v

working file: c\_tests/nullstone/src/dead/dead\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_12.c,v

working file: c\_tests/nullstone/src/dead/dead\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_13.c,v

bz Feb 21-27 1995.log

working file: c\_tests/nullstone/src/dead/dead\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_14.c,v

working file: c\_tests/nullstone/src/dead/dead\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_15.c,v

working file: c\_tests/nullstone/src/dead/dead\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:10; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_16.c,v  
Working file: c\_tests/nullstone/src/dead/dead\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:10; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_17.c,v  
Working file: c\_tests/nullstone/src/dead/dead\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_18.c,v  
Working file: c\_tests/nullstone/src/dead/dead\_18.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_19.c,v
Working file: c_tests/nullstone/src/dead/dead_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:11; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/dead/dead_20.c,v
Working file: c_tests/nullstone/src/dead/dead_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_21.c,v  
Working file: c\_tests/nullstone/src/dead/dead\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_22.c,v  
Working file: c\_tests/nullstone/src/dead/dead\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_23.c,v  
Working file: c\_tests/nullstone/src/dead/dead\_23.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/dead/dead\_24.c,v  
working file: c\_tests/nullstone/src/dead/dead\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_01.c,v  
working file: c\_tests/nullstone/src/divide/div\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_02.c,v  
Working file: c\_tests/nullstone/src/divide/div\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_03.c,v  
Working file: c\_tests/nullstone/src/divide/div\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_04.c,v  
Working file: c\_tests/nullstone/src/divide/div\_04.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_05.c,v

working file: c\_tests/nullstone/src/divide/div\_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_06.c,v

working file: c\_tests/nullstone/src/divide/div\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_07.c,v  
Working file: c\_tests/nullstone/src/divide/div\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_08.c,v  
Working file: c\_tests/nullstone/src/divide/div\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_09.c,v  
Working file: c\_tests/nullstone/src/divide/div\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_10.c,v

Working file: c\_tests/nullstone/src/divide/div\_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_11.c,v

Working file: c\_tests/nullstone/src/divide/div\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_12.c,v

Working file: c\_tests/nullstone/src/divide/div\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_13.c,v

Working file: c\_tests/nullstone/src/divide/div\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_14.c,v

Working file: c\_tests/nullstone/src/divide/div\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_15.c,v

Working file: c\_tests/nullstone/src/divide/div\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_16.c,v

Working file: c\_tests/nullstone/src/divide/div\_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_17.c,v  
working file: c\_tests/nullstone/src/divide/div\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_18.c,v  
working file: c\_tests/nullstone/src/divide/div\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_19.c,v  
working file: c\_tests/nullstone/src/divide/div\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_20.c,v  
working file: c\_tests/nullstone/src/divide/div\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_21.c,v  
working file: c\_tests/nullstone/src/divide/div\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_22.c,v  
Working file: c\_tests/nullstone/src/divide/div\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_23.c,v  
Working file: c\_tests/nullstone/src/divide/div\_23.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_24.c,v  
Working file: c\_tests/nullstone/src/divide/div\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_25.c,v  
working file: c\_tests/nullstone/src/divide/div\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_26.c,v  
working file: c\_tests/nullstone/src/divide/div\_26.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_27.c,v  
working file: c\_tests/nullstone/src/divide/div\_27.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_28.c,v  
working file: c\_tests/nullstone/src/divide/div\_28.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_29.c,v  
working file: c\_tests/nullstone/src/divide/div\_29.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_30.c,v

Working file: c\_tests/nullstone/src/divide/div\_30.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_31.c,v

Working file: c\_tests/nullstone/src/divide/div\_31.c

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_32.c,v

Working file: c\_tests/nullstone/src/divide/div\_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_33.c,v

Working file: c\_tests/nullstone/src/divide/div\_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_34.c,v

Working file: c\_tests/nullstone/src/divide/div\_34.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_35.c,v

working file: c\_tests/nullstone/src/divide/div\_35.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_36.c,v

working file: c\_tests/nullstone/src/divide/div\_36.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_37.c,v
Working file: c_tests/nullstone/src/divide/div_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_38.c,v
Working file: c_tests/nullstone/src/divide/div_38.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_39.c,v
Working file: c_tests/nullstone/src/divide/div_39.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_40.c,v

Working file: c\_tests/nullstone/src/divide/div\_40.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_41.c,v

Working file: c\_tests/nullstone/src/divide/div\_41.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_42.c,v  
Working file: c\_tests/nullstone/src/divide/div\_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_43.c,v

Working file: c\_tests/nullstone/src/divide/div\_43.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_44.c,v

Working file: c\_tests/nullstone/src/divide/div\_44.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_45.c,v  
working file: c\_tests/nullstone/src/divide/div\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_46.c,v  
working file: c\_tests/nullstone/src/divide/div\_46.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_47.c,v

working file: c\_tests/nullstone/src/divide/div\_47.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_48.c,v

working file: c\_tests/nullstone/src/divide/div\_48.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_49.c,v

working file: c\_tests/nullstone/src/divide/div\_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_50.c,v

working file: c\_tests/nullstone/src/divide/div\_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_51.c,v

working file: c\_tests/nullstone/src/divide/div\_51.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_52.c,v

bz Feb 21-27 1995.log

Working file: c\_tests/nullstone/src/divide/div\_52.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_53.c,v

Working file: c\_tests/nullstone/src/divide/div\_53.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_54.c,v

Working file: c\_tests/nullstone/src/divide/div\_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_55.c,v  
working file: c\_tests/nullstone/src/divide/div\_55.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_56.c,v  
working file: c\_tests/nullstone/src/divide/div\_56.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_57.c,v  
working file: c\_tests/nullstone/src/divide/div\_57.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_58.c,v
working file: c_tests/nullstone/src/divide/div_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:55; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/divide/div_59.c,v
working file: c_tests/nullstone/src/divide/div_59.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_60.c,v  
Working file: c\_tests/nullstone/src/divide/div\_60.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_61.c,v  
Working file: c\_tests/nullstone/src/divide/div\_61.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_62.c,v  
Working file: c\_tests/nullstone/src/divide/div\_62.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_63.c,v  
working file: c\_tests/nullstone/src/divide/div\_63.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_64.c,v  
working file: c\_tests/nullstone/src/divide/div\_64.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_65.c,v  
working file: c\_tests/nullstone/src/divide/div\_65.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_66.c,v  
working file: c\_tests/nullstone/src/divide/div\_66.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_67.c,v  
working file: c\_tests/nullstone/src/divide/div\_67.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_68.c,v

working file: c\_tests/nullstone/src/divide/div\_68.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_69.c,v

working file: c\_tests/nullstone/src/divide/div\_69.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_70.c,v

working file: c\_tests/nullstone/src/divide/div\_70.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_71.c,v

working file: c\_tests/nullstone/src/divide/div\_71.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_72.c,v

working file: c\_tests/nullstone/src/divide/div\_72.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_73.c,v

working file: c\_tests/nullstone/src/divide/div\_73.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_74.c,v

working file: c\_tests/nullstone/src/divide/div\_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_75.c,v  
working file: c\_tests/nullstone/src/divide/div\_75.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_76.c,v  
working file: c\_tests/nullstone/src/divide/div\_76.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_77.c,v  
working file: c\_tests/nullstone/src/divide/div\_77.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_78.c,v

Working file: c\_tests/nullstone/src/divide/div\_78.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_79.c,v

Working file: c\_tests/nullstone/src/divide/div\_79.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_80.c,v  
working file: c\_tests/nullstone/src/divide/div\_80.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_81.c,v  
working file: c\_tests/nullstone/src/divide/div\_81.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_82.c,v  
working file: c\_tests/nullstone/src/divide/div\_82.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_83.c,v  
Working file: c\_tests/nullstone/src/divide/div\_83.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_84.c,v  
Working file: c\_tests/nullstone/src/divide/div\_84.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_85.c,v  
Working file: c\_tests/nullstone/src/divide/div\_85.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_86.c,v  
Working file: c\_tests/nullstone/src/divide/div\_86.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_87.c,v  
Working file: c\_tests/nullstone/src/divide/div\_87.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_88.c,v  
Working file: c\_tests/nullstone/src/divide/div\_88.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_89.c,v  
Working file: c\_tests/nullstone/src/divide/div\_89.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_90.c,v  
Working file: c\_tests/nullstone/src/divide/div\_90.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:33:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_91.c,v

Working file: c\_tests/nullstone/src/divide/div\_91.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:33:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/div\_92.c,v

Working file: c\_tests/nullstone/src/divide/div\_92.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/ndiv\_01.c,v

Working file: c\_tests/nullstone/src/divide/ndiv\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/ndiv\_02.c,v

Working file: c\_tests/nullstone/src/divide/ndiv\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/ndiv\_03.c,v

Working file: c\_tests/nullstone/src/divide/ndiv\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/divide/ndiv\_04.c,v

Working file: c\_tests/nullstone/src/divide/ndiv\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_01.c,v

Working file: c\_tests/nullstone/src/expr/expr\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_02.c,v

Working file: c\_tests/nullstone/src/expr/expr\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_03.c,v

Working file: c\_tests/nullstone/src/expr/expr\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_04.c,v
Working file: c_tests/nullstone/src/expr/expr_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_05.c,v
Working file: c_tests/nullstone/src/expr/expr_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:28; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_06.c,v
Working file: c_tests/nullstone/src/expr/expr_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
=====
```

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_07.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_08.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_09.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_10.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_100.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_100.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_101.c,v
working file: c_tests/nullstone/src/expr/expr_101.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_102.c,v
working file: c_tests/nullstone/src/expr/expr_102.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:29; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_103.c,v  
working file: c\_tests/nullstone/src/expr/expr\_103.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_104.c,v  
working file: c\_tests/nullstone/src/expr/expr\_104.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_105.c,v  
working file: c\_tests/nullstone/src/expr/expr\_105.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_106.c,v  
working file: c\_tests/nullstone/src/expr/expr\_106.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_107.c,v  
working file: c\_tests/nullstone/src/expr/expr\_107.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_108.c,v

```

bz Feb 21-27 1995.log
working file: c_tests/nullstone/src/expr/expr_108.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_11.c,v
working file: c_tests/nullstone/src/expr/expr_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:30; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_13.c,v
working file: c_tests/nullstone/src/expr/expr_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-

```

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_14.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_15.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_16.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_16.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_17.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_18.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_19.c,v  
working file: c\_tests/nullstone/src/expr/expr\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_20.c,v  
working file: c\_tests/nullstone/src/expr/expr\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_30.c,v  
working file: c\_tests/nullstone/src/expr/expr\_30.c  
head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_31.c,v
working file: c_tests/nullstone/src/expr/expr_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_32.c,v
working file: c_tests/nullstone/src/expr/expr_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;      selected revisions: 2
description:
-----
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_33.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_33.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_34.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_34.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_35.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_35.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_36.c,v

Working file: c\_tests/nullstone/src/expr/expr\_36.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_37.c,v

Working file: c\_tests/nullstone/src/expr/expr\_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_38.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_38.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_39.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_39.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_40.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_40.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_41.c,v

working file: c\_tests/nullstone/src/expr/expr\_41.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_42.c,v

working file: c\_tests/nullstone/src/expr/expr\_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_43.c,v  
working file: c\_tests/nullstone/src/expr/expr\_43.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_44.c,v  
working file: c\_tests/nullstone/src/expr/expr\_44.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_45.c,v  
working file: c\_tests/nullstone/src/expr/expr\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_46.c,v

working file: c\_tests/nullstone/src/expr/expr\_46.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_47.c,v

working file: c\_tests/nullstone/src/expr/expr\_47.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_48.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_48.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_49.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_49.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_50.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_50.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_51.c,v  
working file: c\_tests/nullstone/src/expr/expr\_51.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_52.c,v  
working file: c\_tests/nullstone/src/expr/expr\_52.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_53.c,v  
working file: c\_tests/nullstone/src/expr/expr\_53.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_54.c,v  
working file: c\_tests/nullstone/src/expr/expr\_54.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_55.c,v  
working file: c\_tests/nullstone/src/expr/expr\_55.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_56.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_56.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_57.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_57.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.2  
NS\_3\_8\_8: 1.1.1.2  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_58.c,v  
working file: c\_tests/nullstone/src/expr/expr\_58.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_59.c,v  
working file: c\_tests/nullstone/src/expr/expr\_59.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_60.c,v  
working file: c\_tests/nullstone/src/expr/expr\_60.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_61.c,v

Working file: c\_tests/nullstone/src/expr/expr\_61.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_62.c,v

Working file: c\_tests/nullstone/src/expr/expr\_62.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_63.c,v

Working file: c\_tests/nullstone/src/expr/expr\_63.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_64.c,v

Working file: c\_tests/nullstone/src/expr/expr\_64.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_65.c,v

Working file: c\_tests/nullstone/src/expr/expr\_65.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:37; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_66.c,v  
working file: c\_tests/nullstone/src/expr/expr\_66.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_67.c,v  
working file: c\_tests/nullstone/src/expr/expr\_67.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_68.c,v
working file: c_tests/nullstone/src/expr/expr_68.c
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_69.c,v
working file: c_tests/nullstone/src/expr/expr_69.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_70.c,v
working file: c_tests/nullstone/src/expr/expr_70.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_71.c,v  
working file: c\_tests/nullstone/src/expr/expr\_71.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_72.c,v  
working file: c\_tests/nullstone/src/expr/expr\_72.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_73.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_73.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_74.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_75.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_75.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_76.c,v  
working file: c\_tests/nullstone/src/expr/expr\_76.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_77.c,v  
working file: c\_tests/nullstone/src/expr/expr\_77.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_78.c,v
working file: c_tests/nullstone/src/expr/expr_78.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_79.c,v
working file: c_tests/nullstone/src/expr/expr_79.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/expr/expr_80.c,v
working file: c_tests/nullstone/src/expr/expr_80.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2

```

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_81.c,v

working file: c\_tests/nullstone/src/expr/expr\_81.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_82.c,v

working file: c\_tests/nullstone/src/expr/expr\_82.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_83.c,v

bz Feb 21-27 1995.log

working file: c\_tests/nullstone/src/expr/expr\_83.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_84.c,v

working file: c\_tests/nullstone/src/expr/expr\_84.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_85.c,v

working file: c\_tests/nullstone/src/expr/expr\_85.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_86.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_86.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_87.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_87.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_88.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_88.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_89.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_89.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_90.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_90.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

bz Feb 21-27 1995.log

revision 1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_91.c,v

working file: c\_tests/nullstone/src/expr/expr\_91.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_92.c,v

working file: c\_tests/nullstone/src/expr/expr\_92.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_93.c,v

working file: c\_tests/nullstone/src/expr/expr\_93.c

head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_94.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_94.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_95.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_95.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_96.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_96.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_97.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_97.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_98.c,v  
Working file: c\_tests/nullstone/src/expr/expr\_98.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:43; author: claseman; state: Exp;

branches: 1.1.1;

initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/expr/expr\_99.c,v

working file: c\_tests/nullstone/src/expr/expr\_99.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:43; author: claseman; state: Exp;

branches: 1.1.1;

initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/fstore/fstore\_1.c,v

working file: c\_tests/nullstone/src/fstore/fstore\_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/fstore/fstore\_2.c,v  
Working file: c\_tests/nullstone/src/fstore/fstore\_2.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/fstore/fstore\_3.c,v  
Working file: c\_tests/nullstone/src/fstore/fstore\_3.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_01.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_02.c,v

working file: c\_tests/nullstone/src/hoist/hoist\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_03.c,v

working file: c\_tests/nullstone/src/hoist/hoist\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_04.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_05.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_06.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_07.c,v

working file: c\_tests/nullstone/src/hoist/hoist\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_08.c,v

working file: c\_tests/nullstone/src/hoist/hoist\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_09.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_10.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_11.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_12.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_13.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_14.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----

revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----

revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_15.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----

revision 1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----

revision 1.1.1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_16.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_17.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_18.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_19.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_20.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_21.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_22.c,v

working file: c\_tests/nullstone/src/hoist/hoist\_22.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_23.c,v

working file: c\_tests/nullstone/src/hoist/hoist\_23.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_24.c,v

Working file: c\_tests/nullstone/src/hoist/hoist\_24.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_25.c,v

Working file: c\_tests/nullstone/src/hoist/hoist\_25.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_26.c,v

Working file: c\_tests/nullstone/src/hoist/hoist\_26.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_27.c,v

working file: c\_tests/nullstone/src/hoist/hoist\_27.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_28.c,v

working file: c\_tests/nullstone/src/hoist/hoist\_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_29.c,v
Working file: c_tests/nullstone/src/hoist/hoist_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_30.c,v
Working file: c_tests/nullstone/src/hoist/hoist_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_31.c,v
Working file: c_tests/nullstone/src/hoist/hoist_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_32.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_32.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_33.c,v  
working file: c\_tests/nullstone/src/hoist/hoist\_33.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_34.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_34.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_35.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_35.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/hoist/hoist\_36.c,v  
Working file: c\_tests/nullstone/src/hoist/hoist\_36.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:49;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:50;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/hoist/hoist_37.c,v
Working file: c_tests/nullstone/src/hoist/hoist_37.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:49;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:50;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_01.c,v
Working file: c_tests/nullstone/src/if/if_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:28;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:29;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_02.c,v  
Working file: c\_tests/nullstone/src/if/if\_02.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_03.c,v  
Working file: c\_tests/nullstone/src/if/if\_03.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_04.c,v  
Working file: c\_tests/nullstone/src/if/if\_04.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_05.c,v  
Working file: c\_tests/nullstone/src/if/if\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_06.c,v  
Working file: c\_tests/nullstone/src/if/if\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_07.c,v

bz Feb 21-27 1995.log

working file: c\_tests/nullstone/src/if/if\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_08.c,v

working file: c\_tests/nullstone/src/if/if\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_09.c,v

working file: c\_tests/nullstone/src/if/if\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_10.c,v  
Working file: c\_tests/nullstone/src/if/if\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_11.c,v  
Working file: c\_tests/nullstone/src/if/if\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_12.c,v  
Working file: c\_tests/nullstone/src/if/if\_12.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:30;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:31;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_13.c,v
working file: c_tests/nullstone/src/if/if_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_14.c,v
working file: c_tests/nullstone/src/if/if_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:32:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_15.c,v  
Working file: c\_tests/nullstone/src/if/if\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_16.c,v  
Working file: c\_tests/nullstone/src/if/if\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_17.c,v  
Working file: c\_tests/nullstone/src/if/if\_17.c  
head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_18.c,v
working file: c_tests/nullstone/src/if/if_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_19.c,v
working file: c_tests/nullstone/src/if/if_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_20.c,v  
working file: c\_tests/nullstone/src/if/if\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_21.c,v  
working file: c\_tests/nullstone/src/if/if\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_22.c,v  
working file: c\_tests/nullstone/src/if/if\_22.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_23.c,v

Working file: c\_tests/nullstone/src/if/if\_23.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_24.c,v

Working file: c\_tests/nullstone/src/if/if\_24.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_25.c,v  
Working file: c\_tests/nullstone/src/if/if\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_26.c,v  
Working file: c\_tests/nullstone/src/if/if\_26.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_27.c,v  
Working file: c\_tests/nullstone/src/if/if\_27.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_28.c,v

working file: c\_tests/nullstone/src/if/if\_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_29.c,v

working file: c\_tests/nullstone/src/if/if\_29.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_30.c,v  
working file: c\_tests/nullstone/src/if/if\_30.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_31.c,v  
working file: c\_tests/nullstone/src/if/if\_31.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_32.c,v  
working file: c\_tests/nullstone/src/if/if\_32.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_33.c,v

Working file: c\_tests/nullstone/src/if/if\_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_34.c,v

Working file: c\_tests/nullstone/src/if/if\_34.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_35.c,v  
Working file: c\_tests/nullstone/src/if/if\_35.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_36.c,v  
Working file: c\_tests/nullstone/src/if/if\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_37.c,v  
Working file: c\_tests/nullstone/src/if/if\_37.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_38.c,v  
Working file: c\_tests/nullstone/src/if/if\_38.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_39.c,v  
Working file: c\_tests/nullstone/src/if/if\_39.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_40.c,v  
working file: c\_tests/nullstone/src/if/if\_40.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_41.c,v  
Working file: c\_tests/nullstone/src/if/if\_41.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_42.c,v  
Working file: c\_tests/nullstone/src/if/if\_42.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_43.c,v  
working file: c\_tests/nullstone/src/if/if\_43.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_44.c,v  
working file: c\_tests/nullstone/src/if/if\_44.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_45.c,v  
Working file: c\_tests/nullstone/src/if/if\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_46.c,v  
Working file: c\_tests/nullstone/src/if/if\_46.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_47.c,v  
Working file: c\_tests/nullstone/src/if/if\_47.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_48.c,v

Working file: c\_tests/nullstone/src/if/if\_48.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_49.c,v

Working file: c\_tests/nullstone/src/if/if\_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_50.c,v

Working file: c\_tests/nullstone/src/if/if\_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_51.c,v

Working file: c\_tests/nullstone/src/if/if\_51.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_52.c,v

Working file: c\_tests/nullstone/src/if/if\_52.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_53.c,v

working file: c\_tests/nullstone/src/if/if\_53.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_54.c,v

working file: c\_tests/nullstone/src/if/if\_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_55.c,v

working file: c\_tests/nullstone/src/if/if\_55.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----

revision 1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----

revision 1.1.1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_56.c,v

working file: c\_tests/nullstone/src/if/if\_56.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----

revision 1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----

revision 1.1.1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_57.c,v

working file: c\_tests/nullstone/src/if/if\_57.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_58.c,v  
working file: c\_tests/nullstone/src/if/if\_58.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_59.c,v  
working file: c\_tests/nullstone/src/if/if\_59.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_60.c,v  
Working file: c\_tests/nullstone/src/if/if\_60.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_61.c,v  
Working file: c\_tests/nullstone/src/if/if\_61.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_62.c,v  
Working file: c\_tests/nullstone/src/if/if\_62.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_63.c,v
working file: c_tests/nullstone/src/if/if_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/if/if_64.c,v
working file: c_tests/nullstone/src/if/if_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_65.c,v  
Working file: c\_tests/nullstone/src/if/if\_65.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_66.c,v  
Working file: c\_tests/nullstone/src/if/if\_66.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_67.c,v  
Working file: c\_tests/nullstone/src/if/if\_67.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:32:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_68.c,v  
working file: c\_tests/nullstone/src/if/if\_68.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/if/if\_69.c,v  
working file: c\_tests/nullstone/src/if/if\_69.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/inline/inline\_1.c,v

bz Feb 21-27 1995.log

Working file: c\_tests/nullstone/src/inline/inline\_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/inline/inline\_2.c,v

Working file: c\_tests/nullstone/src/inline/inline\_2.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/inline/inline\_3.c,v

Working file: c\_tests/nullstone/src/inline/inline\_3.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/ive/ive\_01.c,v  
working file: c\_tests/nullstone/src/ive/ive\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/collapse/clpse\_01.c,v  
working file: c\_tests/nullstone/src/loop/collapse/clpse\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/collapse/clpse\_02.c,v  
working file: c\_tests/nullstone/src/loop/collapse/clpse\_02.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/loop/collapse/clpse_03.c,v
Working file: c_tests/nullstone/src/loop/collapse/clpse_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:41; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/loop/collapse/clpse_04.c,v
Working file: c_tests/nullstone/src/loop/collapse/clpse_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/fusion/fusion\_1.c,v  
Working file: c\_tests/nullstone/src/loop/fusion/fusion\_1.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/fusion/fusion\_2.c,v  
Working file: c\_tests/nullstone/src/loop/fusion/fusion\_2.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_08.c,v  
Working file: c\_tests/nullstone/src/loop/loop/loop\_08.c  
head: 1.2

bz Feb 21-27 1995.log

```
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 4;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_09.c,v
working file: c_tests/nullstone/src/loop/loop/loop_09.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/loop/loop/loop_1.c,v
working file: c_tests/nullstone/src/loop/loop/loop_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_10.c,v  
Working file: c\_tests/nullstone/src/loop/loop/loop\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description: ..

-----  
revision 1.1  
date: 1995/02/24 00:33:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_11.c,v  
Working file: c\_tests/nullstone/src/loop/loop/loop\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_12.c,v  
Working file: c\_tests/nullstone/src/loop/loop/loop\_12.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_13.c,v

working file: c\_tests/nullstone/src/loop/loop/loop\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_14.c,v

working file: c\_tests/nullstone/src/loop/loop/loop\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_15.c,v  
working file: c\_tests/nullstone/src/loop/loop/loop\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_16.c,v  
working file: c\_tests/nullstone/src/loop/loop/loop\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_17.c,v  
working file: c\_tests/nullstone/src/loop/loop/loop\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_3.c,v

working file: c\_tests/nullstone/src/loop/loop/loop\_3.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_4.c,v

working file: c\_tests/nullstone/src/loop/loop/loop\_4.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_5.c,v  
working file: c\_tests/nullstone/src/loop/loop/loop\_5.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_6.c,v  
working file: c\_tests/nullstone/src/loop/loop/loop\_6.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/loop/loop\_7.c,v  
working file: c\_tests/nullstone/src/loop/loop/loop\_7.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/unroll/unroll\_1.c,v

working file: c\_tests/nullstone/src/loop/unroll/unroll\_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:42; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/unroll/unroll\_2.c,v

working file: c\_tests/nullstone/src/loop/unroll/unroll\_2.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/unroll/unroll\_3.c,v  
working file: c\_tests/nullstone/src/loop/unroll/unroll\_3.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:43; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/unroll/unroll\_4.c,v  
working file: c\_tests/nullstone/src/loop/unroll/unroll\_4.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/unroll/unroll\_5.c,v  
working file: c\_tests/nullstone/src/loop/unroll/unroll\_5.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_01.c,v  
Working file: c\_tests/nullstone/src/loop/wrap/for\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_02.c,v  
Working file: c\_tests/nullstone/src/loop/wrap/for\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_03.c,v

working file: c\_tests/nullstone/src/loop/wrap/for\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_04.c,v

working file: c\_tests/nullstone/src/loop/wrap/for\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_05.c,v

working file: c\_tests/nullstone/src/loop/wrap/for\_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_06.c,v  
Working file: c\_tests/nullstone/src/loop/wrap/for\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_11.c,v  
Working file: c\_tests/nullstone/src/loop/wrap/for\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_12.c,v  
Working file: c\_tests/nullstone/src/loop/wrap/for\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_13.c,v  
Working file: c\_tests/nullstone/src/loop/wrap/for\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_14.c,v  
Working file: c\_tests/nullstone/src/loop/wrap/for\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_15.c,v

Working file: c\_tests/nullstone/src/loop/wrap/for\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/loop/wrap/for\_16.c,v

Working file: c\_tests/nullstone/src/loop/wrap/for\_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/merge/merge\_1.c,v  
Working file: c\_tests/nullstone/src/merge/merge\_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/merge/merge\_2.c,v

Working file: c\_tests/nullstone/src/merge/merge\_2.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/merge/merge\_3.c,v

Working file: c\_tests/nullstone/src/merge/merge\_3.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/merge/merge\_4.c,v

working file: c\_tests/nullstone/src/merge/merge\_4.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/merge/merge\_5.c,v

working file: c\_tests/nullstone/src/merge/merge\_5.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4